SAFETY DATA SHEET



Clax[®] Super Launch^{™/MC} Neutralizer - rust remover

Revision: 2021-02-03

Version: 03.0

1. IDENTIFICATION

Product name:

SDS #: Recommended use:

Uses advised against:

Manufacturer, importer, supplier: US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249 SDS Internet Address: https://sds.diversey.com

Emergency telephone number:

Clax[®] Super Launch^{TMMC} Neutralizer - rust remover MS0800484 • Industrial/Institutional • Laundry care • This product is intended to be diluted prior to use Uses other than those identified are not recommended

> Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

2. HAZARDS IDENTIFICATION

1-800-851-7145; 1-651-917-6133 (Int'l)

Classification for the undiluted product

olassification for the ununuted	JIOUUOL
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 3
Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Metal Corrosion:	Category 1

Signal word:

Danger.

Hazard Statements

TOXIC IN CONTACT WITH SKIN. CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. HARMFUL IF SWALLOWED. MAY BE CORROSIVE TO METALS.

Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing. Absorb spillage to prevent material damage. Store locked up. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only

Clax[®] Super Launch^{™/MC} Neutralizer - rust remover with water. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat.

<u>Health hazards not otherwise classified (HHNOC)</u> - Not applicable <u>Physical hazards not otherwise classified (PHNOC)</u> - Not applicable

Classification for the diluted product 1:1300

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Hazard and Precautionary Statements

None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS #	Weight %
Fluorosilicic acid	16961-83-4	10 - 30%
hydrofluoric acid	7664-39-3	> 0.1 - < 1%
Hydrochloric acid	7647-01-0	> 0.1 - < 1%

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Diluted Product:

Eyes:__Rinse with plenty of water. Skin:__No specific first aid measures are required Inhalation:__No specific first aid measures are required Ingestion:__IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

5. FIRE-FIGHTING MEASURES

Specific methods: Suitable extinguishing media: Specific hazards: None known The product is not flammable. Extinguish fire using agent suitable for surrounding fire. Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Extinguishing media which must not be used for safety reasons: None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:Put on appropriate personal protective equipment (see Section 8.).Environmental precautions
and clean-up methods:Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in
a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. Do not mix with other products or chemicals except as directed on the label. Mix only with water.

Clax[®] Super Launch^{™/MC} Neutralizer - rust remover Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Store in corrosive-resistant container with a resistant inner liner.

Aerosol Level (if applicable) : Not applicable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS #	ACGIH	OSHA
hydrofluoric acid	7664-39-3	2 ppm (Ceiling) 0.5 ppm (TWA)	3 ppm (TWA)
Hydrochloric acid	7647-01-0	2 ppm (Ceiling)	5 ppm (Ceiling) 7 mg/m³ (Ceiling)

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Eye protection:	Chemical-splash goggles.
Hand protection:	Chemical-resistant gloves.
Skin and body protection:	If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection:	No special requirements under normal use conditions. If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over-exposure.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment	
Eye protection:	No personal protective equipment required under normal use conditions.
Hand protection:	No personal protective equipment required under normal use conditions.
Skin and body protection:	No personal protective equipment required under normal use conditions.
Respiratory protection:	No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid
Hygiene measures:	over-exposure. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Evaporation Rate: No information available Odor threshold: No information available. Melting point/range: Not determined Autoignition temperature: No information available Solubility in other solvents: No information available Density: 1.22 Kg/L Bulk density: No information available Flash point (°F): > 200 °F > 93.4 °C Viscosity: No information available **VOC:** 0 % * Flammability (Solid or Gas): Not applicable Sustained combustion: Not applicable Explosion limits: - upper: Not determined - lower: Not determined

Color: Clear , Colorless Odor: No Odor/Odorless Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Relative Density (relative to water): 1.22 Vapor density: No information available Vapor pressure: No information available. Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0.00 % by wt. **pH:** < 2 Corrosion to metals: Metal corrosive

Dilution pH: ≈ 2.62 Dilution Flash Point (°F): > 200 °F > 93.4 °C * - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Stability: Possibility of hazardous reactions: Hazardous decomposition products: Materials to avoid:	Not Applicable Stable May vigorously react with strong alkaline products resulting in spattering and excessive heat. Hydrogen fluoride. Strong bases. Ammonia. Do not mix with chlorinated products (such as bleach). Do not mix with any other product or chemical unless specified in the use directions.
Conditions to avoid:	None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. Symptoms may include vomiting, nausea, and/or feeling of general unwellness. Harmful if swallowed.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg):	510
---------------------	-----

ATE - Dermal (mg/kg): 510

- ATE Inhalatory, mists (mg/l): 5.1
- ATE Inhalatory, vapors (mg/l): >50

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN1778, FLUOROSILICIC ACID SOLUTION, 8, II

IMDG (Ocean) Bill of Lading Description: UN1778, FLUOROSILICIC ACID SOLUTION, 8, II

15. REGULATORY INFORMATION

International Inventories at CAS# Level TSCA DSL

All components are listed or otherwise exempt All components are listed or otherwise exempt

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Fluorosilicic acid	16961-83-4	Х	Х	-	-
Hydrochloric acid	7647-01-0	Х	Х	Х	Х
hydrofluoric acid	7664-39-3	Х	Х	Х	Х

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Hydrochloric acid	7647-01-0	> 0.1 - < 1%	5000	5000	Х
hydrofluoric acid	7664-39-3	> 0.1 - < 1%	100	100	Х

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Hydrochloric acid	X		
hydrofluoric acid	Х		

Ingredient(s)	CAS #	NPRI
Hydrochloric acid	7647-01-0	Х
hydrofluoric acid	7664-39-3	Х

16. OTHER INFORMATION

NFPA (National Fire Protection Association) Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

Diluted Product:

Health 0 Flammability 0 Instability 0 Special Hazards

Revision: 2021-02-03 **Version:** 03.0

Reason for revision: Prepared by:

Clax[®] Super Launch^{™/MC} Neutralizer - rust remover Not applicable North American Regulatory Affairs

Additional advice:

Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.