



BACK UP WITH
CONFIDENCE


2022-2023 PRODUCT CATALOG



Back Up Cameras
Back Up Monitors
Dashcam / DVR
Blind Spot Detection
AHD/CVBS System
Keyless Entry
Parking Sensors
Wireless System



Vision Tech America, Inc. Company Profile



Vision Tech America, Inc. is a privately held company specialized in providing aftermarket rear view camera system and vehicle safety solutions for over 17 years. It was founded by Mr. Dae K. Chung, former President of Samsung Electronics America (Information Systems Division), with a principal office in Mountain View, Northern California on December 1, 2005. The company's offices and warehouse facilities were relocated to its current location in Fullerton, Southern California in October, 2010.

Vision Tech America, Inc. developed the world's first Vehicle License Plate Camera System in 2005 and continued to devise innovative vehicle safety camera systems which resulted in more than 10 registered US Utility/Design Patents.

Vision Tech America, Inc. focuses on the distribution of aftermarket vehicle camera systems through multiple channels with major 12 volt product distributors as well as major online and offline retailers in USA and Canada.

Vision Tech America, Inc. delivers the best solutions and customer satisfaction through the combination of producing premium quality products, pioneering innovative vehicle safety technologies and providing first class tech support services.

For more information, visit the website at www.visiontechamerica.com



License Plate Cameras

VTL275LTJ
CHROME FULL FRAME



VTL375LTJ
BLACK FULL FRAME



VTL405LTJ
CHROME BAR TYPE



VTL425LTJ
BLACK BAR TYPE



Front View / Rear View / LED Lights / Trajectory Parking Lines

Ultra Slim License Plate Camera with LED Lights and Trajectory Parking Lines

- 1/3" PC1058 CMOS sensor
- 175° viewing angle (D) with LDC (lens distortion correction)
- IP68 waterproof
- 976 x 592 total pixel • 800 TVL
- Super bright built-in LED lights to help see much clearer Night Vision
- High voltage tolerance! Working voltage of 9 VDC~16VDC
- Auto White Balance • Humidity: Up to 90% RH (non-condensing)
- Trajectory Parking Guide Lines
- LED lights On/Off selectable
- Reverse/ Non-Reverse image selectable
- Parking lines On/Off selectable
- Camera swivels up and down to set to desired angle
- 0 Lux at F2.0 • Zinc metal frames
- Super slim license plate frame is legal in all U.S.

- U.S. UTILITY PATENT No. US8,432,446
- U.S. DESIGN PATENT No. D578049, D692815, D596545



License Plate Cameras

VTL275HD

CHROME FULL FRAME



VTL375HD

BLACK FULL FRAME



VTL405HD

CHROME BAR TYPE



VTL425HD

BLACK BAR TYPE



*Front View/ Rear View

HD Ultra Slim License Plate Camera

- 1/3" SONY CCD Color Image Sensor
- 175° viewing angle (D)
- IP68 waterproof
- Effective Pixels: NTSC 960(H) x 572 (V), 800 TVL
- Minimum illumination: 0.1 Lux at F2.0
- High voltage tolerance! Working voltage of 9VDC~16VDC
- Reverse/ Non-Reverse image selectable
- Parking lines On/Off selectable
- Built-in transient impulse protection circuit
- Camera swivels up and down to set to desired angle
- Zinc metal frames
- Super slim license plate frame is legal in all U.S.

- U.S. UTILITY PATENT No. 8,432,446
- U.S. DESIGN PATENT No. D596545, D578049





VTL275TJ

CHROME FULL FRAME



VTL375TJ

BLACK FULL FRAME



VTL405TJ

CHROME BAR TYPE



VTL425TJ

BLACK BAR TYPE



Front View/ Rear View/ Trajectory Parking Lines

Ultra Slim License Plate Camera

- Ultra Slim Bar Type Zinc License Plate Frame (50 U.S. State Legal)
- Trajectory Parking Lines
- PC1058 1/3" Color CMOS
- Resolution: 960 x 480 Pixels
- Reverse/Non-Reverse image selectable
- Trajectory Parking Guide Lines On/Off Selectable
- 175° Wide Viewing Angle (D)
- IP68 Waterproof Rating
- Auto white balance
- 20ft Camera Extension Cable
- 0.1 LUX Minimum Illumination
- Camera swivels up and down to set to desired angle
- Zinc metal frames
- High voltage tolerance: Working voltage of 9VDC~16VDC

• U.S. UTILITY PATENT No. 8,432,446

• U.S. DESIGN PATENT No. D692815, D578049



VTL200CL

CHROME FULL FRAME



VTL300CL

BLACK FULL FRAME



VTL400CL

CHROME BAR TYPE



VTL420CL

BLACK BAR TYPE



Front View/ Rear View/ Parking Lines/ LED Lights

License Plate Camera with LED Lights

- High sensitive 1/4" DSP color CMOS lens
- 656x492 effective pixels
- 420TVL
- Wide view angle of 170° (D)
- LED lights On/Off selectable
- Reverse image/ Non-Reverse image selectable
- Parking lines On/Off selectable
- High voltage tolerance: 7VDC ~ 24VDC
- 0 Lux with LEDs on
- 0.5 Lux with LED off
- Zinc metal frames



- U.S. UTILITY PATENT No. 7,195,405
- U.S. DESIGN PATENT No. D685307, D705845

VTL200CIR & VTL200IRTJ

CHROME FULL FRAME



VTL300CIR & VTL300IRTJ

BLACK FULL FRAME



VTL400CIR & VTL400IRTJ

CHROME BAR TYPE



VTL420CIR & VTL420IRTJ

BLACK BAR TYPE



Front View/ Rear View/ Parking Lines/ Night Vision

License Plate Camera with night vision

- High sensitive 1/4" DSP color CMOS
- 420 TVL horizontal resolution
- 628x586 effective pixels
- Excellent auto white balance
- Water proof IP68 rating
- Low LUX performance of 0.0 with IR on
- Wide view angle of 140°
- Reverse/ Non-Reverse image selectable
- Parking lines built-in
- Zinc metal frames
- Trajectory Parking Guide Lines for IRTJ Cameras



• U.S. UTILITY PATENT No. 7,195,405



VTL402CLS & VTL402TJS

CHROME BAR TYPE



VTL422CLS & VTL422TJS

BLACK BAR TYPE



Front View/ Rear View/ Parking Lines/ LED Lights Short Length Bar-Type License Plate Camera with LED Lights

- 1/4" color CMOS
- Short Length License plate camera with 3W LED lights
- Effective pixels: 656x492 • 420TVL
- Water proof IP68 rating
- Low LUX performance of 0.5 Lux with LED off
- Wide view angle of 150°
- High voltage tolerance: 7VDC ~ 24VDC
- Parking lines on/off selectable
- LED lights on/off selectable
- Reverse/ Non-Reverse image selectable
- Zinc metal frames
- Trajectory Parking Guide Lines : VTL402TJ/VTL422TJ
- U.S. DESIGN PATENT No. D734804



VTL16

Front View/ Rear View/ Parking Lines Behind the License Plate Camera



- High Sensitive 1/4" Color CMOS image sensor
- Reverse/ Non-Reverse View Selectable
- Parking guide line On/Off Selectable
- Waterproof (IP68)
- 170° wide viewing angle (D)
- 480 TVL Horizontal Resolution
- 24ft RCA extension cable included
- Bar-type camera designated for installation on the vehicle license plate using the existing



VTL17L & VTL17LTJ

Front View/ Rear View/ Parking Lines

Behind the license plate camera with LED's

- 600 TVL Horizontal Resolution
- Excellent Auto White Balance
- Reverse/Non-Reverse image selectable
- Parking Line on/off Selectable
- LED Lights on/off Selectable
- 170° Wide Viewing Angle (D)
- Waterproof IP68
- 22ft RCA Cable Included
- Trajectory Parking lines : VTL17LTJ

VTL17IR & VTL17IRTJ



Front View/ Rear View/ Parking Lines/ Night Vision

Behind the License Plate Night Vision Camera

- CMOS sensor with HD vision
- Reverse/ Non-Reverse View Selectable
- Parking guide line On/Off Selectable
- Waterproof (IP68)
- 170° wide viewing angle (D)
- Includes universal mounting bracket
- 600TVL / 720x480 pixels
- 22ft RCA extension cable included
- Bar-type camera designated for installation on the vehicle license plate using the existing license plate bolts and mounts
- Trajectory Parking Line : VTL17IRTJ



VTL17AI

Rear View/ Parking Lines

AI (Artificial intelligence) / Behind the License Plate Camera

- AI camera to detect vehicles, motorcycles, and pedestrians
- 1 /2.9" GC2053 CVBS Sensor
- Effective pixels : 976 (H) x 592 (V), 600 TVL
- 130° wide viewing angles (H)
- Waterproof (IP68)
- Parking lines on/off selectable
- Low LUX performance of 0.1 LUX
- Support audible warning alert
- Includes universal mounting bracket
- Bar-type camera designated for installation on the vehicle license plate using the existing license plate bolts and mounts

VTHUDpro

Head Up Display (HUD)

Head Up Display for Car, Truck - iOS CarPlay and Android Auto compatible

- 15" Virtual Image Size with clear vibrant headup display
- Actual vehicle speed and RPM display from OBDII
- iOS CarPlay and Android Auto (Plug and Play) compatible
- Bluetooth microphone, FM Car Radio used as speaker
- Hands-free and eyes on the road
 - Make or receive phone calls
 - Get directions and navigate
 - Listen to music and audio books
 - Use other apps developed for Car Play and Google Auto with Voice command and Steering wheel remote control
- CPU: ARM 32 bit RISC CPU with 700MHz
- RAM: SDRAM 2GB
- Projected Distance: 6.5 ft
- Screen Type: Optics
- Connects to Vehicle via OBD-II Connector or Cigarette Lighter Adapter



VTK601HD/VTK501HD

6 in 1 Camera

6 Different Mounts Compact Camera

Image Sensor: 1/3" Color CMOS Image Sensor
 Resolution: 976(H) X 592(V) Pixels, 700 TVL
 Video Output: NTSC Format
 Waterproof Rating: IP68
 Viewing Angle (D): 170 °
 Minimum Illumination: 0.1 LUX
 Reverse/Non-Reverse Image: Selectable
 Parking Lines ON/OFF: Selectable
 Power Supply: 6 -32 VDC

Mounting Solutions: 6 (Metal Square Bracket, Metal Flush, Metal Angle, Rubber Angle, Concealed License Plate Mount & Super Slim Bar Type Mount)

Note: **VTK501HD** - 5 in 1 Camera
 (Same as VTK601HD without Super Slim Bar Type Mount)



Camera




Metal Square Mount



Metal Flush Mount



Metal Angle Mount



Rubber Angle Mount



License Plate Mount



Super Slim Bar Type Mount

- U.S. UTILITY PATENT No. US 8,432,446
- U.S. DESIGN PATENT No. D578,049



Compact Cameras

VTB16B & VTB16TJ

BRACKET or KEYHOLE



Front View/ Rear View/ Parking Lines

Two way mounting camera, Bracket/Keyhole

- CMOS 7070 Sensor
- 420 TVL • 640(H) x 480(V) Pixels
- Waterproof (IP68) • Viewing Angle: 120° (H), 170° (D)
- Minimum Illumination: 0.1Lux
- Trajectory Parking lines : VTB16TJ
- Reverse/ Non-Reverse image selectable : VTB16B only
- Built-in parking guide line selectable : VTB16B only
- Includes bracket mount and keyhole mount accessories

VTK-Micro

BRACKET or KEYHOLE



Front View/ Rear View/ Parking Lines

Two way mounting mini camera bracket/keyhole

- 13mm micro camera
- CMOS image sensor
- 640(H)x480(V) effective resolution
- 500 TVL horizontal resolution
- 150° diagonal viewing angle
- IP68 waterproof rating
- Selectable reverse/non-reverse image
- Selectable on/off parking guide lines
- Dual mounting - bracket/flush mount



VTB10

BRACKET MOUNT



Front View/ Rear View/ Parking Lines

Bracket mount camera

- 7080 CCD image sensor
- 656(H)x 492(V) effective resolution
- 170° diagonal viewing angle (D)
- IP68 waterproof rating
- Minimum illumination: 0.1 Lux
- Wide view angle of 170°
- Reverse/ Non-Reverse image selectable
- Parking line on/off selectable

VTB689IRM

BRACKET MOUNT



Front View / Rear View/ Parking Lines

Metal Bracket type camera with night vision

- CMOS Image Sensor
- 733(H) x 493(V) pixels
- 600 TVL • 170° diagonal viewing angle
- Excellent auto white balance
- Water proof IP68 rating
- Minimum Illumination: 0.1Lux. With IR on, 0.0 Lux
- Reverse/ Non-Reverse image selectable
- Parking line on/off selectable

VTE300HD

EGGSHELL MOUNT



Front View/ Rear View/ Side View/ Parking Lines

Eggshell Housing Side Camera

- 1/3" Color CMOS Image Sensor, 720P HD Camera
- Dual-Use Side or Rear View Camera (Left, Right or Rear)
- Effective Pixels: 1280(H) x 720(V)
- Viewing Angle: 130°(H), 100°(V), 170°(D)
- Operating Voltage: 9VDC ~ 32VDC
- Parking Grid Lines On/Off Selectable
- Mirror Image On/Off Selectable
- Aluminum Housing • Waterproof IP68
- Adjustable ball type camera
- 68ft (20m) Extension Cable Included

VTB123HD

LIP MOUNT



Front View/ Rear View/ Parking Lines

Lip Mount style camera

- High sensitive 1/4" HD Color CMOS Sensor (1089)
- Reverse/ Non-reverse image selectable
- Parking guide line on/off selectable
- Waterproof (IP68)
- 170° wide viewing angle (D)
- 12VDC (Tolerance 9V ~ 16V)
- Chipset 1089 HD
- Pixel: NTSC/PAL 800x533
- 0.05 Lux

VTK230HD

LIP MOUNT



Front View/ Rear View/ Parking Lines

Mini lip mount camera

- High sensitive 1/4" HD Color CMOS Sensor (1089)
- Reverse/ Non-reverse image selectable
- Parking guide line on/off selectable
- Waterproof (IP68)
- 170° wide viewing angle (D)
- Super sensitive low Lux performance
- 12VDC (Tolerance 9V ~ 16V)
- Chipset 1089 HD
- Pixel: NTSC/PAL 800x533

VTK241HDL

LIP MOUNT



Front View/ Rear View/ Parking Lines

UFO Lip mount camera with LED lights

- High sensitive 1/4" HD Color CMOS Sensor (1089)
- Reverse/ Non-reverse image selectable
- Parking guide line on/off selectable
- Waterproof (IP68)
- 170° wide viewing angle (D)
- Super sensitive low Lux performance
- 12VDC (Tolerance 9V ~ 16V)
- Chipset 1089 HD
- Pixel: NTSC/PAL 800x533
- 0.05 Lux
- Rotatable camera ball



Compact Cameras

VTB192

BRACKET MOUNT



Front View/ Rear View/ Parking Lines

Bracket Mount Camera

- Image Sensor: High Performance 7090 CMOS
- Resolution: 728(H) X 560(V) Pixels
- Viewing Angle: 192° (D)
- Waterproof Rating: IP68
- Minimum Illumination: 0.1 LUX
- Reverse/Non-Reverse Image: Selectable
- Parking Lines ON/OFF: Selectable
- Power Supply: 7 -24VDC

VTB202MINI

BRACKET MOUNT



Rear View/ Parking Lines/ Night Vision

Bracket Mount LED Camera

- 1/3" CMOS Image Sensor
- Full HD 1280(H) x 720(V) Resolution
- 160 ° Wide Viewing Angle
- Parking Lines On/Off (Selectable)
- Power Supply Range: 9VDC- 36VDC
- 20M Extension Cable (65FT)
- IP69 Waterproof Rating

VTK301HD

BRACKET or KEYHOLE



Rear View/ Front View/ Parking Lines

Keyhole mount camera

- CMOS 3089 HD Sensor
- 600 TVL horizontal resolution
- 720(H)x 480(V) pixels
- Water proof IP68 rating
- Reverse/Non-Reverse image selectable
- Parking lines on/off selectable

VTK101/VTK101N

KEYHOLE MOUNT



Rear View

Keyhole mount High Resolution camera

- 1/3.2" DSP Color CCD
- 650 TVL horizontal resolution
- 1280(H) x 960(V) effective pixels
- Waterproof IP68
- Excellent auto white balance
- Low LUX performance of 0.1 Lux at F2.0
- Reverse image
- For front view, use VTK101N

VTK350

BRACKET or KEYHOLE



Rear View/ Front View/ Parking Lines/ Night Vision

Keyhole type camera with night vision

- High sensitive Color CMOS
- 480 TVL horizontal resolution
- 976(H)x496(V) pixels
- Waterproof IP68
- 0.0 Lux
- Wide view angle of 120°
- Reverse/Non-Reverse image selectable
- Parking lines on/off selectable

VTK370DL

FLUSH MOUNT



Rear View/ Side View/ LED Lights

Keyhole flush mount ball type with LED lights

- 1/4" Color High Definition MT136 CMOS
- 480 TVL horizontal resolution
- Effective Pixels: 720(H) x 480(V)
- Waterproof IP68
- Night vision distance of 10M
- Wide viewing angle of 170° (D)
- Parking guide line on/off selectable
- Reverse image. Can be mounted for side rear view
- 0.2 Lux
- The LED's syncs with turn signal blinker lights
- Built-in blinker light LED's

VTK380HD

FLUSH MOUNT



Front View/ Rear View/ Side View/ Parking Lines

Keyhole flush mount ball type camera

- High Sensitive 1/4" HD color CMOS sensor (1089)
- 800(H)x533(V) pixels (NTSC)
- Reverse/ Non-Reverse image selectable
- Parking guide line on/off selectable
- Waterproof IP68
- Wide view angle of 170° (D)
- 0.05 Lux



VTB100TJ


BRACKET MOUNT



Rear View

Bracket mount camera with trajectory parking lines

- 1/3" color CMOS PC3089
- 600 TVL horizontal resolution
- 762(H)x504(V) pixels
- Waterproof IP68
- Wide view angle of 170°
- Reverse image
- 0.5 Lux
- Trajectory parking lines



Heavy Duty Cameras

VTB201MA (MARINE)

BRACKET



Front View / Rear View/ Parking Lines/ MIC/ Night Vision Bracket type night vision camera

- High sensitive 1/4" HD Color CMOS Sensor (1089)
- Built-in microphone
- Waterproof IP68
- Night vision distance of 8M
- Wide view angle of 130°
- Reverse/ Non-Reverse image selectable
- Parking line On/ Off selectable

VTD300MA (MARINE)

DOME MOUNT



Rear View/ Front View/ Parking Lines/ Night Vision Bracket Type with night vision

- 1/3" Sharp CCD
- 700 TVL horizontal resolution
- 510(H)x492(V) pixels
- Waterproof IP68
- 0.0 Lux/ Night Vision with Smart IR
- Wide view angle of 120°
- Reverse/ Non-Reverse image selectable
- Includes 20ft extension RCA cable

VTB201HD

BRACKET MOUNT



Rear View/ Front View/ Parking Lines/ Night Vision/ Mic Bracket Type with night vision and built-in mic

- 1/3" Sharp CCD • 620 TVL horizontal resolution
- 768(H)x494(V) pixels • Waterproof IP68
- 0.0 Lux/ Night Vision with Smart IR
- Wide view angle of 120°
- Reverse/ Non-Reverse image selectable
- Parking lines on/off selectable
- Built-in microphone
- Includes 65ft extension cable

VTB301CA

BRACKET MOUNT



AHD/CVBS/ Front & Rear View/ Heavy Duty/ Night Vision Bracket type night vision AHD/CVBS camera

- 1/2.9" AHD Sensor (GC2053 CSP)
- AHD 1920(H)x1080(V), CVBS 600 TVL
- Waterproof IP69K • Night vision distance of 8M (26 ft)
- Viewing angle of AHD : 125°(H), 60°(V), 170°(D)
CVBS: 80°(H), 40°(V), 100°(D)
- Minimum Illumination: 0.01 Lux
- AHD/CVBS selectable • 1080P/720P selectable
- Reverse/ Normal image selectable
- Parking guide lines on/off selectable
- 4 Triggering Loop Wires
- High voltage tolerance 12VDC (Tolerance 8V ~ 35V)
- Includes 65ft extension cable



VTB301HD

BRACKET MOUNT



Rear View/ Front View/ Parking Lines/ Night Vision/ Mic Bracket Type with night vision and built-in mic

- 1/3" Sharp CCD
- 620 TVL horizontal resolution
- 768(H)x494(V) pixels
- Waterproof IP68
- 0.0 Lux/ Night Vision with Smart IR
- Wide view angle of 120°
- Reverse/ Non-Reverse image selectable
- Parking lines on/off selectable
- Built-in microphone
- Includes 65ft extension cable

VTB301FHD

BRACKET MOUNT



Rear View/ Front View/ Night Vision

Bracket Type 1080P Full HD Megapixel Camera

- Image sensor: 1/3" SONY CMOS, 1080P
- Resolution: 1920(H) X 1080(V)
- Waterproof rating: IP69K
- 360° Adjustable mounting angle
- Reverse/ Non-Reverse Image Selectable
- Built-in microphone
- Minimum Illumination: 0 Lux (Infrared lamps on)
- Nightvision distance: approx. 15m (4 infrared lights)
- Viewing angle up to 130° degree
- Day/ Night sensor for automatic adjustment

VTB305HD

BRACKET MOUNT



Front View / Rear View/ Parking Lines/ Night Vision

Bracket Type Night Vision HD Camera

- 1/3" Color CMOS image sensor
- Resolution: 960(H) x 576(V), 1000 TVL
- 18 pcs IR LEDs for Night Vision
- Auto White Balance
- Waterproof IP68
- Wide view angle of 120°
- Parking line On/ Off selectable
- Reverse/ Non-Reverse image selectable
- Includes 92ft extension cable

VTB1000

ARM MOUNT



Side View/ Rear View/ Front View/ Night Vision

Side View Mirror Arm Mount Camera

- 1/3" 1058P CMOS
- 960 x 576 Resolution
- 1000 TVL
- Waterproof Rating (IP69)
- 92° wide viewing angle
- 12V DC
- 10 IR Lights Night Vision
- Reverse / Normal image (Selectable)



Vehicle Specific Camera

VTS10HD

FORD F-SERIES 2004~2014



Rear View/ Parking Lines

Tailgate door handle camera for Ford F-Series

- Fits F-Series (F-150) 2004 ~ 2014, Super Duty F250, F350, F550 2008 ~ 2016
- SONY HD CCD • 600 TVL horizontal resolution
- 768(H)x494(V) pixels • Waterproof IP68
- 0.1 Lux • Wide view angle of 130°
- Reverse image • Parking grid lines on/off selectable

VTS11HD

FORD F-SERIES



Rear View/ Parking Lines

Chrome Tailgate door handle camera for Ford F-Series

- Fits F-Series (F-150) 2004 ~ 2014, Super Duty F250, F350, F550 2008 ~ 2016
- SONY HD CCD • 600 TVL horizontal resolution
- 768(H)x494(V) pixels • Waterproof IP68
- 0.1 Lux • Wide view angle of 130°
- Reverse image • Parking grid lines on/off selectable

VTS12HD

CHEVY SILVERADO &
GMC SIERRA 2007 ~ 2013



Front View / Rear View

Tailgate door handle camera for Chevy & GMC

- Fits Chevy Silverado & GMC Sierra 2007 ~ 2013
- SONY HD CCD • 600 TVL horizontal resolution
- 768(H)x494(V) pixels • Waterproof IP68
- 0.1 Lux • Wide view angle of 130°
- Reverse image • Parking grid lines on/off selectable

VTS14HD

DODGE RAM 2009 ~ 2017



Rear View/ Parking Lines

Tailgate door handle camera for Dodge Ram

- Fits Dodge RAM 1500, 2500, 3500 (2009~2017)
- SONY HD CCD • 600 TVL horizontal resolution
- 768(H)x494(V) pixels • Waterproof IP68
- 0.1 Lux • Wide view angle of 130°
- Reverse image • Parking grid lines on/off selectable

VTS16HD

TOYOTA TUNDRA 2007 ~ 2017



Rear View/ Parking Lines

Tailgate door handle camera for Toyota Tundra

- Fits Toyota Tundra 2007 ~ 2017
- SONY HD CCD • 600 TVL horizontal resolution
- 768(H)x494(V) pixels • Waterproof IP68
- 0.1 Lux • Wide view angle of 130°
- Reverse image • Parking grid lines on/off selectable

VTS18HD

TOYOTA TACOMA
2006 ~ 2016



Rear View/ Parking Lines

Vehicle specific camera for Toyota Tacoma

- Fits Toyota Tacoma 2006 ~ 2016
- SONY HD CCD • 600 TVL
- 720x480 effective pixels • Waterproof IP68
- 0.1 Lux • Wide view angle of 130°
- Reverse image • Parking grid lines on/off selectable

VTS30

MERCEDES SPRINTER VANS



Rear View/ Parking Lines


Vehicle specific camera for Mercedes sprinter vans

- 3rd brake light attachment
- SONY CCD camera
- 600 TVL
- 768(H)x494(V) pixels
- Waterproof IP68
- 0.1 Lux
- Wide view angle of 130°
- Reverse image



VTS40

MERCEDES SPRINTER 2009 ~ up



Rear View/ Parking Lines

Vehicle specific camera for Mercedes sprinter vans

- 3rd brake light replacement camera
- CMOS PC4089
- 420 TVL
- 640x480 effective pixels
- Waterproof IP68
- 0.5 Lux
- Wide view angle of 120°
- Reverse image
- Parking grid lines on/off selectable
- Includes LED's



VTS50

FORD TRANSIT 2015 ~ up



Rear View/ Parking Lines

Vehicle specific camera for Ford Transit

- 3rd brake light replacement camera
- CMOS PC3089
- 420 TVL
- 640x480 effective pixels
- Waterproof IP68
- 0.5 Lux
- Wide view angle of 120°
- Reverse image
- Parking grid lines on/off selectable
- Includes LED's • Will not fit Transit Connect



Combo Systems / DIY

VTC175M

COMBO SYSTEM

VTL17 Camera + VTM5000S Monitor

Behind the license plate camera and 5" backup monitor combo



VTM5000S Ref p.26

VTC307M

COMBO SYSTEM

VTB301C Camera + VTM7000S Monitor

Heavy duty night vision camera and 7" backup monitor combo



VTB301C Ref p.17

VTM7000S Ref p.27

VTC500DIY-AHD

COMBO SYSTEM (DIY)

AHD/Front View/Rear View Camera & 5" Monitor

Bracket type AHD camera and AHD 5" Monitor

Bracket type AHD camera and AHD 5" LCD Monitor

- 1/3" AHD sensor
- 1920(H)x1080(V)
- Display : 5" TFT LCD • 170° viewing angle (D)
- Waterproof (IP68) • Power supply: 9-15 VDC
- Dashboard Mount & Windshield Suction Cup for the monitor included
- Parking lines on/off selectable
- Quick and Easy Installation (DIY)



VTC1743M

COMBO SYSTEM

Rear View Monitor + VTL17IRTJ

4.3" Mirror Monitor and Concealed Bracket Mount IR Camera Combo



- Rear View Mirror with 4.3" LCD Monitor
- Universal Strap on mounting
- 2 video inputs, Reverse input trigger
- Concealed Bracket Mount IR Camera (VTL17IRTJ)
- Trajectory Parking Lines
- IR Night Vision



VTC207AHD

AHD SYSTEM



Front View/ Rear View Heavy Duty 7" AHD Monitor & Bracket Type AHD Camera

- AHD Camera
- High Sensitive 1/4" AHD Color CMOS Sensor
- Super Sensitive Low Lux Performance
- Waterproof Rating (IP68)
- Reverse / Non-Reverse Image (Selectable)
- Parking Guide Lines on/off (Selectable)

- 170° Wide Viewing Angle (D)

AHD Monitor

- 7" LED AHD Display
- 16 : 9 Display Format
- One Video Input and One Camera Input
- Auto Video Signal Detection
- Auto Video Switching (when in reverse)
- PAL / NTSC Auto Switch
- 350 : 1 Contrast Ratio
- Resolution: 1024(H) x 600(V)
- Ultra Slim Design

VTC73AHD

COMBO SYSTEM



7" AHD Monitor, Camera System

Camera Features

- Analog high definition camera
- Image Sensor: CMOS, 1/2.7"
- Lens: 2.5mm • Resolution: 1080P
- Viewing Angle: 120°
- LUX: 0.01 IR OFF, 0 IR ON (18 IR LEDs)
- ICR IR Cut Filter (True Day and Night)
- Video Format: NTSC
- IP Rating: IP68
- 20 Meter Extension Cable

Monitor Features

- 7" Analog High Definition LCD Monitor with sunshade
- Resolution: 1280 x 960 (RGB)
- Aspect Ratio: 16 : 9 image
- 2 Channel AHD Video Inputs
- Video Input Format: 720P, 960P, 1080P
- Programmable Parking Lines
- Programmable Rear View Delay
- Reverse or Non Reverse Image, Independent AHD1 and AHD2

VTC474RB

WIFI WIRELESS CAMERA



Rear View

Wi-Fi Wireless Camera and Wireless Mirror Monitor

- 7" Replacement Type TFT-LCD
- 800 x 480 RGB Resolution
- Adjustable Image Display
- 170° Viewing Angle (D) & 120° Viewing Angle (H)
- Metal Housing with LED On/Off Control Button
- NTSC or PAL Compatible (Auto Switch)
- 1/3" CMOS Image Color Sensor
- Shiny Black Bar Type
- 756 (H) x 504(V) Resolution
- Waterproof Rating: IP68
- Wi-Fi Transmitter Built-in
- U.S. Patent US7, 195, 405 & USD 705, 845



VTC500R

1 CHANNEL SYSTEM



Front View/ Rear View

Digital wireless monitor and wireless camera

- 5" LED digital panel Monitor and 1 heavy duty night vision camera
- Great for trucks and vans!
- Includes dash mount stand

- Power the monitor through the cigarette plug
- Wide view angle of 110°
- Pair up to 4 cameras
- Reverse/ Non-Reverse selectable
- 800x600pixels
- VTC500R-001 : Wireless camera and antenna only

VTC525R

1 CHANNEL SYSTEM



Front View/ Rear View

Wi-Fi Wireless camera and monitor system

- Zinc Metal Bar-Type License Plate Camera with 8 LED Lights
- Image Sensor: 1/3" CMOS (PC1099)
- Camera Resolution: 976 x 496
- Viewing Angle (H): 130° • Camera Waterproof Rating: IP68
- 5" TFT Monitor with Removable Sunshade, Dual Mount (Dash Mount or Suction Cup Mount)
- Monitor Resolution: 800 x 480

- Parking Lines: Selectable On/Off
- Reverse or Non-Reverse Image: Selectable
- Adjustable Brightness, Color and Contrast
- Video Compression: H.264 • Latency: Less Than 100ms
- Frames Per Second: 30 • Operating Voltage: 9 - 16 VDC
- Operating Distance: Line of Sight 70 Feet
- Transmission Method: 2.4 Ghz Wi-Fi Wireless Digital Signal
- U.S. PATENT PENDING

VTC702AHD

1 CHANNEL SYSTEM



AHD /Wireless /Front /Rear View /Parking Lines

AHD Digital wireless monitor and wireless camera

- 2.4 GHz Digital Wireless Signal
- 7" IPS TFT LCD Panel Screen, Resolution: 1024(H)x600(V)
- Display format: 16:9, 1080P HD Quality
- 1/2.7" CMOS Image Sensor • Viewing Angle: 140° (D)
- Effective Pixels: 1960(H) x 1080(V)
- Waterproof Rating: IP69K • Built-in Microphone
- 1 Channel Video, 1 Channel Audio
- Wireless Transmit Range at about 300 ft
- Reverse / non-reverse image selectable
- Parking Lines on/off selectable

VTC703AHD

1 CHANNEL SYSTEM



7" / AHD Wireless / Front View/ Rear View

AHD wireless monitor and wireless camera

- AHD Wireless Signal
- 7" AHD Monitor and 1 heavy duty night vision camera
- Wireless Transmit Range of 300 ft (100 m) in open space
- Great for large trucks and vans!
- Includes dash mount stand
- Power the monitor through the cigarette plug

- Wide view angle of 145° (D)
- Reverse/ Non-Reverse selectable
- 1024x600 pixels
- Night vision distance: 15 ft
- Built-in Microphone
- 2.4 GHz Wireless Frequency
- 1 Channel Video, 1 Channel Audio
- Latency : Less than 80 ms
- Power Supply : 12 ~ 36 VDC
- Trigger functions
- No High Speed Dropouts

VTC703AHD-Q2

2 CHANNEL SYSTEM



7" / AHD Wireless / DVR / Front View/ Rear View

AHD wireless monitor and wireless camera

- AHD Wireless Signal
- 7" AHD Monitor and 2 heavy duty night vision cameras
- Wireless Transmit Range of 300 ft (100 m) in open space
- Great for large trucks and vans!
- Includes dash mount stand
- Power the monitor through the cigarette plug
- Wide view angle of 145° (D)
- Reverse/ Non-Reverse selectable
- 1024x600 pixels

- Night vision distance: 15 ft
- Built-in Microphone
- 2.4 GHz Wireless Frequency
- 2 Channel Video, 1 Channel Audio
- Latency : Less than 80 ms
- Power Supply : 12 ~ 36 VDC
- The monitor has a built-in DVR
- Records onto an Micro SD card up to 128 GB
- Trigger functions
- No High Speed Dropouts

DVR Built-in!

VTC703AHD-Q4

4 CHANNEL SYSTEM



7" / AHD Wireless / DVR / Front View/ Rear View

AHD wireless monitor and wireless camera

- AHD Wireless Signal
- 7" AHD Monitor and 4 heavy duty night vision cameras
- Wireless Transmit Range of 300 ft (100 m) in open space
- Great for large trucks and vans!
- Includes dash mount stand
- Power the monitor through the cigarette plug
- Wide view angle of 145° (D)
- Reverse/ Non-Reverse selectable
- 1024x600 pixels

- Night vision distance: 15 ft
- Built-in Microphone
- 2.4 GHz Wireless Frequency
- 4 Channel Video, 1 Channel Audio
- Latency : Less than 80 ms
- Power Supply : 12 ~ 36 VDC
- The monitor has a built-in DVR
- Records onto an Micro SD card up to 128 GB
- Trigger functions: Left, Right, Front, Rear.
- No High Speed Dropouts

DVR Built-in!

Wireless Systems (AHD)

VTC701AHD

1 CHANNEL SYSTEM



7" / AHD Wireless / Front View/ Rear View

AHD wireless monitor and wireless camera w/ Heater

- AHD Wireless Signal
- 7" AHD Monitor and 1 heavy duty night vision camera
- Wireless Transmit Range of 300 ft (100 m) in open space
- Great for large trucks and vans!
- Includes dash mount stand
- Power the monitor through the cigarette plug

- Wide view angle of 145° (D)
- Reverse/ Non-Reverse selectable
- 1024x600 pixels
- Night vision distance: 15 ft
- Built-in Microphone
- 2.4 GHz Wireless Frequency
- 1 Channel Video, 1 Channel Audio
- Latency : Less than 80 ms
- Power Supply : 12 ~ 36 VDC
- Trigger functions
- No High Speed Dropouts
- Camera with built-in Heater function

VTC701AHD-Q2

2 CHANNEL SYSTEM



7" / AHD Wireless / DVR / Front View/ Rear View

AHD wireless monitor and wireless camera w/ Heater

- AHD Wireless Signal
- 7" AHD Monitor and 2 heavy duty night vision cameras
- Wireless Transmit Range of 300 ft (100 m) in open space
- Great for large trucks and vans!
- Includes dash mount stand
- Power the monitor through the cigarette plug
- Wide view angle of 145° (D)
- Reverse/ Non-Reverse selectable
- 1024x600 pixels

- Night vision distance: 15 ft
- Built-in Microphone
- 2.4 GHz Wireless Frequency
- 2 Channel Video, 1 Channel Audio
- Latency : Less than 80 ms
- Power Supply : 12 ~ 36 VDC
- The monitor has a built-in DVR
- Records onto an Micro SD card up to 128 GB
- Trigger functions
- No High Speed Dropouts
- Camera with built-in Heater function

DVR Built-in!

VTC701AHD-Q4

4 CHANNEL SYSTEM



7" / AHD Wireless / DVR / Front View/ Rear View

AHD wireless monitor and wireless camera w/ Heater

- AHD Wireless Signal
- 7" AHD Monitor and 4 heavy duty night vision cameras
- Wireless Transmit Range of 300 ft (100 m) in open space
- Great for large trucks and vans!
- Includes dash mount stand
- Power the monitor through the cigarette plug
- Wide view angle of 145° (D)
- Reverse/ Non-Reverse selectable
- 1024x600 pixels

- Night vision distance: 15 ft
- Built-in Microphone
- 2.4 GHz Wireless Frequency
- 4 Channel Video, 1 Channel Audio
- Latency : Less than 80 ms
- Power Supply : 12 ~ 36 VDC
- The monitor has a built-in DVR
- Records onto an Micro SD card up to 128 GB
- Trigger functions: Left, Right, Front, Rear.
- No High Speed Dropouts
- Camera with built-in Heater function

DVR Built-in!

VTCRH1

1 CHANNEL SYSTEM



AHD / Wireless / Hitch / Rear View

2.4 GHz wireless AHD hitch camera system

- Magnetic camera mount
- Wireless operation up to 700 ft (open space)

Monitor Features:

- 5" Digital Wireless IPS LED Monitor
- Ultra Clear Display Quality with 720P Full HD
- Resolution: 1024(H) x 800(V)
- Cigarette Lighter Adaptor
- Includes 16ft Antenna Extension

Camera Features:

- 720P AHD Wireless Heavy Duty Camera
- CMOS 1/2.7" Color Image Sensor
- Resolution: 1280(H) x 720(V)
- Wide Viewing Angle: 130°(H)
- Infrared Night Vision
- Built-in Rechargeable Battery
- Waterproof: IP68

****Great for RVs, Trucks, Boat & Horse Trailers**

VTCRH2

2 CHANNEL SYSTEM



AHD / Wireless / Hitch / Rear View

2.4 GHz wireless AHD hitch camera system (2 Channel)

- Two cameras with Magnetic mount
- Wireless operation up to 700 ft (open space)

Monitor Features:

- 5" Digital Wireless IPS LED Monitor
- Ultra Clear Display Quality with 720P Full HD
- Resolution: 1024(H) x 800(V)
- Cigarette Lighter Adaptor

- Includes 16ft Antenna Extension

Camera Features:

- 720P AHD Wireless Heavy Duty Camera
- CMOS 1/2.7" Color Image Sensor
- Resolution: 1280(H) x 720(V)
- Wide Viewing Angle: 130°(H)
- Infrared Night Vision
- Built-in Rechargeable Battery
- Waterproof: IP68

****Great for RVs, Trucks, Boat & Horse Trailers**

VTCRHD1

2 CHANNEL SYSTEM



AHD / Wireless / Hitch / DVR Rear View / Full Touch Screen

2.4 GHz wireless AHD hitch camera & Dash Cam system (2 Channel)

- Two cameras - One with Magnetic Base Moveable Heavy Duty and the Other built into the Monitor
- Wireless operation up to 700 ft (open space)

Monitor Features:

- 5" Digital Wireless IPS LED Monitor
- Ultra-Clear Full High-Definition Display Quality
- Resolution: 1024(H) x 800(V)
- Full Touch Screen Control
- Cigarette Lighter Adaptor

- Backup Camera Trigger Line

Built-in Dash Camera and Wireless Camera Features:

- 1080P AHD Camera
- Video: 1080P AHD @ 30fps
- Resolution: 1920(H) x 1080(V)
- Wide Viewing Angle: 130°(H)
- Infrared Night Vision
- Built-in Rechargeable Battery for Wireless Camera
- Waterproof: IP68
- 2 Channel Recording
- Max. Storage: 256 GB Class 10 SD

****Great for RVs, Trucks, Boat & Horse Trailers**

DVR Built-in!

VTM3601



3.5"

Digital LCD back up monitor

- Input voltage: DC9V ~ 6V
- Display format: 4:3
- NTSC/ PAL
- 320x240
- 2 Video inputs
- Reverse trigger wire
- Distance grid line on/off selectable
- Includes dash mount pedestal and suction cup mount

VTM4000



4"

Digital LCD back up monitor

- 16:9 wide display
- NTSC/ PAL auto switchable
- 2 Video inputs
- Auto sensing video reverse trigger
- Includes suction cup mount and dash board mount disc

VTM4300S



4.3"

Digital TFT LCD back up monitor

- Display Format: 16:9
- Two Video Inputs
- Auto sensing video reverse trigger
- PAL/ NTSC auto switch
- Contrast: 350:1
- Pixel: 800 x 480, 480x272
- Slim and Sleek Design

VTM5000Q4



5" / 4CH Split Screen

Digital TFT LCD back up monitor

- Aspect ratio 16:9 image
- 4 video input / 1 audio input
- PAL/ NTSC auto switch
- Pixel: 800x480
- OSD menu
- Remote controller
- Built-in speaker
- 1/2/3/4 images display for select

VTM4302



4.3"

Digital LCD back up monitor

- Input voltage: DC9V ~ 6V
- Display format: 4:3
- Built-in speaker
- NTSC/ PAL
- 480x272
- 2 Video inputs
- Reverse trigger wire
- Distance grid line on/off selectable
- Includes dash mount pedestal and suction cup mount

VTM5000



5"

TFT LCD Digital back up monitor

- Picture image adjustable Horizontal/Vertical/Mirror/Non- Mirror
- Automatic backlighting for buttons
- Full-function remote control
- 12VDC ~ 32VDC
- 3 Video inputs
- Reverse trigger wires for each channel (3 total)
- Built-in speaker
- Mounting options: Base support/ Flush mount (includes kit)
- 640(H)x480(V)

VTM5000S



5"

Digital TFT LCD back up monitor

- Display Format: 16:9
- Two Video Inputs
- Reverse trigger wire
- PAL/ NTSC auto switch
- Contrast: 350:1
- Pixel: 800 x 480, 480x272
- Slim and Sleek Design
- Compatible with both CVBS and AHD

VTM7000S



7"

Digital LCD back up monitor

- Input voltage: DC9V ~ 6V
- Display format: 4:3
- NTSC/ PAL • 320x240
- 2 Video inputs
- Reverse trigger wire
- Distance grid line on/off selectable
- Includes dash mount pedestal and suction cup mount
- Compatible with both CVBS and AHD

Monitors

VTM7012FHD



7" / Full HD

Full HD LCD back up monitor

- 7 inch Full HD LCD monitor • NTSC & PAL automatically
- Resolution: 1024 x 600 • Power Supply: DC 12V-24V
- Remote control full function, OSD menu
- Luminance: 250cd/m
- Contrast, color and brightness adjustable
- Varying languages display
- Sunshade, U-shape Dash Mount Stand Bracket
- Can be connected to 3 different AHD or Analog Cameras
- Compatible with both CVBS and AHD

VTM7012QFHD



7" / AHD & CVBS Wired / 4CH Split Screen / DVR

AHD & CVBS quad channel monitor

- 7 inch AHD/CVBS Quad (4CH) Full HD Monitor
- Built-in 4 Way DVR Recording
- Resolution: 1920 x 1080 • AHD/CVBS Auto Switching
- Input Signal : AHD (1080P & 720P) / CVBS
- NTSC & PAL Automatically • Max. Memory : 256 GB
- 4 Video Inputs with triggers for each
- 4 Audio Inputs • Built-In Speaker
- Power Supply : 9 ~ 32 VDC
- Working Temperature: -20°C ~ 70°C
- Sunshade, U-Shape Dash Mount Stand Bracket

VTM7000MAHD



7" / AHD & CVBS Wired / Waterproof

AHD & CVBS waterproof monitor

- 7 inch AHD/CVBS LCD Monitor
- Waterproof Rating: IP69
- Resolution: 1024 x 600 • Aspect Ratio: 16:9
- Built-in speaker • Touch Button
- AHD/CVBS Auto Switching • NTSC/PAL Auto Detection
- Reverse/Non-Reverse Switchable
- 2 video inputs / 1 Backup Camera Trigger Input
- Power Supply : 9 ~ 36 VDC
- Working Temperature: -20°C ~ 70°C
- Sunshade and U-Shape Dash Mount Bracket Included

VTM7003QMA



7" / Waterproof / 4CH Split Screen

Quad channel touch panel waterproof monitor

- Touch panel monitor
- Built-in speaker
- 4 Channel audio/video input
- Mirror and normal image switch available
- Supplies 12V power to camera
- Reverse trigger wires per channel (total 4)
- 4 video inputs
- Single, dual, triple, quad-view and PIP functions
- Boot-strap display can be single or split views

VTM9003FHD



9" / Full HD

Full HD LCD back up monitor

- 9 inch HD LCD Monitor
- Resolution: 1024 x 600
- Screen Ratio: 16:9 wide screen
- 3 channel HD video input, supporting 720P@25/30, 720P@50/60, 1080P@25/30
- System: NTSC/PAL auto switchable
- Power supply: DC 12V-24V
- Mirror image can be set for each channel
- Reverse time delay can be set
- Screen display menu and remote control
- Remote Control, Sunshade and U shaped bracket included
- Working temperature: -20°C~ 70°C
- Can be connected to 3 different AHD or Analog Cameras
- Compatible with both CVBS and AHD

VTM9003QFHD



9" / AHD & CVBS Wired / 4CH Split Screen / DVR

AHD & CVBS quad channel monitor

- 9 inch AHD/CVBS Quad (4CH) Full HD Monitor
- Built-in 4 Way DVR Recording
- Resolution: 1920 x 1080 • AHD/CVBS Auto Switching
- Input Signal : AHD (1080P & 720P) / CVBS
- NTSC & PAL Automatically • Max. Memory : 256 GB
- 4 Video Inputs with triggers for each
- 4 Audio Inputs • Built-In Speaker
- Power Supply : 9 ~ 32 VDC
- Working Temperature: -20°C ~ 70°C
- Sunshade, U-Shape Dash Mount Stand Bracket

VTB44M



4.3" Replacement / Clip-on dual solution

Rear view mirror monitor

- 2 video input
- Dual mounting solution; clip-on or replacement
- 480x272 pixels
- Includes universal fixed mounting bracket
- Reverse trigger wire

VTB45M

Bluetooth



4.3" Replacement / Clip-on dual solution/ Bluetooth

Rear view mirror monitor with bluetooth

- 2 video input
- Dual mounting solution; clip-on or replacement
- 480x272 pixels
- Includes universal fixed mounting bracket
- Reverse trigger wire
- Built-in speaker
- Caller ID

VTM35M

3.5" Replacement Type

OE style rear view mirror monitor

- 2 video input
- Reverse trigger wire
- Super brightness screen with auto adjusting brightness



- 320x240 resolution
- Includes universal fixed mounting bracket



VMT43FL

4.3" Replacement Type

Frameless OE style rear view mirror monitor

- 4.3" Ultra high brightness display
- Touch button control
- Automatic brightness adjusting LCD
- Mirror and normal image switch available
- 2 Video input



- Touch screen buttons
- Adjustable backup parking lines
- Auto reverse video trigger
- Includes universal fixed mounting bracket

VTB46M

Bluetooth

4.3" Replacement Type

OE style rear view mirror monitor with bluetooth

- 2 video input
- Reverse trigger wire
- Super brightness screen with auto adjusting brightness



- 480x272 RGB resolution
- Includes universal fixed mounting bracket
- Bluetooth hands free
- Built-in loud speaker



VTM43TC

Temp + Compass

4.3" Replacement Type

OE style rear view mirror monitor with compass, temperature

- 2 video input
 - Reverse trigger wire
 - Super brightness screen with auto adjusting brightness
 - 480x272 RGB resolution
 - Adjustable parking grid line to fit any vehicle
- specs
- Includes universal fixed mounting bracket
 - Temperature • Compass • Touch button control



VTM43TCA

Temp + Compass

Auto-Dimming Mirror

4.3" Replacement Type

OE style rear view mirror monitor with compass, temperature and auto-dimming

- Auto dimming mirror glass
 - 2 video input
 - Reverse trigger wire
 - Super brightness screen with auto adjusting brightness
 - 480x272 RGB resolution
 - Adjustable parking grid line to fit any vehicle
- specs
- Includes universal fixed mounting bracket
 - Temperature • Compass • Touch button control

VTM43M

4.3" Replacement Type

OE style rear view mirror monitor

- 2 video input
 - Reverse trigger wire
 - Super brightness screen with auto adjusting brightness
- brightness
- 480x272 RGB resolution
 - Includes universal fixed mounting bracket



VTW73M

Miracast

7.3" Replacement Type

OE style rear view mirror monitor with built-in wifi Miracast

- 7.3" wide LCD Ultra high brightness display
- Touch screen button control
- Built-in WiFi Miracast
- Aspect Resolution: 1280x390
- Auto adjusting brightness
- 2 Video input • Adjustable parking lines
- Auto reverse video trigger
- Audio output to car stereo
- Includes universal fixed mounting bracket
- Compatible with both AHD and CVBS camera
- Compatible with Android and iOS smartphones



VTM73FL

7.3" Replacement Type

Frameless OE style rear view mirror monitor

- 7.3" mirror monitor Ultra high brightness display
- Resolution : 1280x370
- Automatic brightness adjustment
- Touch button control
- 4 Analog video inputs
- Mirror and normal image switch available
- Adjustable parking lines
- 4.0mm glass and auto factory OEM bracket
- 3 Trigger wires for reverse/turn left/turn right



VTM700M

7" Clip-On Type

OE style rear view mirror monitor with 2 video inputs

- 7" TFT LCD Rear view mirror monitor
- 2 Video inputs
- 16:9 or 4:3 Screen Format
- Back up camera display
- Resolution: 1920x1080
- Clip-on Mirror Design
- Blue Screen when no video signal
- Auto Back-up Camera Display when off
- 1 Reverse Input Trigger Wire
- Wireless Remote Control





VTR24MHD

Dash-Cam 1 ch

Rear View Mirror Monitor and FHD DVR

- Adjustable 1080P FHD Front Facing Camera
- 2.4" Diagonal LCD Monitor
- FHD 1920(H) X 1080(V) Resolution
- Motion Detection
- 2.5D Mirror Glass
- Motion Detection. Built-in G Sensor
- Loop Recording
- Push Button Controls
- Built in Mic & Speaker
- In Vehicle Audio Recording
- Straps onto Original Mirror
- Supports TF/Micro SD Cards from 8GB to 32GB Max
- TF/Micro SD Card SDHC Class 10 is required



VTR50M

Dash-Cam 2 ch

Rear View Mirror Monitor and DVR with 360° Camera

- Adjustable 360° Camera
- 5" Diagonal LCD Monitor
- FHD 1920 X 1080 Resolution
- Supports 2 Camera Synchronized Recording
- Rear View Bracket Camera with LED lights
- Touch Screen Controls
- Supports TF/Micro SD Cards (8GB to 32GB Max)
- Four Recording Modes (Wide, Ball, Around, Four)
- Built-in G Sensor
- In Vehicle Audio Recording
- Straps onto Original Mirror
- 16 GB TF/Micro SD Card Included



VTR93M

Dash-Cam 2 ch

9.35" Streaming Media Rear View Mirror Monitor - Full Touch Screen

- 2 Channel Full HD Recording (Front 1920 x 1080, Rear 1280 x 720, 30fps)
- Wide Viewing Angle (Front 170°/ Rear 120°)
- 1.25" Extendable Front Camera
- Rear View Bracket Camera with Parking Lines
- GPS Antenna for Speed and Geo-tagging
- Built-in Compass
- Built-in G-Sensor
- Parking Monitoring Mode
- Built-in Motion Detection
- Built-in Battery
- Auto Record upon boot up
- Built-in Microphone and Speaker
- Straps onto Original Mirror
- Supports Micro SD card up to 32 GB
- Loop Recording
- Multiple Languages for OSD



VTR114



Dash-Cam 1 ch

Full HD Dash Camera Recorder

- Full HD 1920 x 1080
- 3.0" LTPS 16:9 LCD Display
- 140° View Angle • G Sensor • Time/Date Stamp
- Parking Monitoring Mode
- Motion Detection • Loop Recording
- Built in Microphone and Speaker
- Supports TF/Micro SD Cards up to 32 GB, Class 10 required • Multiple Languages
- Built in Battery
- Suction Cup Windshield Mount

VTR117GW



Dash-Cam 1 ch

Full HD Dash Camera Recorder with Wi-Fi Connectivity to smart phone via APP

- Full HD 1920x1080 (16:9) @ 30fps
- GPS for speed and geotagging
- G Sensor • 152° view angle
- Hand gesture triggered photos and videos
- Parking monitoring mode
- Wi-Fi connectivity to smart phone via APP
- Built-in microphone and speaker
- Supports micro SD card up to 64GB, high speed class 10 required
- 16 GB TF/Micro SD card included
- Windshield mount • Time/date stamp
- Dual USB Cig lighter adapter
- Hardwire harness with battery protection module (VTR117GW-001: Optional)

VTR217GW



Dash-Cam 2 ch

Full HD 2 Channel Dash Cam Recorder

- Dual Full HD (Front 1440x1080 / Rear 1280x720)
- Wide Diagonal Angle (Front 170°/ BACK 120°)
- LCD: 3" TFT, High Resolution
- GPS Tracking • Built-in G-Sensor
- Parking Monitoring Mode
- Built-in Motion Detection • Built-in Battery
- Cig Lighter to Mini USB Power Cable
- Auto Recording upon boot up
- Supports Micro SD card up to 64 GB
- Loop Recording • SOS Emergency Button
- Suction Cup Windshield Mount

VTR219GW

Dash-Cam 2 ch

Full HD 2 Channel Dash Cam Recorder

- Dual Full HD - Front 1920x1080P / Rear 1280 x 720 @30 fps
- Front 150° / Rear 110° Wide Viewing Angle
- Hand Gesture: Record Snapshots or Short Video
- GPS for Speed and Geotagging
- Parking Monitoring Mode
- G-Sensor and Motion Detection
- Wi-Fi Connectivity to Smart Phone for Viewing with APP (Android & iOS)
- Auto Recording upon boot up
- Supports Micro SD card up to 128 GB
- Loop Recording
- Built-in Microphone and Speaker



VTR419GW

Dash-Cam 2 ch / 4K Resolution

Ultra HD 4K 2 Channel Dashcam Recorder

- Video Resolution: Front Ultra HD 4K - 3840x2160P recording, Rear Full HD 2K 1920x1080P recording
- Full HD Rear Camera Included
- Wide View Angles: Front 155° (D)/ Rear 110° (D)
- Wide Dynamic Range and High Definition Range Cameras
- Motion Detection, Parking Mode & Loop Recording
- GPS for Speed and Geotagging
- 3.0" LCD Touch Screen
- Microphone and Speaker Built-in
- Wi-Fi Connectivity for Mobile App for Viewing & Playback
- Support U3 MicroSD Card up to 128GB



VTR400E

4ch Blackbox

4 channel DVR Blackbox with built-in GPS

- Full HD/HD/VGA Recording
- SD Memory is compatible with up to 128GB
- Includes 8GB SD card
- Digital Zooming
- Built-in GPS with Google map play back with PC viewer.
- Low battery monitoring (automatic cut-off function)
- Recording file type: AVI
- PC Viewer Support: Windows XP, 7, 8, and 10.
- 30fps + 30fps + 30fps + 30fps (4CH)
- Size 128 x 112 x 25mm
- Live WIFI monitoring through the app.



VT-BP3

Rear View

4D Panoramic Reverse Assist system


- 4D view to enhance visibility while reversing
- Virtual top view of the rear of vehicle
- Allows driver to see rear view as well as seeing a virtual, third person, Omni-directional overview of the rear of the vehicle
- Allows the driver to easily identify the vehicles position, obstacle distance, surrounding environment and other factors to safely reverse the vehicle into position
- Chipset : CPU-Cortex A7, Dual-core, GPU-Mali400MP2
- Storage: Nand Flash
- System control output: +4.6V/500mA
- Signal format: AHD
- Signal output format: CVBS
- System operating voltage: +12V
- Min. Illumination: 0.001 LUX/F1.2 using SONY CMOS Sensor



VTSW4

4 Channel Video Switcher

- 4 Channel Camera Inputs
- 1 Channel Video Output to Monitor
- 4 Trigger Wires for each Camera
- Working Voltage 12VDC
- PAL / NTSC / SECAM Compatible
- Video Output: 1.0 VPP/75ff



VTX400D

WIRELESS TX/RX

AHD/CVBS Wireless

AHD Wireless Transmitter and Receiver Module

- Built-in 2.4 GHz AHD Wireless Transmitter (TX) and Receiver (RX) Module
- Turns any camera and monitor into a wireless system
- 1080P/720P Compatible
- Waterproof Rate: IP68
- Transmitter supports multiple video signal input (AHD/TVI/CVI/CVBS)
- Receiver supports 1080P/720P Video output
- Easy Pairing: One button to pair automatically
- 500M (1640ft) transmission distance in open area
- NTSC/PAL compatible





VTSR100

SILVER



Rear

4 Parking sensor system

- Can be used with universal monitor and camera
- 4 Rear parking sensors
- Waterproof connectors included
- Metal bumper hole saw included for parking sensors

VTSR120

BLACK



Rear

4 Parking sensor system

- Can be used with universal monitor and camera
- 4 Rear parking sensors
- Waterproof connectors included
- Metal bumper hole saw included for parking sensors

VTSR200

SILVER



Front/ Rear

8 Parking sensor system

- Can be used with universal monitor and camera
- 4 Rear parking sensors and 4 front parking sensors
- Waterproof connectors included
- Metal bumper hole saw included for parking sensors

VTSR220

BLACK



Front/ Rear

8 Parking sensor system

- Can be used with universal monitor and camera
- 4 Rear parking sensors and 4 front parking sensors
- Waterproof connectors included
- Metal bumper hole saw included for parking sensors

VTSP415

Spiral Trailer Cable


- 4 Pin Spiral Cable with an elasticity of up to 9.8 Feet (3 Meters)
- 0.5m 4 Pin Cable with Male and Female Trailer Connectors included
- 15m Extension Cable included
- Brass and nickel plated housing and knurled nut
- Threaded fittings plug and sockets ensures every connection is waterproof
- Shielded Cable to reduce video noise interference
- PVC insulation provides good protection from corrosion, moisture and heat



Keyfree Touch

Keyless Entry

Digital keyless entry keypad



- Digital keyless door lock
- Touch sensory type
- Intelligent software. Works in the rain, hot or cold weather
- Scanner function (Blue color LED)
- Simple install inside the window
- Slim and compact size
- Ideal for multiple use purpose; outdoor activities.
- Random Security Code for added security

iKeyFree

Keyless Entry

Digital keyless entry via smart phone APP

- Windshield Mount Touch Pad Module
- Android and iOS Smart Phone APP
- Bluetooth Connectivity
- Random Security Code Feature
- 3 Ways to Lock or Unlock Vehicle (Smart Welcome, Smart Card & Enter Pin Code)
- Proximity Lock and Unlock



iKeyFree Pro

Keyless Entry

Digital keyless entry via smart phone APP (Multi Vehicles for Multi Users)

- Windshield Mount Touch Pad Module
- Android and iOS Smart Phone APP
- BT Connectivity
- Random Security Code Feature
- 3 Ways to Lock or Unlock Vehicle (Smart Welcome, Smart Card & Enter Pin Code)
- Proximity Lock and Unlock



VTBSD2


Blind Spot Detection - Microwave Radar

The VTBSD2 System warns a driver if there are any vehicles in the blind spot zones during a lane change maneuver.

- 2 Compact Microwave Radar Blind Spot Sensors
- 2 Blind Spot Indicator Lights
- GPS Vehicle Speed Detection Module
- Blind Spot Audible Alert Buzzer
- Width Detection: 9.8 ft from the sides of the

vehicle

- Length Detection: 49.2 ft behind the vehicle
- Blind Spot Sensors are installed inside the bumper
- Does not require drilling through the bumper



VTLBSD1

Blind Spot Detection - Microwave Radar

License Plate Camera with LED lights and built-in Blind Spot Detection

Ultra Slim License Plate Camera with LED Lights, Trajectory Parking Lines, Blind Spot Detection

- 1/3" CMOS sensor
- 175° viewing angle (D) with LDC (lens distortion correction) • IP68 waterproof
- 976 x 592 total pixel • 800 TVL
- Super bright built-in LED lights to help see much clearer Night Vision
- High voltage tolerance! Working voltage of 9 VDC~16VDC
- Auto White Balance • Humidity: Up to 90% RH (non-condensing)
- Trajectory Parking Guide Lines
- LED lights On/Off selectable
- Reverse/ Non-Reverse image selectable
- Parking lines On/Off selectable
- Camera swivels up and down to set to desired angle • 0 Lux at F2.0 • Zinc metal frames
- Ultra slim license plate frame is legal in all U.S.
- U.S. Utility Patent No US8,432,446 (Camera)
- U.S. Design Patent No. D578049, D692815, D596545 (Camera)
- U.S. Utility Patent Pending (Combo Product)

• It warns a driver if there are any vehicles in the blind spots during a lane change maneuver.

- Microwave Radar
- Audible Alert : Lane Change Assistance
- Two LED indicators for visual warning
- Waterproof : IP68
- Rear Cross Traffic Alert (RCTA)
- Speed range : 0.35 -175MPH
- Detection Range : 90° degree (Horizontal)
- Detection distance :1-60ft (Vehicle), 1-33ft (Motorcycle) and 1-23ft (Pedestrian)
- GPS speed detection : above 20MPH
- No signal interference at any weather
- Easy Installation (No drilling/removal of bumper)





Vision Tech America, Inc.
1452 E. Valencia Dr, Fullerton, CA 92831
Ph: 888-941-3060

www.visiontechamerica.com