



Loren CHANDELIER

INSTALLATION GUIDE



WEARING GLOVES
IS RECOMMENDED

DANGER: ELECTRIC SHOCK RISK. FOR YOUR SAFETY,
TURN OFF ELECTRICAL POWER BEFORE BEGINNING
INSTALLATION AND USE CAUTION WHEN INSTALLING.

+1 888.399.9905

www.vault-light.com | sales@vault-light.com



PARTS ENCLOSED

- (A) Match Plate (1)
- (B) Canopy (1)
- (C) Glasses (18)



WARNINGS

For your safety, please make sure all electricity is OFF while installing. Failure to do so can result in electrocution which can cause medical issues or death.

ASSEMBLY & INSTALLATION

*This fixture requires two or more people to install

- 1 . Carefully unpack Fixture and glass.
- 2 . Attach the mounting plate to the ceiling with a 1/2"-13 all-threaded rod to the ceiling. This is not included and to be provided by your professional installer. Additional support/bracing will be needed to install this chandelier.
- 3 . Make wiring connection between the Fixture wire lead and the main power lead coming from the junction box.
- 4 . Attach the Canopy to the match plate with the (3) included flat head screws.
- 5 . Make the stainless steel cord (18) through the hole of the cover, again make the stainless steel cord (18) through the tight parts, adjustment the height.
- 6 . Attach the cover to the plate with the (3) included flat head screws.
- 7 . Plug in the (3) M16 bulbs.

