



Parkes CHANDELIER

INSTALLATION GUIDE



WEARING GLOVES
IS RECOMMENDED

DANGER: ELECTRIC SHOCK RISK. FOR YOUR SAFETY,
TURN OFF ELECTRICAL POWER BEFORE BEGINNING
INSTALLATION AND USE CAUTION WHEN INSTALLING.

+1 888.399.9905


www.vault-light.com | sales@vault-light.com



Installation Instructions

PARTS ENCLOSED

- (A) Fixture Ring (1)
- (B) Match Plate Cross (1)
- (C) Canopy (1)
- (D) Cable Assemblies (4)
- (E) Rock Crystal A (12)
- (F) Rock Crystal B (12)
- (G) Rock Crystal C (12)
- (H) Rock Crystal D (12)
- (I) Rock Crystal E (12)



WARNINGS


For your safety, please make sure all electricity is OFF while installing. Failure to do so can result in electrocution which can cause medical issues or death.

ASSEMBLY & INSTALLATION

*This fixture requires two or more people to install

1. Secure the Match Plate Cross to the ceiling by screwing the (4) screws through the mounting holes in the Match Plate Cross.
2. Unpack Fixture Ring and Cable Assemblies.
3. Attach the (4) Cable Assemblies to the Fixture ring by screwing the clevis hooks onto the hang points.
4. Attach the cable from the cable assemblies to the canopy by screwing into place.
5. Feed the wire lead from the Fixture Ring up one of the wires and through the wire hole in the canopy.
6. Lift fixture and Canopy up to the ceiling and make the wiring connection to the power lead coming from the house.
7. Mount the Canopy to the Match Plate Cross.
8. Screw the (60) Rock Crystals into place by alternating around the perimeter of the fixture ring in the order of A, B, C, D... etc.

Installation Instructions



Hanging points on both sides of the crystal to the crystal plane parallel to the wire
In order to make steel stress, or hanging head on crystal