



**[WWW.GREENCHILEADV.COM](http://WWW.GREENCHILEADV.COM)**

**This Bag Contains:**

**Dirt Bike Lift Strap**

## **You Have Joined the Lightweight Luggage Revolution!**

At Green Chile Adventure Gear we have developed lightweight luggage solutions that allow you to carry any bag you want. Your system has been designed to withstand the rigors of offroad riding and provide the flexibility to accommodate most motorcycles.

The foundation of the Green Chile luggage system is the Uprising Soft Rack. Once you install the soft rack you have a strong base that provides many mount points via daisy loops. Each of these mounting points can be used with any combination of our accessory straps. All of the accessory straps are designed to be attached via girth hitch.

We offer a variety of kits and accessory straps so you can build a custom luggage solution. Another Green Chile Adventure Gear innovation is the tensioner straps. The tensioners keep your load tight and they are designed to stretch out and transfer the load to the webbing of the strap.

Once you understand the basic components of the Green Chile luggage system you can put it together in an infinite combination of ways.

**Think of these parts as building blocks to your custom configuration.**

### **Important Tips For Your Safety**

- ALWAYS inspect your GCAG products for wear before every use.
- Do NOT use GCAG gear if it is damaged in any way.
- ALWAYS manage your slack carefully. It is necessary to secure any loose ends from your GCAG products.
- ALWAYS keep your GCAG products away from hot and/or moving parts.
- NEVER use GCAG products for anything other than its intended purpose.
- RECOMMENDED: Trim the runner loops to eliminate slack or purchase different length runners to keep on hand.

Please refer to [www.GreenChileADV.com](http://www.GreenChileADV.com) for additional ideas, tips, and instructional videos. If you have any questions please feel free to contact us.

## Dirt Bike Lift Strap Installation

1. Place the loose end around the inside of the fork tube. You can install the handle above or below the bottom triple clamp according to preference.
2. Wrap the loose end around the fork tube and pass it through the first slot in the metal triglide.



3. Pass the end through the second slot of the metal triglide.



4. Pull the loose end to tighten around the fork. It is not necessary to get the strap extremely tight.
5. Run the loose end back through the first slot in the metal triglide to "lock" it in. **\*\*NOTE\*\*** - This step **MUST** be done to prevent it from slipping off during a hard pull.



## Installing the Bag Snake and Other Accessories

All accessories are meant to be modular and used in any way you can imagine. All of the accessories attach to the soft rack using the integrated daisy loops and a girth hitch.

1. To start your girth hitch take one of your accessory straps and push the looped side through one of the daisy loops on the soft rack.
2. Take the other end of your accessory strap and run it back through the loop on the accessory strap.
3. Pull the accessory strap tight. You should have a solid girth hitch that will easily carry the load of your luggage.



NOTE: You will need to experiment with your motorcycle and luggage to find the best combination and setup for your needs. You should concentrate on setting up your straps so that your luggage is pulled down and into the motorcycle. This will give you a very stable load.

**Parts Reference**



**Cam Tensioner**



**Ring Tensioner**



**Ring Loop**



**Soft Rack**



**Side Straps**



**Soft Rack Base**



**ADV Sushi**



**Runner Loop**



**Pannier Handle**