

DOOR HARDWARE ORDER FORM

Customer Information

When ordering door hardware, we try to gather a range of details in order to provide our customers with the most accurate quoting and customer service possible. For more information on terminology and details, please review our door hardware reference document [here](#).

Please save this document, fill it out with as many of the details that you have on hand at the moment and send a version copy back to us at sales@cassonhardware.com
We will confirm receipt and work on a quote for you in the coming days.

Thank you so much and we look forward to working with you!

** Page 1 is for Dummy, Passage and Privacy Doors, Page 2 and 3 are for Keyed Entry Doors **

Full Name: _____

Phone: _____ Email: _____

Company: _____

Full
Shipping
Address: _____

Order #: _____ Ref. Notes: _____

DOOR HARDWARE ORDER FORM

For Dummy, Passage and Privacy Doors

Qty:	Door 1	Door 2	Door 3	Door 4
New or Existing Door:				
Finish:				
Lever / Knob: (select <u>knob</u> or <u>lever</u>)				
Function: (dummy / passage / privacy)				
Dummy: (single or double)				
Privacy: (select <u>thumbturn</u>)				
Rose Trim / Backplate: (if separate)				
Latch Type: (euro mortise or tubular)				
Latch Finish:				
Backset Dimension:				
Handing: (RH / LH / RHR / LHR)				
Door Thickness:				

Notes: (additional hardware, comments or concerns)	
--	--


DOOR HARDWARE ORDER FORM

For Keyed Entry Doors

Page 1 of 2

Qty:	Door 1	Door 2	Door 3	Door 4
New or Existing Door:				
Finish:				
Lever / Knob Style: (select <u>knob</u> or <u>lever</u>)				
Escutcheon: (select <u>escutcheon</u> or ask for assistance)				
Rose or Backplate Style: (if separate)				
Lock & Latch: (for entry doors we recommend the <u>Euro Mortise Keved Entry Sash Lock</u> from d line)				
Euro Mortise Finish:				
Backset Dimension:	60 mm	60 mm	60 mm	60 mm
Handing: (RH / LH / RHR / LHR)				
Door Thickness:				

Notes: (additional hardware, comments or concerns)	
---	--



A is the measurement of the interior side of the door (knob)

B is the measurement of the exterior side of the door (key)

C is the overall door thickness

** Dimensions should include rose thickness*

Qty:	Door 1	Door 2	Door 3	Door 4
Measurement A:				
Measurement B:				
Measurement C:				
Rose Thickness: (if available)				
Locking: (90 or 360)				
Backset Dimension:	We recommend the <u>Euro Mortise Keyed Entry Sash Lock</u> from d line			
Keyed: (alike or differently)				
CES Finish:				
CES Knob:				

FINISH OPTIONS

Bronze

Antique Brass

Oil Rubbed

Black Lacquered

White



Satin Brass

Polished Brass

Satin Stainless Steel

Polished Chrome

Polished Copper



KNOB OPTIONS



H



CR



CT



ET