

# anony

408 - 9 Davies Ave.  
 Toronto, ON  
 M4M 2A6  
 +1 416 994 9617  
 sales@anony.ca




Photo: OHM-PBR-13

**Ohm. Pendant**  
 Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

**Product Code**

Model Finish Pendant Temperature

<b>Model</b> OHM	<b>Dimension Per Pendant</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø22in Ø555mm	<b>Dimming</b> a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black	<b>Material</b> Steel Aluminum Glass LED	<b>Weight</b> 35lbs 15.8kg	<b>Driver</b> a. Remote b. Integral in Canopy c. Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 13 13 Chandelier	<b>Mounting</b> J-Box	<b>Temperature</b> 2700K 3000K	<b>Lamping</b> 80CRI 23.4W 1950-2210lm	<b>Output Voltage</b> 12V
				<b>Certification</b> 

# anony

408 - 9 Davies Ave.  
 Toronto, ON  
 M4M 2A6  
 +1 416 994 9617  
 sales@anony.ca




Photo: OHM-PCU-13

**Ohm. Pendant**  
 Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

**Product Code**

Model Finish Pendant Temperature

<b>Model</b> OHM	<b>Dimension Per Pendant</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø22in Ø555mm	<b>Dimming</b> a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black	<b>Material</b> Steel Aluminum Glass LED	<b>Weight</b> 35lbs 15.8kg	<b>Driver</b> a. Remote b. Integral in Canopy c. Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 13 13 Chandelier	<b>Mounting</b> J-Box	<b>Temperature</b> 2700K 3000K	<b>Lamping</b> 80CRI 23.4W 1950-2210lm	<b>Output Voltage</b> 12V
				<b>Certification</b> 

# anony

408 - 9 Davies Ave.  
 Toronto, ON  
 M4M 2A6  
 +1 416 994 9617  
 sales@anony.ca




Photo: OHM-PCR-13

**Ohm. Pendant**  
 Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

**Product Code**

Model Finish Pendant Temperature

<b>Model</b> OHM	<b>Dimension Per Pendant</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø22in Ø555mm	<b>Dimming</b> a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black	<b>Material</b> Steel Aluminum Glass LED	<b>Weight</b> 35lbs 15.8kg	<b>Driver</b> a. Remote b. Integral in Canopy c. Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 13 13 Chandelier	<b>Mounting</b> J-Box	<b>Temperature</b> 2700K 3000K	<b>Lamping</b> 80CRI 23.4W 1950-2210lm	<b>Output Voltage</b> 12V
				<b>Certification</b> 

# anony

408 - 9 Davies Ave.  
 Toronto, ON  
 M4M 2A6  
 +1 416 994 9617  
 sales@anony.ca




Photo: OHM-SWHT-13

**Ohm. Pendant**  
 Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

**Product Code**

Model Finish Pendant Temperature

<b>Model</b> OHM	<b>Dimension Per Pendant</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø22in Ø555mm	<b>Dimming</b> a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black	<b>Material</b> Steel Aluminum Glass LED	<b>Weight</b> 35lbs 15.8kg	<b>Driver</b> a. Remote b. Integral in Canopy c. Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 13 13 Chandelier	<b>Mounting</b> J-Box	<b>Temperature</b> 2700K 3000K	<b>Lamping</b> 80CRI 23.4W 1950-2210lm	<b>Output Voltage</b> 12V
				<b>Certification</b> 

# anony

408 - 9 Davies Ave.  
 Toronto, ON  
 M4M 2A6  
 +1 416 994 9617  
 sales@anony.ca




Photo: OHM-SBLK-13

**Ohm. Pendant**  
 Design: Anony, Darryl Agawin

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

**Product Code**

Model Finish Pendant Temperature

<b>Model</b> OHM	<b>Dimension Per Pendant</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø22in Ø555mm	<b>Dimming</b> a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black	<b>Material</b> Steel Aluminum Glass LED	<b>Weight</b> 35lbs 15.8kg	<b>Driver</b> a. Remote b. Integral in Canopy c. Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 13 13 Chandelier	<b>Mounting</b> J-Box	<b>Temperature</b> 2700K 3000K	<b>Lamping</b> 80CRI 23.4W 1950-2210lm	<b>Output Voltage</b> 12V
				<b>Certification</b> 



# anony

408 - 9 Davies Ave.  
 Toronto, ON  
 M4M 2A6  
 +1 416 994 9617  
 sales@anony.ca



Photo: OHM-PBR-19

**Ohm. Pendant**  
**Design: Anony, Darryl Agawin**

An innovative take on a conventional sphere, the Ohm's orbiting shade invites curiosity and interaction. Each opal glass orb casts a warm ambient glow, suspended in space by a slim suspension cable. The Ohm can be displayed as a singular pendant or as a cluster.

## Product Code

Model Finish Pendant Temperature

<b>Model</b> OHM		<b>Dimension Per Pendant</b> Ø5in Ø130mm	<b>Canopy Dimension</b> Ø22in Ø555mm	<b>Dimming</b> a. MLV Forward Phase b. ELV Reverse Phase c. 0-10V	<b>Lamp Life</b> 15K hours
<b>Finish</b> PBR Polished Brass PCU Polished Copper PCR Polished Chrome SWHT Sandtex White SBLK Sandtex Black		<b>Material</b> Steel Aluminum Glass LED	<b>Weight</b> 40lbs 18.1kg	<b>Driver</b> a. Remote b. Integral in Canopy c. Integral in Canopy	<b>Input Voltage</b> 120V 50/60Hz
<b>Chandelier</b> 19 19 Chandelier 31 31 Chandelier 37 37 Chandelier CUS Custom		<b>Mounting</b> J-Box	<b>Temperature</b> 2700K 3000K	<b>Lamping</b> 80CRI 34.2W 2850-3230lm	<b>Output Voltage</b> 12V
					<b>Certification</b> 