


Outstanding Efficiency at Exceptional Value



MFC-L8900CDW

Introducing the new
business colour laser range

brother
at your side



Brother
Earth

Working with you for a better environment
www.brotherearth.com



One-stop centre for free downloadable templates



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies.

Brother International Corporation, Japan.

Printing Solutions to Boost Your Business

We know what makes a successful print infrastructure: it has to offer flexibility, reliability and affordability. Most of all, it should have a positive impact on everybody's productivity and efficiency.

Designed specially for high print volume users, our new business colour laser range gives you the confidence to print and scan with greater speed and assurance. It also offers lower costs thanks to super and ultra high-yield toners.

Backed by enhanced security, intelligent mobile connectivity and expandable paper trays, our new range will satisfy your toughest office demands.



Delivering Reliability and Efficiency



Brother's new business colour laser range has been designed with the needs of businesses at heart. Built with robust materials to withstand the most challenging office environments, our new range is the perfect partner for your business.



Enhance document scanning with a **Dual CIS Automatic Document Feeder** that holds up to **70 sheets***, offering you a quick and simple way to scan directly to your preferred medium.



Using **ultra high-yield cartridges** means you spend less time changing toners which increase productivity. You can even customise your own time-saving shortcuts at the touch of a button*.

Protect What Matters to Your Business



Digital integrity is paramount to your business and the colour laser range's advance security capabilities give you full control and protection of your print infrastructure. **Secure Function Lock 3.0** and **Active Directory** empowers administrators to authorise users and restrict the functions available on the device. An integrated **NFC reader*** also allows quick access to the printer using an ID card.



Oversee and control your print infrastructure remotely with our **BRAdmin Professional Software**—from managing printing costs with print quotas for each user to instant notifications of any printer downtime for speedy attendance.

Personalised Solutions



Every customer is unique, which is why the **Brother Special Solutions Customisation (SSC)** enables Brother products to be modified depending on your requirements. Supported by our field service engineers and business analysts, we collaborate with you to design the best solution to meet your business challenges. **Brother Solutions Interface (BSI)***, a web-based service platform, also lets software developers easily create customised solutions.

*Applicable to selected models

Delivering Outstanding Performance and Peace of Mind

Advanced Paper Handling



As your business and its requirements grow, your colour laser printer will grow to meet those demands. Conveniently feed thicker or odd-sized paper from the multi-purpose tray for special print jobs. You can also expand your paper input in two ways: with the tower tray that gives you **up to 2,080 sheets*** for your high volume print jobs, or by adding optional paper trays that holds **up to either 250 or 500 sheets each.**

Cutting the Cost of Colour Printing



Reduce your total cost of ownership (TCO) with our ultra high-yield cartridges that deliver **up to 9,000 pages of printing** for maximum output and value.


Mobility & Flexibility



Experience true mobile integration by wirelessly printing from any device with Brother iPrint&Scan, Apple's AirPrint™, Mopria™ and Google Cloud Print™, including previewing your copies and faxes, and saving to Cloud.

Empower yourself with Brother Cloud Apps. This free suite of innovative applications allow you to create, edit and convert documents at selected Brother machines with an Internet connection.

*Applicable to selected models



Supplies and Accessories



MFC-L8900CDW

Tray connector
TC-4000

Up to 2,080 sheets optional tower tray
TT-4000

Optional accessories require additional purchase

*In accordance with ISO/IEC 19798
** Supports up to 3pcs of LT-330CL OR up to 2pcs of LT-340CL



Standard-Yield Toner*

TN-451 C/M/Y/BK
BK: Approx. 3,000 pages
C/M/Y: Approx. 1,800 pages

Super High-Yield Toner*

TN-456 C/M/Y/BK
BK: Approx. 6,500 pages
C/M/Y: Approx. 6,500 pages

Ultra High-Yield Toner*

TN-459 C/M/Y/BK
BK: Approx. 9,000 pages
C/M/Y: Approx. 9,000 pages



Drum

DR-451CL
Approx. 30,000 pages



Up to 250 sheets optional paper tray

LT-330CL**



Up to 500 sheets optional paper tray

LT-340CL**



Single Function
HL-L8260CDN



Single Function
HL-L8360CDW

Key Functions	Automatic 2-sided Printing with Gigabit Ethernet	Automatic 2-sided Printing with Wireless Capabilities & NFC
Print Functions		
Print Speed (A4/Letter)	Up to 31/33 ppm	
Print Resolution	600 x 600 dpi, 2,400 dpi class (2,400 x 600) quality	
First Print Out Time (Ready)	Less than 15 secs (Mono/colour)	
2-sided Feature	Automatic 2-sided Print	
Other Print Functions	N-in-1 Printing Poster Printing (Windows) Watermark Printing (Windows) Header-Footer Printing (Windows) Secure Print	
Print Language	PCL6, BR-Script3, PDF Version 1.7, XPS Version 1.0	
Quiet Mode	Yes	
Copy Functions		
Copy Speed (A4/Letter)	-	
Copy Resolution	-	
Reduction/ Enlargement Ratio	-	
Multi Copy	-	
Scan Functions		
Scan Speed (Mono/ Colour)	-	
Dual Scanner (Method)	-	
Resolution (Optical/ Enhanced)	-	
Scan Functions	-	
Fax Functions		
Modem Speed	-	
Transmission Speed	-	
Memory Transmission/ Out-of-paper Reception	-	
Speed Dial	-	
Group Dials	-	
Broadcasting	-	
Other Fax Features	-	
PC Faxing	-	
Paper Handling		
Input Tray (Standard)	250 sheets	
Multi-Purpose Tray/ Manual Slot	50 sheets	
Output Tray (Face Down)	150 sheets	
Optional Paper Tray (Input)	250 sheets (LT-330CL) x 3 pcs OR 500 sheets (LT-340CL) x 2 pcs OR 250 sheets (LT-330CL) x 1 pcs + 500 sheets (LT-340CL) x 1 pcs	250 sheets (LT-330CL) x 3 pcs OR 500 sheets (LT-340CL) x 2 pcs OR 250 sheets (LT-330CL) x 1 pcs + 500 sheets (LT-340CL) x 1 pcs OR 2,080 sheets (TT-4000) to be used with tray connector (TC-4000)
Automatic Document Feeder (ADF)	-	
Media Weights (Standard Tray/MP Tray)	60 to 105 g/m ² / 60 to 163 g/m ²	
Media Size (Standard Tray)	A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal	
Others		
Memory	512 MB	1 GB
Processor Speed	Main: 800 MHz Sub: 133 MHz	
Display	16 characters X 2 lines	2.7" TFT Colour LCD
OS Compatibility	Windows: Server 2008, Server 2008 R2, 7, 8, 8.1, Server 2012, Server 2012 R2, 10, Server 2016 Mac: OS v10.10.5, 10.11.x, 10.12 (Download only) Linux: CUPS, LPD/LPRng (x86/x64 environment)	
Connectivity/ Networking	Hi Speed 2.0 USB and Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T)	Hi Speed 2.0 USB, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wireless (IEEE 802.11b/g/n) and WiFi Direct (IEEE 802.11g/n)
Near-Field Connectivity (NFC)	-	Yes (Card Reader/ Print/ Link to Solutions Center)
Power Consumption (Printing/ Sleep)	Approx. 580 W/ 10.0 W	
Power Source	220-240 V AC 50/60 Hz	
WebConnect (Brother's Apps)	-	
Supplies		
Standard-Yield Toner (TN-451 C/M/Y/BK)*	BK: Approx. 3,000 pages C/M/Y: Approx. 1,800 pages	
Super High-Yield Toner (TN-456 C/M/Y/BK)*	BK: Approx. 6,500 pages C/M/Y: Approx. 6,500 pages	
Ultra High-Yield Toner (TN-459 C/M/Y/BK)*	BK: Approx. 9,000 pages C/M/Y: Approx. 9,000 pages	
Drum (DR-451CL)	Approx. 30,000 pages	
Dimension and Weight		
Dimension (W X D X H)	410 x 486 x 313 mm	441 x 486 x 313 mm
Weight	22.0 kg	22.1 kg

* In accordance with ISO/IEC 19798



Multi-Function Centre
MFC-L8690CDW



Multi-Function Centre
MFC-L8900CDW

Key Functions	Automatic 2-sided Functionalities with Wireless Capabilities	Automatic 2-sided Functionalities with Wireless Capabilities & NFC
Print Functions		
Print Speed (A4/Letter)	Up to 31/33 ppm	
Print Resolution	600 x 600 dpi, 2,400 dpi class (2,400 x 600) quality	
First Print Out Time (Ready)	Less than 15 secs (Mono/colour)	
2-sided Feature	Automatic 2-sided Print, Scan, Copy and Fax	
Other Print Functions	N-in-1 Printing Poster Printing (Windows) Watermark Printing (Windows) Header-Footer Printing (Windows) Secure Print	
Print Language	PCL6, BR-Script3, PDF Version 1.7, XPS Version 1.0	
Quiet Mode	Yes	
Copy Functions		
Copy Speed (A4/Letter)	Up to 31/ 33 cpm	
Copy Resolution	Up to 1,200 x 600 dpi	
Reduction/ Enlargement Ratio	25% - 400% in 1% increments	
Multi Copy	Yes (Stack & Sort)	
Scan Functions		
Scan Speed (Mono/ Colour)	Up to 28/28 ipm*	
Dual Scanner (Method)	Yes (Dual CIS)	
Resolution (Optical/ Enhanced)	Up to 1,200 x 2,400 dpi/ Up to 19,200 x 19,200 dpi	
Scan To Functions	Sharepoint, Email, Image, OCR, File, Email Server, FTP*, SFTP, USB and Network (Windows)	
Fax Functions		
Modem Speed	33.6 Kbps Super G3	
Transmission Speed	Approx. 2.5 sec (ITU-T Test Chart, Standard Resolution, JBIG)	
Memory Transmission/ Out-of-paper Reception	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)	
Speed Dial	300 locations	
Group Dials	20 groups	
Broadcasting	350 locations	
Other Fax Features	Duplex Fax Send, Internet FAX (ITU T.37 simple mode by Download), Auto Reduction, Delay Timer (Up to 50), Error Correction Mode, Fax Retrieval, Remote Access, Quick Scan (Approx. 2.5 sec), Fax Forward	Duplex Fax Send, Internet FAX (ITU T.37 simple mode), Auto Reduction, Delay Timer (Up to 50), Error Correction Mode, Fax Retrieval, Remote Access, Quick Scan (Approx. 2.5 sec), Fax Forward
PC Faxing	Sending - Windows, Mac (FaxShare Software by Brother), Linux (LPR / CUPS PC-FAX Send Driver) Receiving - (Available for Windows®)	
Paper Handling		
Input Tray (Standard)	250 sheets	
Multi-Purpose Tray/ Manual Slot	50 sheets	
Output Tray (Face Down)	150 sheets	
Optional Paper Tray (Input)	250 sheets (LT-330CL) x 3 pcs OR 500 sheets (LT-340CL) x 2 pcs OR 250 sheets (LT-330CL) x 1 pcs + 500 sheets (LT-340CL) x 1 pcs	250 sheets (LT-330CL) x 3 pcs OR 500 sheets (LT-340CL) x 2 pcs OR 250 sheets (LT-330CL) x 1 pcs + 500 sheets (LT-340CL) x 1 pcs OR 2,080 sheets (TT-4000) to be used with tray connector (TC-4000)
Automatic Document Feeder (ADF)	50 sheets	70 sheets
Media Weights (Standard Tray/MP Tray)	60 to 105 g/m ² / 60 to 163 g/m ²	
Media Size (Standard Tray)	A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal	
Others		
Memory	1 GB	
Processor Speed	Main: 800 MHz Sub: 133 MHz	
Display	3.7" TFT Colour LCD	5.0" TFT Colour LCD
OS Compatibility	Windows: Server 2008 (Network only), Server 2008 R2 (Network only), 7, 8, 8.1, Server 2012 (Network only), Server 2012 R2 (Network only), 10, Server 2016 (Network only) Mac: OS v10.10.5, 10.11.x, 10.12 (Download only) Linux: CUPS, LPD/LPRng (x86/x64 environment)	
Connectivity/ Networking	Hi Speed 2.0 USB, Gigabit Ethernet (10Base-T/100Base-TX/1000Base-T), Wireless (IEEE 802.11b/g/n) and WiFi Direct (IEEE 802.11g/n)	
Near-Field Connectivity (NFC)	-	Yes (Card Reader / Print&Scan / Link to Solutions Center / NFC Shortcut)
Power Consumption (Printing/ Sleep)	Approx. 580 W/ 10.0 W	
Power Source	220-240 V AC 50/60 Hz	
WebConnect (Brother's Apps)	Yes	
Supplies		
Standard-Yield Toner (TN-451 C/M/Y/BK)*	BK: Approx. 3,000 pages C/M/Y: Approx. 1,800 pages	
Super High-Yield Toner (TN-456 C/M/Y/BK)*	BK: Approx. 6,500 pages C/M/Y: Approx. 6,500 pages	
Ultra High-Yield Toner (TN-459 C/M/Y/BK)*	BK: Approx. 9,000 pages C/M/Y: Approx. 9,000 pages	
Drum (DR-451CL)	Approx. 30,000 pages	
Dimension and Weight		
Dimension (W X D X H)	435 x 526 x 539 mm	495 x 526 x 549 mm
Weight	28.1 kg	28.9 kg

* In accordance with ISO/IEC 19798 | # In accordance with ISO/IEC 17991 | ^ Over SSL support