

1. Identification

Product Identifier: Rusty Design Time-Saver Epoxy Resin - Part A Recommended Use: Potting, arts and crafts, coating, casting

Manufacturer: Rusty Design Canada

1254 Plains Rd. E. Unit 16, L7S1W6, Burlington, ON

Phone Number: 9056338388

E-mail: info@rustygardensupply.ca

Emergency Phone Number: CHEMTREC: 1-800-424-9300 or +1 703-527-3887

2. Hazards Identification

Hazard Classification:

Skin Sensitization - Category 1B Skin Irritation - Category 2 Eye Irritation - Category 2A Acute Toxicity Oral - Category 5

Label Elements:



Signal Word: Warning **Hazard Statements:**

H317 May cause an allergic skin reaction.

Precautionary Statements:

P101 If medical advise is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3. Composition/Information on Ingredients

CAS	Chemical Name	Concentration
25068-38-6	Polymer of 2-aminoethanol	80 - 100%
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	1 - 10%
100-51-6	Benzyl alcohol	1 - 10%
57834-33-0 ethyl 4-[[(methylphenylamino)methylene]amino]benzoate		1 - 5%

4. First-Aid Measures

General description: Immediately remove any clothing soiled by the product. **After inhalation:** Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately take off all contaminated clothing. Wash skin with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Most important symptoms and effects: Causes severe skin, respiratory or digestive tract burns and eye damage.

5. Fire-Fighting Measures

Specific Hazards: Irritant/toxic fumes may be generated during a fire.

Suitable and Unsuitable Extinguishing Media: Use carbon dioxide, foam and chemical chemical powder to extinguish surrounding products. Fight larger fires with water spray or alcohol resistant foam.

Special Protective Equipment Precautions for Fire-Fighters: Toxic smoke may be generated during a fire. Firefighters should wear positive pressure, self-contained breathing apparatus and full body protective clothing.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation.

7. Handling and Storage

Precautions for safe handling: Product is classified as corrosive and toxic. Wear protective gloves, protective clothing, eye/face protection. Ensure proper ventilation. Do not eat, drink or smoke in the work area. Keep container tightly sealed. Conditions for safe storage, including any incompatibilities: Recommended 55 degrees F. to 85 degrees F., with tightly sealed lids. Avoid exposure to direct sunlight. Keep away from incompatible material(s).

8. Exposure Controls/Personal Protection

Control Parameters:

Ingredients with limit values that require monitoring at the workplace:100-51-6 Benzyl alcohol (1 - 10%)

Appropriate engineering controls:

Keep proper ventilation rates

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Personal Protective Equipment:

Wear Chemically protective gloves and other protective clothing. A NIOSH approved respirator is recommended. Wear protective chemical splash goggles. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product.

9. Physical and chemical properties

Liquid Form: Transparent **Appearance:** Odourless Odour: **Odour threshold:** Not available Not available pH-value: Not available **Boiling point: Melting/Freezing Point:** Not available Flash point: > 93.3° C (200° F) Not available **Auto-Ignition temperature:** $> 93.3^{\circ} \text{ C } (200^{\circ} \text{ F})$ **Decomposition temperature:** Self-igniting: Product is not selfigniting

Explosive properties: Product does not present an explosion hazard

Upper/Lower Explosion limits:Not availableVapour pressure:Not availableDensity:Not availableEvaporation rate:Not availableViscosity:100cpsVOC:Not available

Other Information: No further relevant information available

10. Stability and Reactivity

Reactivity: Not reactive under suggested storage

condition

Chemical stability:

Possibility of hazardous reactions:

Conditions to avoid:

Incompatible materials:

Stable under suggested storage condition

Heat can evolve when mixed with an amine

No further relevant information available.

Strong oxidizers, strong alkalis, strong

mineral acids, amines.

Hazardous decomposition products: No dangerous decomposition products

known.

11. Toxicological Information

Skin corrosion/irritation: Causes skin irritation. May cause allergic skin

reaction.

Serious eye damage/irritation: Causes serious eye damage.

Respiratory or skin sensitization: No dangerous reactions known.

Germ cell mutagenicity: No dangerous available.

Carcinogenicity:

Reproductive toxicity:

Aspiration hazard:

No dangerous available.

No data available.

No data available.

Numerical measures of toxicity:

CAS 25068-38-6: Oral-11400mg/kg(rat); dermal-23000mg/kg(rabbit) CAS 68609-97-2: Oral-17100mg/kg(rat); dermal-4500mg/kg(rabbit) CAS 100-51-6: Oral-1230(rat); dermal-2000mg/kg(rabbit)

CAS 57834-33-0: Oral 2000mg/kg (rat)



12. Ecological information

Aquatic toxicity:

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

No further relevant information available.

No further relevant information available.

No further relevant information available.

Results of PBT and vPvB assessment: Not applicable

Other adverse effects:

No further relevant information available

Additional ecological information:

slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water

course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

13. Disposal consideration

Waste treatment methods:

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging disposal must be made according to official regulations.

14. Transportation information

UN-Number: Not Applicable UN proper shipping name:

Not Applicable

Transport hazard class(es): Not Applicable Class Label: Not Applicable

Packaging Group: II
Environmental hazards: No
Special Precaution: Not Applicable

Transport/Additional information: Not dangerous according to the above specifi-

cations.

15. Regulatory Information

Safety/health Canadian regulations specifics:

Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).

Environmental Canadian regulations specifics:

Refer to Section 3 for ingredient(s) of the DSL

National Fire Protection Association (NFPA):

HEALTH: 3 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 3.

HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4=Severe

16. Other Information

Relevant hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

Revision Note: GHS Classification, May 31, 2020

Disclaimer: The information contained herein is considered accurate; however, the user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

RUSTY DESIGN TIME-SAVER EPOXY HARDENER



1. Identification

Product Identifier: Rusty Design Time-Saver Epoxy Hardener - Part B

Recommended Use: Woodworking and craft Rusty Design Canada

1254 Plains Rd. E. Unit 16, L7S1W6, Burlington, ON

Phone Number: 9056338388

E-mail: info@rustygardensupply.ca

Emergency Phone Number: CHEMTREC: 1-800-424-9300 or +1 703-527-3887

2. Hazards Identification

Hazard Classification:

Acute Toxicity Oral - Category 4
Acute Toxicity Dermal - Category 4
Skin Corrosion - Category 1
Serious Eye Damage - Category 1

Label Elements:

Signal Word: Danger Hazard Statements:

H314 Causes severe skin burns and eye damage

Precautionary Statements:

P101 If medical advise is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations

3. Composition/Information on Ingredients

CAS	Chemical Name	Concentration
9046-10-0	Polyoxypropylenediamine	80 - 100%
100-51-6	Benzyl alcohol	1 - 10%
57834-33-0 ethyl 4-[[(methylphenylamino)methylene]amino]benzoate		1 - 10%

4. First-Aid Measures

General description: Immediately remove any clothing soiled by the product. **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately take off all contaminated clothing. Wash skin with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

5. Fire-Fighting Measures

Specific Hazards: Product is not classified as flammable. Irritant/toxic fumes may be generated during a fire.

Suitable and Unsuitable Extinguishing Media: Use carbon dioxide, foam and chemical chemical powder to extinguish surrounding products.

Special Protective Equipment Precautions for Fire-Fighters: Toxic smoke may be generated during a fire. Firefighters should wear positive pressure, self-contained breathing apparatus and full body protective clothing.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation.

7. Handling and Storage

Precautions for safe handling: Product is classified as corrosive and toxic. Wear protective gloves, protective clothing, eye/face protection. Ensure proper ventilation. Do not eat, drink or smoke in the work area. Keep container tightly sealed. Conditions for safe storage, including any incompatibilities: Recommended 55 degrees F. to 85 degrees F., with tightly sealed lids. Avoid exposure to direct sunlight. Keep away from incompatible material(s).

8. Exposure Controls/Personal Protection

Control Parameters:

Ingredients with limit values that require monitoring at the workplace:100-51-6 Benzyl alcohol (1 - 10%)

Appropriate engineering controls:

Keep proper ventilation rates

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Personal Protective Equipment:

Wear Chemically protective gloves and other protective clothing. A NIOSH approved respirator is recommended. Wear protective chemical splash goggles. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product.

9. Physical and chemical properties

Form: liquid Light Yellow **Appearance:** Mild ammonia smell Odour: Not available **Odour threshold:** Not available pH-value: **Boiling point:** Not available **Melting/Freezing Point:** Not available Flash point: > 93.3° C (200° F) **Auto-Ignition temperature:** Not available $> 93.3^{\circ} \text{ C } (200^{\circ} \text{ F})$ **Decomposition temperature:** Self-igniting: Product is not selfigniting

Explosive properties: Product does not present an explosion hazard

Upper/Lower Explosion limits: Not available
Vapour pressure: Not available
Density: Not available
Evaporation rate: Not available
Viscosity: 1500 - 3000cps
VOC: Not available

Other Information: No further relevant information available

10. Stability and Reactivity

Reactivity: Data not available
Chemical stability: Data not available

Possibility of hazardous reactions:
Conditions to avoid:
Incompatible materials:
No dangerous reactions known.
No further relevant information available.
No further relevant information available.
No dangerous decomposition products: No dangerous decomposition products known.

11. Toxicological Information

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Respiratory or skin sensitization:

No dangerous reactions known.

No dangerous available.

No data available.

Reproductive toxicity:

No data available.

No data available.

No data available.

Numerical measures of toxicity:

CAS 9046-10-0: Oral-242mg/kg(rat); dermal-360mg/kg(rabbit) CAS 100-51-6: Oral-1230mg/kg(rat); dermal-2000mg/kg(rabbit)

CAS 57834-33-0: Oral-2000(rat)



12. Ecological information

Aquatic toxicity:

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

No further relevant information available.

No further relevant information available.

No further relevant information available.

Results of PBT and vPvB assessment: Not applicable

Other adverse effects:

No further relevant information available

Additional ecological information:

Slightly hazardous for water

Do not allow undiluted product or

Do not allow undiluted product or large quantities of it to reach ground water, water

course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

13. Disposal consideration

Waste treatment methods:

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging disposal must be made according to official regulations.

14. Transportation information

UN-Number: UN1760 **UN proper shipping name:**

1760 CORROSIVE LIQUID, N.O.S. (Polyoxypropylenediamine)

Transport hazard class(es):

Class Label: 8 Corrosive substances.

Packaging Group: II

Environmental hazards: Marine Pollutant

Special Precaution: Warning: Corrosive substances.

15. Regulatory Information

Safety/health Canadian regulations specifics:

Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).

Environmental Canadian regulations specifics:

Refer to Section 3 for ingredient(s) of the DSL

National Fire Protection Association (NFPA):

HEALTH: 3 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 3.

HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4=Severe

16. Other Information

Relevant hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

Revision Note: GHS Classification, May 31, 2020

Disclaimer: The information contained herein is considered accurate; however, the user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LD50: Lethal dose, 50 percent