MAXPEDITION®









TWO (2) TACTIE® PJC5 POLYMER JOINING CLIPS ARE INCLUDED FOR MODULAR ATTACHMENT.

Additional polymer joining clips may be purchased in packs of six (6).



MOLLE/PALS EQUIVALENT

ATTACHMENT LATTICE SYSTEM - ATLAS™

ATLAS™ panels, which are cut from an ultra-tough 840-Denier Nylon-TPU composite, can be used for easy attachment of MOLLE-compatible pouches. The composite material is resistant to water, weather, heat, cold, UV and abrasion.

TO ATTACH ACCESSORIES USING THE TACTIE® POLYMER JOINING CLIPS:



Slide the clip through attachment backing of the pouch until head catches, then insert tail under the first row on the pack/ garment.



Weave the tail back through the next row on the pouch.




Weave the tail through the next row on the pack/ garment.



Insert the tail under the bridge, making sure both the tab and the tooth have both clicked into place.



Maximum strength and security are achieved when the pouch and the pack/garment are fully interwoven.



3 ROWS

2 CHANNELS









FRONT POCKET

A slip pocket and multiple elastic loops are available to keep objects organized and secure. A drainage grommet allows for liquids to drain from the bottom of the pouch. A high visibility grayscale interior makes finding objects much easier.

MAIN COMPARTMENT

A fabric pocket, multiple Gossamer™ mesh pockets, and elastic straps are available for excellent organization. A paracord loop is available as an attachment point. A drainage grommet allows liquids to drain from the bottom of the pouch. A high visibility grayscale interior makes finding objects much easier.



FUNCTIONS

CUSTOM FABRICATED SHAPESHIFT™ WEBBING HANDLE

This specially developed narrow fabric transitions seamlessly between flat to round cross sections. Flat webbing may be abrasive on hands, so the rounder Shapeshift™ webbing makes the pack more comfortable to hand carry.



EXTERIOR D-RINGS

D-rings have been placed on either side of the Shapeshift™ handle for an additional carry option. To attach a shoulder strap (sold separately), clip the strap hooks to the D-rings. To detach the shoulder strap, remove the strap from the D-rings and store for later use.



SUBTLE HEXAGON PATTERN FABRIC

The inside is lined with a gray 420-Denier nylon fabric. The fabric is heat-embossed with a light tessellated hexagon pattern and can only be seen in certain angles of light. This serves as an anti-counterfeit measure so you know you are getting a genuine Maxpedition® product. To check for the hexagon fabric, open the main compartment of the pack. Slowly move the pack back and forth so that different angles put lighting on the fabric. If the hexagons cannot be seen in the fabric, it is not a genuine Maxpedition® product.

POSITIVE GRIP ZIPPER PULLS

Positive grip zipper pulls are designed to fit a finger in order to get a better grip when opening/closing zippers. They also allow you to grab them from any direction and get a positive grip.





CARE TIPS

DEPTM

EXTERIOR LOOP FIELD

A 2" x 3" loop field has been added to the exterior for attaching morale/ID patches.



FRAY-RESISTANT GOSSAMER™ MESH

Gossamer™ mesh pockets are a medium gray while other details such as elastic loops and zippers are dark gray, providing visually distinguishable areas for gear storage. The Gossamer mesh is also partially see-through in order to view contents without opening the pockets.



GENUINE YKK® ZIPPERS AND ZIPPER TRACKS

To increase the longevity of the YKK® zippers and tracks:

- Zippers should be kept away from directly striking hard objects (e.g. stones etc.).
- Avoid improper treatment of the painted (coated) zippers, such as direct striking, scratching, or wearing against hard objects.
- Do not apply strong or high concentrations of bleaching agents.
- Do not forcibly close a zipper in a bag that has been overfilled.
- If a slider is caught on thread or cloth, do not free the slider by force. Pull the slider back, removing the trapped thread or cloth. When the slider bites deeply into cloth, do not force it back but work it back gently.

CLEANING INSTRUCTIONS

- After each trip, thoroughly clean your pack.
- Rinse your pack with fresh water if dirt, sweat, salt and stains have worked their way into fabrics, webbing or mesh.
 - To clean, simply wipe down with a damp cloth and allow the gear to dry naturally in a well-ventilated area out of direct sunlight.
 - Do not machine wash.
 - Do not use detergent or bleach on fabrics or webbing.
 - Clean the zippers using a mild soap, warm water and a soft brush. Flush water and soap through the buckles. Keeping dirt and debris out of the zippers and buckles will help keep them in proper working condition.



COMPONENTS & MATERIALS





YKK® Zippers with Positive Grip Zipper Pulls




Exterior D-rings




Very Visible Grayscale Interior



TacTie® Polymer Joining Clips U.S. and Int'l Patents Pending



Dual Nylon Fabric Construction ATtachment LAttice System - ATLAS™ Anti-Counterfeit Logo 500D Hex Ripstop / 1000D Plain Weave




Cut from 840D Nylon-TPU Composite Embossed 420D Nylon Liner





Refined Construction with Elegant Inlays



Custom Fabricated Shapeshift™ Webbing Handle Attachment Backing



TPU-840D Nylon Composite



Circular Reinforcement Bartacks



Bottom Drainage Grommet

CONTACT

Phone: 310.768.0098 Fax: 310.515.5950

General: Info@Maxpedition.com

Customer Service: CS@Maxpedition.com Government: Gov@Maxpedition.com Wholesale: Dealer@Maxpedition.com

CONNECT

Maxpedition.com

f www.Facebook.com/Maxpedition www.Twitter.com/Maxpedition

www.Maxpedition.TV

www.Instagram.com/Maxpedition

www.MaxpeditionInAction.com

DISCLAIMER

Maxpedition will not be held responsible for typographical errors, technical inaccuracies, or omissions. It is the responsibility of the customer to determine the suitability of Maxpedition products for use in his/her particular application, to follow all firearms safety rules, and to abide by all applicable laws.

IP

Maxpedition stylized font and bootprint logo, Maxpedition word mark, Gearslinger, Versipack, Rollypoly and TacTie are federally and/or internationally registered trademarks of Edgygear Inc. Products depicted in this catalog are protected by U.S. or international patents and/or patents pending.







Copyright © 2016 Edgygear Inc. All Rights Reserved.





Fray-Resistant Gossamer™ Mesh



