


DACLON NYLON

DACLON
NYLON



Type	Monofilament
Composition	Extrusion of polyamide 6.0 or 6.6
Coating	None
Colour	Blue Black
Tissue reaction	Minimal
Absorption	Non absorbable, gradually encapsulated by connective tissue. The thread mass diminishes, approximately 10% a year by rupture of chemical links (hydrolytic action).
Presentation	Box with 12 sutures

*For quality
&
safety*

smi

www.sutures.be

DACLON

NYLON

CHARACTERISTICS

- ✓ High tensile strength, non absorbable
- ✓ Synthetic
- ✓ Monofilament with microscopic uniform diameter
- ✓ Pliability and softness
- ✓ Hermetically sealed packing

BENEFITS

- Excellent and permanent tissue support
- Minimal tissue reaction
- Soft passage through the tissues without sawing, tissue drag and trauma
- Absence of capillarity (no support of bacterial growth)
- Excellent knot tie down
- Good handling properties
- Easy and secure knotting
- Guaranteed seal and product sterility

INDICATIONS General soft tissue closing and/or ligation

Daclon Blue

especially in Skin closure
General surgery
Plastic surgery
Gastrointestinal surgery
Gynaecology
Obstetrics
Orthopaedics

Daclon Black

especially in Plastic surgery
Ophthalmic surgery











Without needle 

Metric USP Length Order number

3.5	0	150 cm	<i>blue</i>	9350015
4	1	150 cm	<i>blue</i>	9400015


Round bodied taper point 






Metric USP Length Order number

HR 16 mm		1	5/0	75 cm	<i>black</i>	9100116
		1.5	4/0	75 cm	<i>blue</i>	9150116
HR 20 mm		0.7	6/0	75 cm	<i>black</i>	9070120
		1	5/0	75 cm	<i>black</i>	9100120
		1.5	4/0	75 cm	<i>blue</i>	9150120
		2	3/0	75 cm	<i>blue</i>	9200120
		3	2/0	75 cm	<i>blue</i>	9300120
		HR 22 mm		2	3/0	75 cm
3	2/0	75 cm		<i>blue</i>	9300122	
HR 26 mm		1.5	4/0	75 cm	<i>blue</i>	9150126
		2	3/0	75 cm	<i>blue</i>	9200126
		3	2/0	75 cm	<i>blue</i>	9300126
		3.5	0	75 cm	<i>blue</i>	9350126
		4	1	75 cm	<i>blue</i>	9400126
HR 30 mm		3	2/0	75 cm	<i>blue</i>	9300130
		3.5	0	75 cm	<i>blue</i>	9350130
HR 37 mm		4	1	75 cm	<i>blue</i>	9400130
		3	2/0	75 cm	<i>blue</i>	9300137
HR 37 mm		3.5	0	75 cm	<i>blue</i>	9350137
		4	1	75 cm	<i>blue</i>	9400137
HR 40 mm		3	2/0	75 cm	<i>blue</i>	9300140
		3.5	0	75 cm	<i>blue</i>	9350140
		4	1	75 cm	<i>blue</i>	9400140
HR 40 mm		5	2	75 cm	<i>blue</i>	9500140
		HR 50 mm		4	1	100 cm



1/2 Circle




Round bodied taper point loop  **Metric** **USP** **Length** **Order number**









		Metric	USP	Length	Order number
1/2 Circle 	HR 30 mm 	3.5	0	150 cm	<i>blue</i> 9350930
		4	1	150 cm	<i>blue</i> 9400930
	HR 35 mm 	4	1	150 cm	<i>blue</i> 9400935
	HR 40 mm 	3.5	0	150 cm	<i>blue</i> 9350940
		4	1	150 cm	<i>blue</i> 9400940
	HR 50 mm 	3.5	0	150 cm	<i>blue</i> 9350950
		4	1	150 cm	<i>blue</i> 9400950






Round bodied taper point double armed  **Metric** **USP** **Length** **Order number**

		Metric	USP	Length	Order number
1/2 Circle 	 2 x HR 65 mm	3	2/0	90 cm	<i>blue</i> 9300165-2

Reverse cutting 

		Metric	USP	Length	Color	Order number
3/8 Circle 	DS 12 mm	0.5	7/0	75 cm	black	9051512
		0.7	6/0	75 cm	black	9071512
		1	5/0	75 cm	black	9101512
		1.5	4/0	75 cm	blue	9151512
	DS 12 mm Easy Pass	0.7	6/0	50 cm	black	9071512P
		1	5/0	50 cm	black	9101512P
		1.5	4/0	50 cm	blue	9151512P
	DS 16 mm	0.7	6/0	45 cm	black	9071516-45
		0.7	6/0	75 cm	black	9071516
		1	5/0	75 cm	black	9101516
		1.5	4/0	45 cm	blue	9151516-45
		1.5	4/0	75 cm	blue	9151516
2		3/0	75 cm	blue	9201516	
DS 16 mm Easy Pass	0.7	6/0	50 cm	black	9071516P	
	1	5/0	50 cm	black	9101516P	
	1.5	4/0	50 cm	blue	9151516P	
DS 19 mm	1	5/0	45 cm	black	9101519-45	
	1	5/0	75 cm	black	9101519	
	1.5	4/0	45 cm	blue	9151519-45	
	1.5	4/0	75 cm	blue	9151519	
	2	3/0	45 cm	blue	9201519-45	
	2	3/0	75 cm	blue	9201519	
	3	2/0	75 cm	blue	9301519	
	3	2/0	75 cm	blue	9301519	
DS 19 mm Easy Pass	1.5	4/0	50 cm	blue	9151519P	
	2	3/0	50 cm	blue	9201519P	
	3	2/0	50 cm	blue	9301519P	
DS 24 mm	1	5/0	75 cm	black	9101524	
	1.5	4/0	45 cm	blue	9151524-45	
	1.5	4/0	75 cm	blue	9151524	
	2	3/0	45 cm	blue	9201524-45	
	2	3/0	75 cm	blue	9201524	
	3	2/0	45 cm	blue	9301524-45	
	3	2/0	75 cm	blue	9301524	
	3.5	0	75 cm	blue	9351524	
	4	1	75 cm	blue	9401524	
5	2	90 cm	blue	9501524		
DS 24 mm Easy Pass	3	2/0	50 cm	blue	9301524P	

Reverse cutting		Metric	USP	Length	Order number	
3/8 Circle 	DS 26 mm		2	3/0	45 cm	<i>blue</i> 9201526-45
		2	3/0	75 cm	<i>blue</i> 9201526	
		3	2/0	45 cm	<i>blue</i> 9301526-45	
		3	2/0	75 cm	<i>blue</i> 9301526	
	DS 30 mm		2	3/0	75 cm	<i>blue</i> 9201530
		3	2/0	75 cm	<i>blue</i> 9301530	
		3.5	0	75 cm	<i>blue</i> 9351530	
		4	1	75 cm	<i>blue</i> 9401530	
	DS 36 mm		2	3/0	75 cm	<i>blue</i> 9201536
		3	2/0	75 cm	<i>blue</i> 9301536	
		3.5	0	75 cm	<i>blue</i> 9351536	
	DS 40 mm		3	2/0	75 cm	<i>blue</i> 9301540
		3.5	0	75 cm	<i>blue</i> 9351540	
		4	1	75 cm	<i>blue</i> 9401540	
		5	2	90 cm	<i>blue</i> 9501540	
	DS 45 mm		3	2/0	100 cm	<i>blue</i> 9301545
		4	1	75 cm	<i>blue</i> 9401545	
		5	2	90 cm	<i>blue</i> 9501545	
DS 60 mm		3	2/0	75 cm	<i>blue</i> 9301560	
	3.5	0	75 cm	<i>blue</i> 9351560		
DS 90 mm		3	2/0	90 cm	<i>blue</i> 9301590	
	3.5	0	90 cm	<i>blue</i> 9351590		
	4	1	90 cm	<i>blue</i> 9401590		

Reverse cutting		Metric	USP	Length	Order number	
1/2 Circle 	HS 17 mm		1.5	4/0	75 cm	<i>blue</i> 9151417
		2	3/0	75 cm	<i>blue</i> 9201417	
	HS 22 mm		2	3/0	75 cm	<i>blue</i> 9201422
	HS 26 mm		2	3/0	75 cm	<i>blue</i> 9201426
		3	2/0	75 cm	<i>blue</i> 9301426	
	HS 30 mm		3.5	0	75 cm	<i>blue</i> 9351430




Reverse cutting



		Metric	USP	Length	Color	Order number
--	--	--------	-----	--------	-------	--------------

1/2 Circle



HS 36 mm		3.5	0	75 cm	<i>blue</i>	9351436	
		4	1	75 cm	<i>blue</i>	9401436	
		5	2	75 cm	<i>blue</i>	9501436	
	HS 40 mm		3.5	0	75 cm	<i>blue</i>	9351440
			4	1	75 cm	<i>blue</i>	9401440
	HS 48 mm		4	1	100 cm	<i>blue</i>	9401448

Cutting



		Metric	USP	Length	Color	Order number
--	--	--------	-----	--------	-------	--------------

Straight

GS 60 mm		2	3/0	75 cm	<i>blue</i>	9202160
		3	2/0	75 cm	<i>blue</i>	9302160


Cutting



		Metric	USP	Length	Color	Order number
--	--	--------	-----	--------	-------	--------------

3/8 Circle



NDS 26 mm		2	3/0	75 cm	<i>blue</i>	9201726
		3	2/0	75 cm	<i>blue</i>	9301730
		3	2/0	75 cm	<i>blue</i>	9301740