


H & W PERRIN CO LTD

EDITION 0419



PINS AND SPRING BAR



PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



PERRIN ORDERS

Five Easy Ways to Order

Website: www.Perrinwatchparts.com
Phone: 416-422-4600
800-387-5117 (Toll Free Canada & USA)
Fax: 416-422-0290
800-741-6139 (Toll Free Canada & USA)
Mail: **H. & W. Perrin Co. Ltd.**
90 Thorncliffe Park Drive
Toronto, On, M4H 1N5
Canada
Email: sales@perrin.ca

Hours of Operation

If you are trying to reach us after hours please leave us a message, write us an email, or send us a fax and we will get back to you A.S.A.P.

Hours of Operation	Opening Times (E.S.T.)	Closing Time (E.S.T.)
Monday - Thursday	8:15	5:15
Friday	8:15	4:00
Saturday/Sunday	Closed	Closed

All Orders To ensure that your order is processed correctly and promptly, please have all information: name address (including street number and postal code), and phone number in case we need to contact you. Please also include method of payment and any special shipping instructions. Please use catalogue numbers or website numbers wherever possible. When mailing in your order we ask that it is either typed or printed clearly, to ensure that we send you the correct product.

Special Order Items Special Order items are items we do not readily stock, but are made available to you through special order. Special Order Items are not returnable. Special Order Items may require partial or full prepayment.

Back Orders Regardless of how you order, we will process your order into our system A.S.A.P. We ship all items that are in stock within 48 hours of receipt of order. Items that are out of stock, at the time your order is processed, will be back ordered. We stock well over 1,000,000 items and strive to keep back orders to a minimum. Back Orders, valued above \$20, weighing less than 3kg will be shipped out free of charge. Back Orders larger than 3kg will be charged for additional shipping. Back orders are not available for overseas shipments.

Payment For Payment within Canada, we accept Visa, MasterCard, C.O.D., or you can pay in person by Interac and cash. Please be advised that cheques, upon receipt, take 15 days to clear and your shipment will not be released until it has been cleared. Please accommodate for this clear time. We do not recommend that you send cash via mail, and we are not responsible for any cash payments that are lost in the mail. For International Payments (including USA), we accept Visa and MasterCard only.

Shipping We take pride in not only offering you the best products available, but also in being able to process your order as quickly as possible. Depending on the contents of your order, the weight, and your location, we ship using either Canada Post or UPS. International Shipments are shipped using Canada Post only. Our customers are responsible for shipping charges. Rest assured that you are receiving our preferred customer rates, and we are proud to say that we offer very competitive pricing for shipping. Please note that **when shipping with UPS your Ship to Name must be the name that is displayed on your store sign**. If this does not apply to you, and you are residential, please let us know. Failure to do so will result in your shipment being returned to Perrin's. In order to re-process your order, a return fee of \$10.00 will be added to your invoice, as well as the additional shipping fee for the second delivery attempt.

Insurance In a situation where bezels and watches have been sent, insurance costs will be added at a rate that we deem sufficient and will require a signature upon delivery. If you would like certain items to have adequate insurance coverage, you may specify the value of such items for insurance purposes and we will cover them for those amounts. We will only be liable for the insured value of the parcel or shipment. All deliveries with a value of \$100+ require signatures.

INDEX

Product	Page #	Product	Page #
Price List	48 to 50	SPLIT PINS (OPEN END PINS) FOR METAL BAND REPAIRS	
CARTIER® GENERIC		Assortments	7 – 8
Bracelet Bar with Screw	35	Individual (Refills) by Size	9
Bracelet Link Screws	35	SPRING BARS FOR CLASPS	
Bracelet Clasp Screws	35	Assortments	3
Bracelet Lug Screws	35	Individual (Refills) by Size	4
CHOPARD® GENERIC		SPRING BARS TO ATTACH WATCH BAND TO WATCH CASE	
Bracelet Link Screw with Tube	35	Curved Flanged – Assortment	18
HERMES® GENERIC		Curved Flanged – Individual (Refills)	20
Bracelet Link Screw	36	Double Flanged – Assortments	15 – 16
KNURLED PINS FOR METAL BAND REPAIRS		Double Flanged – Individual (Refills)	16 – 17
Assortments	5 - 6	Double Shouldered – Assortments	21
Individual (Refills) by Size	6	Double Shouldered – Individual (Refills)	21
OMEGA® GENUINE AND GENERIC		Female – Assortments	25
Link Pins	37 to 41	Female – Individual (Refills)	25
Link Tubes	41 to 45	Pegged – Assortments	25
Pin with Matching Tube	36 - 37	Pegged – Individual (Refills)	26
Solid Bracelet Link Pins	45 - 46	Prestige Quality – Assortments	24
Split Pins	46	Prestige Quality – Individual (Refills)	24
Spring Bars	36	Single Flanged – Assortments	18 – 19
Steel Pivot	45	Single Flanged – Individual (Refills)	20
RADO® GENERIC		Straight Shoulder (Reg. Pivot) – Assortments	22
Case Screws	47	Straight Shoulder (Reg. Pivot) – Individual (Refills)	23
Spring Bars	46	Telescopic Flanged – Assortments	19
RIVET BARS (GUCCI STYLE)		Telescopic Flanged – Individual (Refills)	20
Assortments	30	Telescopic Universal – Assortments	26
Individual Bars (Refills) by Size	31	Telescopic Universal – Individual (Refills)	26
Individual Rivets (Refills) by Size	31	Universal – Individual (Refills)	27
RIVET PINS (“T”) PRESSURE BARS FOR BUCKLE REPAIRS		STAMPED PINS FOR METAL BAND REPAIRS	
Assortments	13 – 14	Assortments	10
Individual (Refills) by Size	14	Individual (Refills) by Size	10
SCREWS FOR METAL BAND REPAIRS		THREADED BARS & SCREWS	
Assortments	32 – 33	Assortments	27 – 28
Individual (Refills) by Size	32 to 34	Individual (Refills) by Size	29
SCREW ON BARS FOR METAL BAND REPAIRS		TUBES AND PINS FOR METAL BAND REPAIRS	
Assortments	34	Assortments	11
Individual (Refills) by Size	34	Individual (Refills) by Size	12
SOLID STAINLESS STEEL PINS FOR METAL BAND REPAIRS			
Assortments	10		
Individual (Refills) by Size	10		

PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



SPRING BARS FOR CLASPS

Assortments

67-99097 Assortment of 60 Short Pivot Spring Bars – Body diameter 1.00 mm

This assortment contains 60 short pivot, stainless steel spring bars arranged in a compartment box labeled for easy identification and re-ordering. Set includes numbers **67-46030-06, 08, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 20 mm**. Refills are available.



67-500 Assortment of 60 Short Pivot, Single Flanged Spring Bars – Body diameter 1.00 mm

This assortment contains 60 short pivot, stainless steel spring bars. Spring bars are supplied in individual bottles, in a plastic hinged box with foam insert. Assortment contains 10 each of the following sizes: **16, 17, 18, 19, 20, and 22 mm**. Refills are available.

67-99092 Assortment of 60 Flanged Double Security Spring Bars – Body diameter 1.17 mm

This assortment contains 60 double security, stainless steel spring bars, arranged in a compartment box labeled for easy identification and re-ordering. Set includes number **67-46230-09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 and 20 mm**. Refills are available.



67-99036 Assortment of 100 X-Thin Short Pivot Buckle Pins – Body diameter 1.30 mm

This assortment contains 100 short pivot, stainless steel, spring bars, arranged in a compartment box labeled for easy identification and re-ordering. Set includes numbers **67-46700-06, 08, 09, 10, 12, 14, 16, 17, 18, and 20 mm**. Refills are available.

67-99098 Assortment of 60 Flanged Thick Pivot Spring Bars – Body dia. 1.30 mm

This assortment contains 60 thick pivot, stainless steel spring bars, arranged in a compartment box labeled for easy identification and re-ordering. Set includes numbers **67-46750-10, 11, 12, 13, 14, 15, 16, 17, 18, 19, and 20 mm**. Refills are available.



67-99152 Assortment of 60 Flanged Thick Pivot Spring Bars – Body diameter 1.50 mm

This assortment contains 60 thick pivot, stainless steel spring bars, arranged in a compartment box labeled for easy identification and re-ordering. Set includes numbers **67-46751-10, 11, 12, 13, 14, 15, 16, 17, 18, 19, and 20 mm**. Refills are available.








68-1080 Assortment of Round Tipped Buckle Pins for Buckles with Safety Locks - Body dia. 1.55 mm

This assortment contains 72 round tipped, stainless steel spring bars, with 1 stainless steel 18 mm tri-fold clasp, arranged in a compartment box labeled for easy identification and re-ordering. Set includes numbers **68-1080-12, 14, 16, 18, 20, and 22 mm**. Refills are available.



Spring Bars for Clasps by Size

PART NUMBER									
(D) - Total Length including Pivot (mm)	Short Pivot Stainless Steel (C) – Body Dia 1.00mm (A) – Pivot Dia 0.60mm (B) – Pivot Length 0.50 Pkg of 12	Short Pivot Stainless Steel (C) – Body Dia 1.00mm (A) – Pivot Dia 0.70mm (B) – Pivot Length 0.70mm Pkg of 12	Flanged Double Security Stainless Steel (C) – Body Dia 1.17mm (A) – Pivot Dia 0.70mm (B) – Pivot Length 0.75mm Pkg of 12	Thin Short Pivot Stainless Steel (C) – Body Dia 1.30mm (A) – Pivot Dia 0.80mm (B) – Pivot Length 1.20mm Pkg of 12	Thin Short Pivot Stainless Steel (C) – Body Dia 1.30mm (A) – Pivot Dia 0.90mm (B) – Pivot Length 0.60mm Pkg of 12	Security Flanged Stainless Steel (C) – Body Dia 1.50mm (A) – Pivot Dia 0.75mm (B) – Pivot Length 0.60mm Pkg of 12	Special Sizes Stainless Steel (C) – Body Dia 1.50mm (A) – Pivot Dia 0.80mm (B) – Pivot Length 0.60mm Pkg of 12	Flanged Thick Pivot Stainless Steel (C) – Body Dia 1.50mm (A) – Pivot Dia 0.90mm (B) – Pivot Length 0.60mm Pkg of 12	Round Pivot Stainless Steel (C) – Body Dia 1.55mm (A) – Pivot Dia 1.10mm (B) – Pivot Length 1.15 mm Pkg of 12
6	n/a	67-46030-06	n/a	67-46700-06	n/a	67-46240-06	n/a	n/a	n/a
7	n/a	67-46030-07	n/a	67-46700-07	n/a	n/a	n/a	n/a	n/a
8	n/a	67-46030-08	n/a	67-46700-08	67-46750-08	n/a	n/a	n/a	n/a
9	n/a	67-46030-09	67-46230-09	67-46700-09	67-46750-09	n/a	n/a	n/a	n/a
10	n/a	67-46030-10	67-46230-10	67-46700-10	67-46750-10	n/a	n/a	67-46751-10	n/a
10.9	n/a	n/a	n/a	n/a	n/a	n/a	67-46040-10	n/a	n/a
11	n/a	67-46030-11	67-46230-11	67-46700-11	67-46750-11	n/a	n/a	67-46751-11	n/a
12	n/a	67-46030-12	67-46230-12	67-46700-12	67-46750-12	n/a	n/a	67-46751-12	n/a
12.9	n/a	n/a	n/a	n/a	n/a	n/a	67-46040-12	n/a	n/a
13	n/a	67-46030-13	67-46230-13	67-46700-13	67-46750-13	n/a	n/a	67-46751-13	n/a
14	n/a	67-46030-14	67-46230-14	67-46700-14	67-46750-14	n/a	n/a	67-46751-14	n/a
14.9	n/a	n/a	n/a	n/a	n/a	n/a	67-46040-14	n/a	n/a
15	n/a	67-46030-15	67-46230-15	67-46700-15	67-46750-15	n/a	n/a	67-46751-15	68-1080-12
15.9	n/a	n/a	n/a	n/a	n/a	n/a	67-46040-15	n/a	n/a
16	67-500-16	67-46030-16	67-46230-16	67-46700-16	67-46750-16	n/a	n/a	67-46751-16	n/a
16.9	n/a	n/a	n/a	n/a	n/a	n/a	67-46040-16	n/a	n/a
17	67-500-17	67-46030-17	67-46230-17	67-46700-17	67-46750-17	n/a	n/a	67-46751-17	68-1080-14
18	67-500-18	67-46030-18	67-46230-18	67-46700-18	67-46750-18	n/a	n/a	67-46751-18	n/a
19	67-500-19	67-46030-19	67-46230-19	67-46700-19	67-46750-19	n/a	n/a	67-46751-19	n/a
19.9	n/a	n/a	n/a	n/a	n/a	n/a	67-46040-19	n/a	n/a
20	67-500-20	67-46030-20	67-46230-20	67-46700-20	67-46750-20	n/a	n/a	67-46751-20	68-1080-16
21	n/a	n/a	n/a	n/a	67-46750-21	n/a	n/a	n/a	n/a
22	67-500-22	n/a	n/a	n/a	67-46750-22	n/a	n/a	n/a	68-1080-18
23	n/a	n/a	n/a	n/a	67-46750-23	n/a	n/a	n/a	n/a
24	n/a	n/a	n/a	n/a	67-46750-24	n/a	n/a	n/a	68-1080-20
26	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	68-1080-22



KNURLED PINS FOR METAL BAND REPAIRS

Assortments

0.90 mm



67-99133 Assortment of Knurled Pins 0.90 mm for Bracelet Repair

This assortment contains 200 stainless steel knurled pins from 6 to 22 mm, with a body diameter of 0.90 mm (knurled portion is slightly larger than 0.90 mm). Set includes **67-46283-06, 08, 10, 12, 14, 16, 17, 18, 19, 20, 21 and 22 mm**. Refills are available.




67-99210 Assortment of Oversized Knurled Pins 0.90 mm for Bracelet Repair

This assortment contains 200 stainless steel knurled pins from 22 to 30 mm, with a body diameter 0.90 mm (knurled portion is slightly larger than 0.90 mm). Set includes **67-46283-22, 24, 26, 28 and 30 mm**. Refills are available.



1.00 mm



67-99134 Assortment of Knurled Pins 1.00 mm for Bracelet Repair

This assortment contains 200 stainless steel knurled pins from 6 to 22 mm, with a body diameter of 1.00 mm (knurled portion is slightly larger than 1.00 mm). Set includes **67-46284-06, 08, 10, 12, 14, 16, 17, 18, 19, 20, 21 and 22 mm**. Refills are available.



67-99211 Assortment of Oversized Knurled Pins 1.00 mm for Bracelet Repair

This assortment contains 200 stainless steel knurled pins from 22 to 30 mm, with a body diameter of 1.00 mm (knurled portion is slightly larger than 1.00 mm). Set includes **67-46284-22, 24, 26, 28 and 30 mm**. Refills are available.



1.10 mm



67-99149 Assortment of Knurled Pins 1.10 mm for Bracelet Repair

This assortment contains 200 stainless steel knurled pins from 6 to 22 mm, with a body diameter of 1.10 mm (knurled portion is slightly larger than 1.10 mm). Set includes **67-46285-06, 08, 10, 12, 14, 16, 17, 18, 19, 20, 21 and 22 mm**. Refills are available.



67-99212 Assortment of Oversized Knurled Pins 1.10 mm for Bracelet Repair

This assortment contains 200 stainless steel knurled pins from 22 to 30 mm, with a body diameter of 1.10 mm (knurled portion is slightly larger than 1.10 mm). Set includes **67-46285-22, 24, 26, 28 and 30 mm**. Refills are available.



1.20 mm



67-99150 Assortment of Knurled Pins 1.20 mm for Bracelet Repair

Assortment contains 200 stainless steel knurled pins from 6 to 22 mm, with a body diameter 1.20 mm (knurled portion is slightly larger than 1.20 mm). Set includes 67-46286-06, 08, 10, 12, 14, 16, 17, 18, 19, 20, 21 and 22 mm. Refills are available.



67-99213 Assortment of Oversized Knurled Pins 1.20 mm for Bracelet Repair

Assortment contains 200 stainless steel knurled pins from 22 to 30 mm, with a body diameter 1.20 mm (knurled portion is slightly larger than 1.20 mm). Set includes 67-46286-22, 24, 26, 28 and 30 mm. Refills are available.

Knurled Pins By Size

Length (mm)	PART NUMBER			
	Diameter 0.90 mm Pkg of 10	Diameter 1.00 mm Pkg of 10	Diameter 1.10 mm Pkg of 10	Diameter 1.20 mm Pkg of 10
4	n/a	67-46284-04	n/a	n/a
6	67-46283-06	67-46284-06	67-46285-06	67-46286-06
8	67-46283-08	67-46284-08	67-46285-08	67-46286-08
10	67-46283-10	67-46284-10	67-46285-10	67-46286-10
12	67-46283-12	67-46284-12	67-46285-12	67-46286-12
14	67-46283-14	67-46284-14	67-46285-14	67-46286-14
16	67-46283-16	67-46284-16	67-46285-16	67-46286-16
17	67-46283-17	67-46284-17	67-46285-17	67-46286-17
18	67-46283-18	67-46284-18	67-46285-18	67-46286-18
19	67-46283-19	67-46284-19	67-46285-19	67-46286-19
20	67-46283-20	67-46284-20	67-46285-20	67-46286-20
21	67-46283-21	67-46284-21	67-46285-21	67-46286-21
22	67-46283-22	67-46284-22	67-46285-22	67-46286-22
24	67-46283-24	67-46284-24	67-46285-24	67-46286-24
26	67-46283-26	67-46284-26	67-46285-26	67-46286-26
28	67-46283-28	67-46284-28	67-46285-28	67-46286-28
30	67-46283-30	67-46284-30	67-46285-30	67-46286-30

PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



SPLIT PINS (OPEN END PINS) FOR BRACELET REPAIR

Assortments

0.70 mm



67-99223 Split (Open-End) Pins 0.70 mm Thick for Bracelet Repair

This assortment contains 200 stainless steel open end pins from 6 to 20 mm. Set includes numbers **67-46288-06, 08, 10, 12, 14, 15, 16, 17, 18, 19, and 20 mm**. Refills are available.

67-99224 Split (Open-End) Pins 0.70 mm Thick for Bracelet Repair

This assortment contains 100 stainless steel open end pins from 21 to 30 mm. Set includes numbers **67-46288-21, 22, 23, 24, 25, 26, 27, 28, 29, and 30 mm**. Refills are available.



0.80 mm



67-99137 Split (Open-End) Pins 0.80 mm Thick for Bracelet Repair

This assortment contains 200 stainless steel open end pins from 6 to 20 mm. Set includes numbers **67-46289-06, 08, 10, 12, 14, 15, 16, 17, 18, 19, and 20 mm**. Refills are available.

67-99145 Split (Open-End) Pins 0.80 mm Thick for Bracelet Repair

This assortment contains 100 stainless steel open end pins from 21 to 30 mm. Set includes numbers **67-46289-21, 22, 23, 24, 25, 26, 27, 28, 29, and 30 mm**. Refills are available.



0.90 mm



67-99048 Split (Open-End) Pins 0.90mm Thick for Bracelet Repair

This assortment contains 200 stainless steel open end pins from 6 to 20 mm. Set includes numbers **67-46290-06, 08, 10, 12, 14, 15, 16, 17, 18, 19, and 20 mm**. Refills are available.

67-99146 Split (Open-End) Pins 0.90 mm Thick for Bracelet Repair

This assortment contains 100 stainless steel open end pins from 21 to 30 mm. Set includes numbers **67-46290-21, 22, 23, 24, 25, 26, 27, 28, 29, and 30 mm**. Refills are available.



0.90 mm



67-45205 Split (Open-End) Pins 0.90 mm Thick for Bracelet Repair

This assortment contains 180 pins in stainless steel open end pins from 4.50 mm to 22 mm. Set includes numbers **67-45205-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35 and 36.** Refills are available.



67-45205BIG Split (Open-End) Pins 0.90 mm Thick for Bracelet Repair

This assortment contains 45 stainless steel open end pins from 23 to 32 mm. Set includes numbers **67-45205BIG-01, 02, 03, 04, 05, 06, 07, 08 and 09.** Refills are available.

1.00 mm



67-99049 Split (Open-End) Pins 1.00 mm Thick for Bracelet Repair

This assortment contains 200 stainless steel open end pins from 6 to 20 mm. Set includes numbers **67-46291-06, 08, 10, 12, 14, 15, 16, 17, 18, 19, and 20 mm.** Refills are available.

67-99147 Split (Open-End) Pins 1.00 mm Thick for Bracelet Repair

This assortment contains 100 stainless steel open end pins from 21 to 30 mm. Set includes numbers **67-46291-21, 22, 23, 24, 25, 26, 27, 28, 29, and 30 mm.** Refills are available.



1.20 mm



67-99081 Split (Open-End) Pins 1.20 mm Thick for Bracelet Repair

This assortment contains 200 stainless steel open end pins from 6 to 20 mm. Set includes numbers **67-46292-06, 08, 10, 12, 14, 15, 16, 17, 18, 19, and 20 mm.** Refills are available.

67-99148 Split (Open-End) Pins 1.20 mm Thick for Bracelet Repair

This assortment contains 100 stainless steel open end pins from 21 to 30 mm. Set includes numbers **67-46292-21, 22, 23, 24, 25, 26, 27, 28, 29, and 30 mm.** Refills are available.



PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



Split Pins by Size

Length (mm)	PART NUMBER				
	Diameter 0.70mm Pkg of 10	Diameter 0.80mm Pkg of 10	Diameter 0.90mm Pkg of 10	Diameter 1.00mm Pkg of 10	Diameter 1.20mm Pkg of 10
4	67-46288-04	67-46289-04	67-46290-04	67-46291-04	67-46292-04
4.5	n/a	n/a	67-45205-01	n/a	n/a
5	n/a	n/a	67-45205-02	n/a	n/a
5.5	n/a	n/a	67-45205-03	n/a	n/a
6	67-46288-06	67-46289-06	67-46290-06 (67-45205-04)	67-46291-06	67-46292-06
6.5	n/a	n/a	67-45205-05	n/a	n/a
7	n/a	n/a	67-45205-06	n/a	n/a
7.5	n/a	n/a	67-45205-07	n/a	n/a
8	67-46288-08	67-46289-08	67-46290-08 (67-45205-08)	67-46291-08	67-46292-08
8.5	n/a	n/a	67-45205-09	n/a	n/a
9	n/a	n/a	67-45205-10	n/a	n/a
9.5	n/a	n/a	67-45205-11	n/a	n/a
10	67-46288-10	67-46289-10	67-46290-10 (67-45205-12)	67-46291-10	67-46292-10
10.5	n/a	n/a	67-45205-13	n/a	n/a
11	n/a	n/a	67-45205-14	n/a	n/a
11.5	n/a	n/a	67-45205-15	n/a	n/a
12	67-46288-12	67-46289-12	67-46290-12 (67-45205-16)	67-46291-12	67-46292-12
12.5	n/a	n/a	67-45205-17	n/a	n/a
13	n/a	n/a	67-45205-18	n/a	n/a
13.5	n/a	n/a	67-45205-19	n/a	n/a
14	67-46288-14	67-46289-14	67-46290-14 (67-45205-20)	67-46291-14	67-46292-14
14.5	n/a	n/a	67-45205-21	n/a	n/a
15	67-46288-15	67-46289-15	67-46290-15 (67-45205-22)	67-46291-15	67-46292-15
15.5	n/a	n/a	67-45205-23	n/a	n/a
16	67-46288-16	67-46289-16	67-46290-16 (67-45205-24)	67-46291-16	67-46292-16
16.5	n/a	n/a	67-45205-25	n/a	n/a
17	67-46288-17	67-46289-17	67-46290-17 (67-45205-26)	67-46291-17	67-46292-17
17.5	n/a	n/a	67-45205-27	n/a	n/a
18	67-46288-18	67-46289-18	67-46290-18 (67-45205-28)	67-46291-18	67-46292-18
18.5	n/a	n/a	67-45205-29	n/a	n/a
19	67-46288-19	67-46289-19	67-46290-19 (67-45205-30)	67-46291-19	67-46292-19
19.5	n/a	n/a	67-45205-31	n/a	n/a
20	67-46288-20	67-46289-20	67-46290-20 (67-45205-32)	67-46291-20	67-46292-20
20.5	n/a	n/a	67-45205-33	n/a	n/a
21	67-46288-21	67-46289-21	67-46290-21 (67-45205-34)	67-46291-21	67-46292-21
21.5	n/a	n/a	67-45205-35	n/a	n/a
22	67-46288-22	67-46289-22	67-46290-22 (67-45205-36)	67-46291-22	67-46292-22
23	67-46288-23	67-46289-23	67-46290-23 (67-45205BIG-1)	67-46291-23	67-46292-23
24	67-46288-24	67-46289-24	67-46290-24 (67-45205BIG-2)	67-46291-24	67-46292-24
25	67-46288-25	67-46289-25	67-46290-25 (67-45205BIG-3)	67-46291-25	67-46292-25
26	67-46288-26	67-46289-26	67-46290-26 (67-45205BIG-4)	67-46291-26	67-46292-26
27	67-46288-27	67-46289-27	67-46290-27 (67-45205BIG-5)	67-46291-27	67-46292-27
28	67-46288-28	67-46289-28	67-46290-28 (67-45205BIG-6)	67-46291-28	67-46292-28
29	67-46288-29	67-46289-29	67-46290-29 (67-45205BIG-7)	67-46291-29	67-46292-29
30	67-46288-30	67-46289-30	67-46290-30 (67-45205BIG-8)	67-46291-30	67-46292-30
32	n/a	n/a	67-45205BIG-9	n/a	n/a

SOLID STAINLESS STEEL PINS FOR METAL BAND REPAIR

Assortments



67-32035 Solid Stainless Steel Pin Assortment

This assortment contains 6 each of 10 diameters of solid stainless steel pins from 0.80 to 1.80 mm. All pins are supplied in a standard length of 30 mm. You will have to cut the pins to suit your repair. Set includes numbers 67-32032-080, 090, 100, 110, 120, 130, 140, 150, 160 and 180 mm. Refills are available.

Solid Stainless Steel Pins by Size

Part Number	Diameter Pkg of 10
67-32032-070	0.70 mm
67-32032-080	0.80 mm
67-32032-090	0.90 mm
67-32032-100	1.00 mm
67-32032-110	1.10 mm
67-32032-120	1.20 mm
67-32032-130	1.30 mm
67-32032-140	1.40 mm
67-32032-150	1.50 mm
67-32032-160	1.60 mm
67-32032-180	1.80 mm

STAMPED PINS FOR METAL BAND REPAIRS

Assortments



67-32065 Stamped Stainless Steel Pin Assortment

This assortment contains solid stainless steel pins which have been stamped and flared on one end. This is a heavy duty alternative to the split pin, adding more strength to your bracelet repair. This assortment contains 6 each of 5 diameters of pins in two different degrees of stamping, for a total of 60 pins. Set includes numbers 67-32065-01, 02, 03, 04, 05, 06, 07, 08, 09 and 10. Refills are available.



Stamped Stainless Steel Pins By Size

Diameter (mm)	PART NUMBER	
	Weak Stamping Pkg of 10	Strong Stamping Pkg of 10
0.80	67-32065-01	67-32065-06
0.90	67-32065-02	67-32065-07
1.00	67-32065-03	67-32065-08
1.10	67-32065-04	67-32065-09
1.20	67-32065-05	67-32065-10


TUBES AND PINS WITH NOTCH FOR METAL BAND REPAIRS

Assortments




67-56065 Solid Stainless Steel Pin and Tube Assortment

This assortment contains 7 different stainless steel tubes with matching stainless steel pins, for a total of 35 tubes and 35 pins for bracelet repair. Tube diameters range from 1.00 mm to 1.80 mm, pin diameters range from 0.70 mm to 1.40 mm. Set includes numbers **67-56062-100, 110, 120, 130, 140, 150 and 180 (tubes)** and **67-32032-070, 080, 090, 100, 110 and 14 (pin)**. Refills are available.



67-99251 Tubes and Pins with Central Notch Assortment

This assortment contains 40 stainless steel pins with 40 matching tubes with a central notch for metal band repairs. The set includes 8 different diameters of tubes, with diameters from 1.00 mm to 1.80 mm. The matching stainless pins are included with each tube. Set includes numbers **67-46815-10, 11, 12, 13, 15, 16, 17, and 18 mm**. Refills are available.



67-99252 Tubes and Pins with Side Notch Assortment

This assortment contains 50 stainless steel pins with 50 matching tubes with a side notch for metal band repairs. The set includes 10 different tube and pin combinations. The tube and pin combinations included in the set are: **67-46817-10, 12, 14, 16, 18, 20, 22, 24, 26, 28**. Refills are available.



67-99253 Tubes and Pins with Side Notch Assortment

This assortment contains 50 stainless steel pins with 50 matching tubes with a side notch for metal band repairs. The set includes 10 different tube and pin combinations. The tube and pin combinations included in the set are: **67-46817-11, 13, 15, 17, 19, 21, 23, 25, 27, 29**. Refills are available.

PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



Tubes with Matching Pins By Size

Sold as package of 10

TUBES

MATCHING PIN


Part Number	Diameter (mm)	Bottle Number		Part Number	Diameter (mm)	Bottle Number
67-56062-100	1.00	1	use	67-32032-070	0.70	9
67-56062-110	1.10	2	use	67-32032-080	0.80	10
67-56062-120	1.20	3	use	67-32032-090	0.90	11
67-56062-130	1.30	4	use	67-32032-100	1.00	12 & 13
67-56062-140	1.40	5	use	67-32032-100	1.00	12 & 13
67-56062-150	1.50	6	use	67-32032-110	1.10	14
67-56062-180	1.80	7	use	67-32032-140	1.40	15



Tubes and Matching Pin With Central Notch By Size

Sold as package of 10


Part Number	Tube Diameter (mm)	Tube Length (mm)	Matching Pin Diameter (mm)	Matching Pin Length (mm)
67-46815-10	1.00	12	0.70	30
67-46815-11	1.10	12	0.80	30
67-46815-12	1.20	12	0.90	30
67-46815-13	1.30	12	1.00	30
67-46815-15	1.50	12	1.10	30
67-46815-16	1.60	12	1.20	30
67-46815-17	1.70	12	1.30	30
67-46815-18	1.80	12	1.40	30



Tubes and Matching Pin with Side Notch By Size

Sold as package of 10

Part Number	Tube Length & Diameter (mm)	Pin Length & Diameter (mm)
67-46817-08	3.0 x 1.20	8.0 x 0.90
67-46817-09	3.0 x 1.20	9.0 x 0.90
67-46817-10	3.0 x 1.20	10.0 x 0.90
67-46817-11	3.0 x 1.20	11.0 x 0.90
67-46817-12	3.0 x 1.20	12.0 x 0.90
67-46817-13	3.0 x 1.20	13.0 x 0.90
67-46817-14	4.0 x 1.20	14.0 x 0.90
67-46817-15	4.0 x 1.20	15.0 x 0.90
67-46817-16	4.0 x 1.20	16.0 x 0.90
67-46817-17	4.0 x 1.20	17.0 x 0.90
67-46817-18	4.0 x 1.20	18.0 x 0.90
67-46817-19	4.0 x 1.20	19.0 x 0.90
67-46817-20	4.0 x 1.20	20.0 x 0.90
67-46817-21	4.0 x 1.20	21.0 x 0.90
67-46817-22	4.0 x 1.20	22.0 x 0.90
67-46817-23	4.0 x 1.20	23.0 x 0.90
67-46817-24	4.0 x 1.20	24.0 x 0.90
67-46817-25	4.0 x 1.20	25.0 x 0.90
67-46817-26	4.0 x 1.20	26.0 x 0.90
67-46817-27	4.0 x 1.20	27.0 x 0.90
67-46817-28	4.0 x 1.20	28.0 x 0.90
67-46817-29	4.0 x 1.20	29.0 x 0.90
67-46817-30	4.0 x 1.20	30.0 x 0.90



RIVET PINS FOR DIVERS FOLDOVER BUCKLES WITH SAFETY

Assortments



67-99220 Rivet Pin ("T" Pressure Bars) for Bracelet Repair 1.00 mm Thick

This assortment contains 60 pieces stainless steel rivet pins ("T" pressure bars) with a diameter of 1.00 mm. Set contains 10 each bars with lengths: **67-46380-10, 12, 14, 16, 18 and 20 mm**, supplied with matching rivets. **Refills** are available.



67-99221 Rivet Pin ("T" Pressure Bars) for Bracelet Repair 1.00 mm Thick

This assortment contains 60 pieces stainless steel rivet pins ("T" pressure bars) with a diameter of 1.00 mm. Set contains 10 each bars with lengths: **67-46380-18, 19, 20, 21, 22 and 24 mm**, supplied with matching rivets. **Refills** are available.

67-99222 Rivet Pin ("T" Pressure Bars) for Bracelet Repair 1.00 mm Thick

This assortment contains 100 pieces stainless steel rivet pins ("T" pressure bars) with a diameter of 1.00 mm. Set contains 10 each bars with lengths: **67-46380-21, 22, 23, 24, 25, 26, 27, 28, 29 and 30 mm**, supplied with matching rivets. **Refills** are available.





67-1420 Rivet Pin ("T" Pressure Bars) for Bracelet Repair 1.10mm Thick

This assortment contains 40 pieces of stainless steel pins ("T" pressure bars) with diameter 1.10 mm, supplied with matching rivets. Set contains sizes **67-1420-14, 16, 18 and 20 mm**. **Refills** are available.

67-99110 Rivet Pin ("T" Pressure Bars) for Bracelet Repair 1.20mm Thick

This assortment contains 60 pieces stainless steel pins ("T" pressure bars) with a diameter of 1.20 mm. Set contains 10 each bars with lengths: **67-46390-10, 12, 14, 16, 18, and 20 mm**, supplied with matching rivets. **Refills** are available.



67-99190 Rivet Pin ("T" Pressure Bars) for Bracelet Repair 1.20 mm Thick

This assortment contains 60 pieces stainless steel rivet pins ("T" pressure bars) with a diameter of 1.20 mm. Sets contain 10 each bars with lengths: **67-46390-18, 19, 20, 21, 22 and 24 mm**, supplied with matching rivets. **Refills** are available.

67-99191 Rivet Pin ("T" Pressure Bars) for Bracelet Repair 1.20 mm Thick

This assortment contains 100 pieces stainless steel rivet pins ("T" pressure bars) with a diameter of 1.20 mm. Sets contain 10 each bars with lengths: **67-46390-21, 22, 23, 24, 25, 26, 27, 28, 29 and 30 mm**, supplied with matching rivets. **Refills** are available.





67-1421 Rivet Pin ("T" Pressure Bars) for Bracelet Repair 1.30mm Thick

This assortment contains 40 pieces of stainless steel pins ("T" pressure bars) with a diameter 1.30 mm, supplied with matching rivets. Sets include numbers **67-1421-14, 16, 18, and 20 mm**. Refills are available.



67-99225 Rivet Pin ("T" Pressure Bars) for Bracelet Repair 1.30 mm Thick

This assortment contains 100 pieces stainless steel rivet pins ("T" pressure bars) with a diameter of 1.30 mm. Sets contains 10 each bar, with lengths: **67-46370-18, 20, 22, 24, 26, 28, 30, 32, 34 and 35 mm**, supplied with matching rivets. Refills are available.

Rivet Pin ("T") Pressure Bars By Size

Sold as package of 10

Length of Bar (mm)	PART NUMBER			
	Diameter 1.00 mm	Diameter 1.10 mm	Diameter 1.20 mm	Diameter 1.30 mm
10	67-46380-10	n/a	67-46390-10	n/a
12	67-46380-12	n/a	67-46390-12	n/a
14	67-46380-14	n/a	67-46390-14	n/a
14.2	n/a	67-1420-12	n/a	n/a
15	67-46380-15	n/a	67-46390-15	n/a
16	67-46380-16	n/a	67-46390-16	n/a
16.2	n/a	67-1420-14	n/a	67-1421-14
17	67-46380-17	n/a	67-46390-17	n/a
18	67-46380-18	n/a	67-46390-18	67-46370-18
18.2	n/a	67-1420-16	n/a	n/a
18.7	n/a	n/a	n/a	67-1421-16
19	67-46380-19	n/a	67-46390-19	n/a
20	67-46380-20	n/a	67-46390-20	67-46370-20
20.2	n/a	n/a	n/a	67-1421-18
21	67-46380-21	n/a	67-46390-21	n/a
21.3	n/a	67-1420-18	n/a	n/a
21.8	n/a	67-1420-20	n/a	n/a
22	67-46380-22	n/a	67-46390-22	67-46370-22
22.4	n/a	n/a	n/a	67-1421-20
23	67-46380-23	n/a	67-46390-23	n/a
23.8	n/a	67-1420-22	n/a	67-1421-22
24	67-46380-24	n/a	67-46390-24	67-46370-24
25	67-46380-25	n/a	67-46390-25	n/a
25.8	n/a	n/a	n/a	67-1421-24
26	67-46380-26	n/a	67-46390-26	67-46370-26
27	67-46380-27	n/a	67-46390-27	n/a
28	67-46380-28	n/a	67-46390-28	67-46370-28
29	67-46380-29	n/a	67-46390-29	n/a
30	67-46380-30	n/a	67-46390-30	67-46370-30
31	n/a	n/a	n/a	67-46370-31
32	n/a	n/a	n/a	67-46370-32
33	n/a	n/a	n/a	67-46370-33
34	n/a	n/a	n/a	67-46370-34
35	n/a	n/a	n/a	67-46370-35

Rivets only - Yellow

67-1423 - yellow rivets only to fit bars 67-1420, a package of 10 pieces.


67-1424 - yellow rivets only to fit bars 67-1421, a package of 10 pieces.



SPRING BARS FOR ATTACHING STRAPS AND METAL BANDS

DOUBLE FLANGED SPRING BARS

Assortments



67-99064 Stainless Steel Double Flanged Spring Bar Master Assortment – 690 pieces

This is a very complete assortment of 690 stainless steel double flanged spring bars, neatly organized in a hinged box with individual boxes, all clearly marked to quickly recognize the bar you need. Kit includes double flanged bars with body diameters 1.30, 1.50 and 1.80 mm, from 6 to 24 mm, see chart below. **Refills** are available.




67-99158 Stainless Steel Double Flanged Spring Bar Master Assortment up to 38 mm - 640 pieces



This is a complete assortment of 640 stainless steel double flanged spring bars from 12 mm to 38 mm. Spring bars are neatly organized in a hinged box with individual boxes, all clearly marked to quickly recognize the bar you need. Kit includes: body diameter 1.30 mm in sizes 12, 14, 15, 16, 17, 18, 19, 20mm / body diameter 1.50 mm in sizes 12, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm / body diameter 1.80mm in sizes 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38 mm.

67-99027 Stainless Steel Double Flanged Spring Bar Assortment – Diameter 1.30 mm – 100 pieces

This is an assortment of double flanged stainless steel spring bars, the exact same bars as you find in the assortment 67-99064. The difference is that this assortment consists of only the 1.30 mm body diameter bars. This assortment covers a size range of 6 to 20 mm, 10 different sizes for a total quantity of 100 pieces. Sets include numbers **67-46300-06, 08, 10, 12, 14, 15, 16, 17, 18 and 20 mm**. **Refills** are available.




67-99155 Stainless Steel Double Flanged Spring Bar Assortment - Diameter 1.50 mm - 100 pieces



This is an assortment of double flanged stainless steel spring bars, the exact same bars as you find in the assortment 67-99064. The difference is that this assortment consists of only the 1.50 mm body diameter bars. This assortment covers a size range of **10 to 24 mm**, 10 different sizes for a total quantity of 100 pieces. Sets include numbers **67-46310-10, 12, 14, 16, 17, 18, 19, 20, 22 and 24 mm**. **Refills** are available.

67-99154 Stainless Steel Double Flanged Spring Bar Assortment - Diameter 1.70 mm - 60 pieces

This is an assortment of double flanged stainless steel spring bars with a body diameter of 1.70mm. The assortment covers a size range of **18 to 24mm**, 6 different sizes for a total quantity of 60 pieces. Sets include numbers **67-46315-18, 20, 21, 22, 23 and 24 mm**. **Refills** are available.






67-99031 Stainless Steel Double Flanged Spring Bar Assortment – Diameter 1.80 mm – 100 pieces

This is an assortment of double flanged stainless steel spring bars, the exact same bars as you find in the assortment 67-99064. The difference is that this assortment consists of only the 1.80 mm body diameter bars. This assortment covers a size range of 12 to 24 mm, 10 different sizes for a total quantity of 100 pieces. Sets include numbers **67-46320-12, 14, 16, 17, 18, 19, 20, 21, 22 and 24 mm**. Refills are available.


67-99156 Stainless Steel Double Flanged Spring Bar Assortment - Diameter 1.80 mm - 100 pieces

This is an assortment of double flanged stainless steel spring bars, the exact same bars as you find in the assortment 67-99064. The difference is that this assortment consists of only the 1.80 mm body diameter bars. This assortment covers a size range of **20 to 38 mm**, 10 different sizes for a total quantity of 100 pieces. Sets include numbers **67-46320-20, 22, 24, 26, 28, 30, 32, 34, 36 and 38 mm**. Refills are available.



Spring Bars For Attaching Straps And Metal Bands By Size Sold in Packages of 10 Pieces

Size (L)	Part Number (Pkg of 10)		
	Dia 1.30 mm	Dia 1.50 mm	Dia 1.80 mm
6 mm	67-46301-06	67-46311-06	n/a
7 mm	67-46301-07	67-46311-07	n/a
8 mm	67-46301-08	67-46311-08	67-46321-08
9 mm	67-46301-09	67-46311-09	n/a
10 mm	67-46301-10	67-46311-10	67-46321-10
11 mm	67-46301-11	67-46311-11	n/a
12 mm	67-46301-12	67-46311-12	67-46321-12
13 mm	67-46301-13	67-46311-13	67-46321-13
14 mm	67-46301-14	67-46311-14	67-46321-14
15 mm	67-46301-15	67-46311-15	67-46321-15
16 mm	67-46301-16	67-46311-16	67-46321-16
17 mm	67-46301-17	67-46311-17	67-46321-17
18 mm	67-46301-18	67-46311-18	67-46321-18
19 mm	67-46301-19	67-46311-19	67-46321-19
20 mm	67-46301-20	67-46311-20	67-46321-20
21 mm	n/a	67-46311-21	67-46321-21
22 mm	n/a	67-46311-22	67-46321-22
23 mm	n/a	67-46311-23	67-46321-23
24 mm	n/a	67-46311-24	67-46321-24
26 mm	n/a	n/a	67-46321-26
28 mm	n/a	n/a	67-46321-28
30 mm	n/a	n/a	67-46321-30
32 mm	n/a	n/a	67-46321-32
34 mm	n/a	n/a	67-46321-34
36 mm	n/a	n/a	67-46321-36
38 mm	n/a	n/a	67-46321-38



Sold in Packages of 100 Pieces

Size (L)	Part Number (Pkg of 100)			
	Dia 1.30 mm	Dia 1.50 mm	Dia 1.70 mm	Dia 1.80 mm
6 mm	67-46300-06	67-46310-06	n/a	n/a
7 mm	67-46300-07	67-46310-07	n/a	n/a
8 mm	67-46300-08	67-46310-08	n/a	67-46320-08
9 mm	67-46300-09	67-46310-09	n/a	n/a
10 mm	67-46300-10	67-46310-10	n/a	67-46320-10
11 mm	67-46300-11	67-46310-11	n/a	n/a
12 mm	67-46300-12	67-46310-12	n/a	67-46320-12
13 mm	67-46300-13	67-46310-13	n/a	67-46320-13
14 mm	67-46300-14	67-46310-14	n/a	67-46320-14
15 mm	67-46300-15	67-46310-15	n/a	67-46320-15
16 mm	67-46300-16	67-46310-16	n/a	67-46320-16
17 mm	67-46300-17	67-46310-17	n/a	67-46320-17
18 mm	67-46300-18	67-46310-18	67-46315-18	67-46320-18
19 mm	67-46300-19	67-46310-19	67-46315-19	67-46320-19
20 mm	67-46300-20	67-46310-20	67-46315-20	67-46320-20
21 mm	n/a	67-46310-21	67-46315-21	67-46320-21
22 mm	n/a	67-46310-22	67-46315-22	67-46320-22
23 mm	n/a	67-46310-23	67-46315-23	67-46320-23
24 mm	n/a	67-46310-24	67-46315-24	67-46320-24
26 mm	n/a	n/a	n/a	67-46320-26
28 mm	n/a	n/a	n/a	67-46320-28
30 mm	n/a	n/a	n/a	67-46320-30
32 mm	n/a	n/a	n/a	67-46320-32
34 mm	n/a	n/a	n/a	67-46320-34
36 mm	n/a	n/a	n/a	67-46320-36
38 mm	n/a	n/a	n/a	67-46320-38

PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



FLANGED SPRING BARS

Assortments



46.200 -06mm	46.200 -07mm	46.200 -08mm	46.200 -09mm	46.200 -10mm	46.200 -12mm
barrettes de sécurité PERRIN H & W PERRIN CO. LTD. phone: 1-800-851-1111 fax: 1-800-741-8137					
MSA 99 099					
60 pcs					
ø 1.30					
46.200 -13mm	46.200 -14mm	46.200 -15mm	46.200 -16mm	46.200 -18mm	46.200 -20mm

67-99099 Assortment of X-Thin Flanged Spring Bars – Body Diameter 1.30 mm

This assortment consists of 60 pieces of nickel silver Swiss made flanged spring bars with body diameter 1.30 mm from 6 to 20 mm in length. Set includes numbers **67-46200-06, 07, 08, 09, 10, 12, 13, 14, 15, 16, 18 and 20 mm**. Refills are available.

67-99197 Assortment of Thin Flanged Spring Bars – Body Diameter 1.50 mm

This assortment consists of 120 pieces of stainless steel Swiss made flanged spring bars with body diameter 1.50 mm from 6 to 22 mm in length. Set includes numbers **67-46211-06, 08, 10, 12, 14, 16, 17, 18, 19, 20, 21 and 22 mm**. Refills are available.

MSA 46.211	MSA 46.211	MSA 46.211	MSA 46.211	MSA 46.211	MSA 46.211
06.0	08.0	10.0	12.0	14.0	16.0
Barrettes de sécurité ac.inox Flanged spring bars st. steel Passadores de segurança ac.inox Asses di sicurezza acc.inox					
ø 1.50 mm					
MSA 99 197					
120 pcs					
MSA 46.211	MSA 46.211	MSA 46.211	MSA 46.211	MSA 46.211	MSA 46.211
17.0	18.0	19.0	20.0	21.0	22.0

Assortment MSA 99 142						100 pcs
barrettes de sécurité						ø 1.50 mm
flanged spring bars						
pasadores de seguridad						
asses di sicurezza						
46.211-23	46.211-24	46.211-25	46.211-26	46.211-27	46.211-28	46.211-29
23mm	24mm	25mm	26mm	27mm	28mm	29mm
46.211-30	46.211-31	46.211-32				
30mm	31mm	32mm				

67-99142 Oversize Swiss Quality Flanged Spring Bar Assortment 23 to 32 mm – Body Diameter 1.50 mm

This is an assortment of stainless steel Swiss quality flanged spring bars for oversize or fashion watch cases. Assortment contains 10 each of 10 different sized flanged spring bars with a size range of 23 to 32 mm, for a total of 100 pieces. Set includes numbers **67-46211-23, 24, 25, 26, 27, 28, 29, 30, 31, and 32 mm**. Refills are available.

67-99198 Assortment of Thin Flanged Spring Bars – Body Diameter 1.50 mm

This assortment consists of 100 pieces of stainless steel Swiss made flanged spring bars with body diameter 1.50 mm from 23 to 32 mm in length. Set includes numbers **67-46211-24, 25, 26, 28, 30, 32, 33, 34, 36, and 38 mm**. Refills are available.

Assortment MSA 99 198						100 pcs
barrettes de sécurité ac.inox						ø 1.50 mm
PERRIN						
H & W PERRIN CO. LTD.						
phone: 1-800-851-1111						
fax: 1-800-741-8137						
46.211-24.0	46.211-25.0	46.211-26.0	46.211-28.0	46.211-30.0	46.211-32.0	46.211-33.0
24.0	25.0	26.0	28.0	30.0	32.0	33.0
46.211-34.0	46.211-36.0	46.211-38.0				
34.0	36.0	38.0				

Assortment MSA 99 103						60 pcs
barrettes de sécurité courbées						ø 1.50 mm
curved flanged spring bars						
pasadores de seguridad curvados						
asses di sicurezza curvate						
46.271-10	46.271-12	46.271-13	46.271-14	46.271-15	46.271-16	46.271-17
10mm	12mm	13mm	14mm	15mm	16mm	17mm
46.271-18	46.271-20	46.271-22				
18mm	20mm	22mm				

67-99103 Curved Flanged Spring Bar Assortment – Body Diameter 1.50 mm

This assortment consists of 60 pieces of stainless steel Swiss made curved flanged spring bars with a body diameter of 1.50 mm, with lengths from 10 to 22 mm. Set includes numbers **67-46271-10, 12, 13, 14, 15, 16, 17, 18, 20 and 22 mm**. Refills are available.


67-99101 Assortment of Regular Flanged Spring Bars – Body Diameter 1.80 mm

This assortment consists of 60 pieces of stainless steel Swiss made flanged spring bars with body diameter 1.80 mm from 12 to 24 mm in length. Set includes numbers **67-46220-12, 14, 16, 17, 18, 19, 20, 21, 22 and 24 mm**. Refills are available.




67-99196 Assortment of Regular Flanged Spring Bars – Body Diameter 1.80 mm

This assortment consists of 60 pieces of stainless steel Swiss made flanged spring bars with body diameter 1.80 mm from 12 to 24 mm in length. Set includes numbers **67-46220-22, 24, 25, 26, 28, 30, 32, 34, 36 and 38 mm**. Refills are available.



67-99125 Assortment of Oversize Flanged Spring Bars – Body Diameter 2.00 mm

This assortment consists of 50 pieces of stainless steel Swiss made oversize flanged spring bars with body diameter 2.00 mm from 10 to 20 mm in length. Set includes numbers **67-46221-10, 11, 12, 13, 14, 15, 16, 17, 18, 19 and 20 mm**. Refills are available.



67-99126 Assortment of Oversize Telescopic Flanged Spring Bars – Body Diameter 2.00 mm

This assortment of stainless steel Swiss quality telescopic flanged spring bars is suited for oversize or fashion watch cases. Assortment contains a total of 50 assorted spring bars, 5 different sizes with a size range of 20 to 30 mm. Set includes numbers **67-46221-20/22, 22/24, 24/26, 26/28 and 28/30**. Refills are available.



67-99141 Assortment of Oversize Telescopic Flanged Spring Bar – Body Diameter 2.00 mm

This assortment of stainless steel Swiss quality telescopic flanged spring bars is suited for oversize or fashion watch cases. Assortment contains a total of 36 assorted spring bars, 6 different sizes with a size range of 30 to 42 mm. Set includes numbers **67-46221-30/32, 32/34, 34/36, 36/38, 38/40 and 40/42**. Refills are available.





PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



Flanged Spring Bars by Size

Supplied as package of 12 (minimum order is a package of 12 pieces per mm size)

Size L (mm)	Pivot (AxB) (mm)	Dia 1.30mm Nickel Silver Part Number	Size L (mm)	Pivot (AxB) (mm)	Dia 1.50mm Stainless Steel Part Number	Size L (mm)	Pivot (AxB) (mm)	Curved Dia 1.50mm Stainless Steel Part Number	Size L (mm)	Pivot (AxB) (mm)	Dia 1.80mm Stainless Steel Part Number	Size L (mm)	Pivot (AxB) (mm)	Dia 2.00mm Stainless Steel Part Number
6	0.70 x 0.70	67-46200-06	6	0.70 x 0.70	67-46211-06	6		n/a	6		n/a	6		n/a
7	0.70 x 0.70	67-46200-07	7	0.70 x 0.70	67-46211-07	7		n/a	7		n/a	7		n/a
8	0.70 x 0.70	67-46200-08	8	0.70 x 0.70	67-46211-08	8		n/a	8		n/a	8		n/a
9	0.70 x 0.80	67-46200-09	9	0.70 x 0.80	67-46211-09	9		n/a	9	0.90 x 1.00	67-46220-09	9		n/a
10	0.70 x 1.00	67-46200-10	10	0.70 x 1.00	67-46211-10	10	0.75 x 1.00	67-46271-10	10	0.90 x 1.00	67-46220-10	10	1.00 x 1.00	67-46221-10
11	0.70 x 1.00	67-46200-11	11	0.70 x 1.00	67-46211-11	11	0.75 x 1.00	67-46271-11	11	0.90 x 1.00	67-46220-11	11	1.00 x 1.00	67-46221-11
12	0.70 x 1.00	67-46200-12	12	0.70 x 1.00	67-46211-12	12	0.75 x 1.00	67-46271-12	12	0.90 x 1.00	67-46220-12	12	1.00 x 1.00	67-46221-12
13	0.70 x 1.00	67-46200-13	13	0.70 x 1.00	67-46211-13	13	0.75 x 1.00	67-46271-13	13	0.90 x 1.00	67-46220-13	13	1.00 x 1.00	67-46221-13
14	0.70 x 1.00	67-46200-14	14	0.70 x 1.00	67-46211-14	14	0.75 x 1.00	67-46271-14	14	0.90 x 1.00	67-46220-14	14	1.00 x 1.00	67-46221-14
15	0.70 x 1.00	67-46200-15	15	0.70 x 1.00	67-46211-15	15	0.75 x 1.00	67-46271-15	15	0.90 x 1.00	67-46220-15	15	1.00 x 1.00	67-46221-15
16	0.70 x 1.00	67-46200-16	16	0.70 x 1.00	67-46211-16	16	0.75 x 1.00	67-46271-16	16	0.90 x 1.00	67-46220-16	16	1.00 x 1.00	67-46221-16
17	0.70 x 1.00	67-46200-17	17	0.70 x 1.00	67-46211-17	17	0.75 x 1.00	67-46271-17	17	0.90 x 1.00	67-46220-17	17	1.00 x 1.00	67-46221-17
18	0.70 x 1.00	67-46200-18	18	0.70 x 1.00	67-46211-18	18	0.75 x 1.00	67-46271-18	18	0.90 x 1.00	67-46220-18	18	1.00 x 1.00	67-46221-18
19	0.70 x 1.00	67-46200-19	19	0.70 x 1.00	67-46211-19	19	0.75 x 1.00	67-46271-19	19	0.90 x 1.00	67-46220-19	19	1.00 x 1.00	67-46221-19
20	0.70 x 1.00	67-46200-20	20	0.70 x 1.00	67-46211-20	20	0.75 x 1.00	67-46271-20	20	0.90 x 1.00	67-46220-20	20	1.00 x 1.00	67-46221-20
21	0.70 x 1.00	67-46200-21	21	0.70 x 1.00	67-46211-21	21	0.75 x 1.00	67-46271-21	21	0.90 x 1.00	67-46220-21	20-22	1.00 x 1.00	67-46221-2022
22	0.70 x 1.00	67-46200-22	22	0.70 x 1.00	67-46211-22	22	0.75 x 1.00	67-46271-22	22	0.90 x 1.00	67-46220-22	22-24	1.00 x 1.00	67-46221-2224
23	0.70 x 1.00	67-46200-23	23	0.70 x 1.00	67-46211-23	23		n/a	23	0.90 x 1.00	67-46220-23	24-26	1.00 x 1.00	67-46221-2426
24	0.70 x 1.00	67-46200-24	24	0.70 x 1.00	67-46211-24	24		n/a	24	0.90 x 1.00	67-46220-24	26-28	1.00 x 1.00	67-46221-2628
25		n/a	25	0.70 x 1.00	67-46211-25	25		n/a	25	0.90 x 1.00	67-46220-25	28-30	1.00 x 1.00	67-46221-2830
26		n/a	26	0.70 x 1.00	67-46211-26	26		n/a	26	0.90 x 1.00	67-46220-26	30-32	1.00 x 1.00	67-46221-3032
27		n/a	27	0.70 x 1.00	67-46211-27	27		n/a	27		n/a	32-34	1.00 x 1.00	67-46221-3234
28		n/a	28	0.70 x 1.00	67-46211-28	28		n/a	28	0.90 x 1.00	67-46220-28	34-36	1.00 x 1.00	67-46221-3436
29		n/a	29	0.70 x 1.00	67-46211-29	29		n/a	29		n/a	36-38	1.00 x 1.00	67-46221-3638
30		n/a	30	0.70 x 1.00	67-46211-30	30		n/a	30	0.90 x 1.00	67-46220-30	38-40	1.00 x 1.00	67-46221-3840
31		n/a	31	0.70 x 1.00	67-46211-31	31		n/a	31		n/a	40-42	1.00 x 1.00	67-46221-4042
32		n/a	32	0.70 x 1.00	67-46211-32	32		n/a	32	0.90 x 1.00	67-46220-32			
33		n/a	33	0.70 x 1.00	67-46211-33	33		n/a	33		n/a			
34		n/a	34	0.70 x 1.00	67-46211-34	34		n/a	34	0.90 x 1.00	67-46220-34			
35		n/a	35	0.70 x 1.00	67-46211-35	35		n/a	35		n/a			
36		n/a	36	0.70 x 1.00	67-46211-36	36		n/a	36	0.90 x 1.00	67-46220-36			
37		n/a	37	0.70 x 1.00	n/a	37		n/a	37	0.90 x 1.00	67-46220-37			
38		n/a	38	0.70 x 1.00	67-46211-38	38		n/a	38	0.90 x 1.00	67-46220-38			



DOUBLE SHOULDER SPRING BARS

Assortments



67-400 “DS 400” Nickel Plated Double Shoulder Spring Bar Assortment

This is a cost effective spring bar assortment containing a total of 400 pieces of spring bars in extra thin double shoulder (1.30 mm diameter) and regular double shoulder (1.80 mm diameter) with size ranges 6 to 24 mm. Set includes numbers 67-400-130A, 130B, 130C, 130D, 130E, 130F, 130G, 130H, 130I, 130J, 58B, 58C, 58D, 58E, 58F, 58G, 58H, 58I, 58J and 58K. Refills are available.



“DS 400” Nickel Plated Double Shoulder Spring Bars by Size

Sold in Packages of 100 Pieces Per Size

Extra Thin Double Shoulder – 1.30 mm dia

Part Number	Bottle Number	Size mm (inches)
67-400-130A	#1	6 mm (1/4")
67-400-130B	#2	8 mm (5/16")
67-400-130C	#3	10 mm (3/8")
67-400-130D	#4	11 mm (7/16")
67-400-130E	#5	13 mm (1/2")
67-400-130F	#6	14 mm (9/16")
67-400-130G	#7	16 mm (5/8")
67-400-130H	#8	18 mm (11/16")
67-400-130I	#9	19 mm (3/4")
67-400-130J	#10	20 mm (13/16")


Regular Double Shoulder – 1.80 mm dia

Part Number	Bottle Number	Size mm (inches)
67-400-58A		6.5 mm (1/4")
67-400-58B	#11	8 mm (5/16")
67-400-58C	#12	10 mm (3/8")
67-400-58D	#13	11 mm (7/16")
67-400-58DD		12 mm (15/32")
67-400-58E	#14	13 mm (1/2")
67-400-58F	#15	14 mm (9/16")
67-400-58G	#16	16 mm (5/8")
67-400-58H	#17	18 mm (11/16")
67-400-58I	#18	19 mm (3/4")
67-400-58J	#19	20 mm (13/16")
67-400-58JJ		22 mm (7/8")
67-400-58K	#20	24 mm (15/16")
67-400-58L		25 mm (1")

REGULAR PIVOT SPRING BARS

Assortments


67-99093 Assortment of Ultrathin Spring Bars - Body Diameter 1.20mm



This assortment consists of 60 pieces Swiss made nickel plated ultrathin spring bars with a body diameter 1.20 mm from 6 to 22 mm in length. Set includes numbers **67-46000-06, 08, 10, 12, 14, 15, 16, 17, 18, 19, 20, and 22 mm**. Refills are available

67-99095 Straight Thin Spring Bar Assortment – Body Diameter 1.50 mm

This assortment consists of 60 pieces of Swiss made nickel plated straight thin spring bars with a body diameter of 1.50 mm from 6 to 22 mm in length. Assortment is supplied in a small plastic compartment box. Set includes numbers **67-46010-06, 08, 10, 12, 14, 15, 16, 17, 18, 19, 20 and 22 mm**. Refills are available.




67-99096 Straight Regular Body Spring Bar Assortment – Body Diameter 1.80 mm

This assortment consists of 60 pieces of Swiss made nickel plated regular spring bars with a body diameter of 1.80 mm from 10 to 24 mm in length. Set includes numbers **67-46020-10, 12, 14, 16, 17, 18, 19, 20, 22 and 24 mm**. Refills are available.

67-99194 Straight Regular Body Spring Bar Assortment – Body Diameter 2.00 mm

This assortment consists of 60 pieces of Swiss made stainless steel regular spring bars with a body diameter of 2.00 mm from 10 to 24 mm in length. Set includes numbers **67-46022-10, 12, 14, 15, 16, 17, 18, 20, 21, 22, 23 and 24 mm**. Refills are available.





PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



Regular Spring Bars by Size

Supplied as package of 12 (minimum order is a package of 12 pieces per mm size)

Size L (mm)	Pivot (AxB) (mm)	Dia 1.20mm Nickel Silver Part Number	Size L (mm)	Pivot (AxB) (mm)	Dia 1.30mm Nickel Silver Part Number	Size L (mm)	Pivot (AxB) (mm)	Dia 1.50mm Nickel Silver Part Number	Size L (mm)	Pivot (AxB) (mm)	Dia 1.80mm Nickel Silver Part Number	Size L (mm)	Pivot (AxB) (mm)	Dia 2.00 mm Nickel Silver Part Number
5	0.70 x 0.80	67-46000-05	5	0.70 x 0.80	67-46005-05	5	0.70 x 0.80	67-46010-05	5		n/a	5		n/a
5.5	0.70 x 0.80	67-46000-05.5	5.5		n/a	5.5		n/a	5.5		n/a	5.5		n/a
6	0.70 x 1.00	67-46000-06	6	0.70 x 1.00	67-46005-06	6	0.70 x 0.80	67-46010-06	6		n/a	6		n/a
6.5	0.70 x 1.00	67-46000-06.5	6.5		n/a	6.5		n/a	6.5		n/a	6.5		n/a
7	0.70 x 1.00	67-46000-07	7	0.70 x 1.00	67-46005-07	7	0.70 x 0.80	67-46010-07	7		n/a	7		n/a
8	0.70 x 1.00	67-46000-08	8	0.70 x 1.00	67-46005-08	8	0.70 x 0.80	67-46010-08	8		n/a	8		n/a
8.5	0.70 x 1.00	67-46000-08.5	8.5		n/a	8.5		n/a	8.5		n/a	8.5		n/a
9	0.70 x 1.00	67-46000-09	9	0.70 x 1.00	67-46005-09	9	0.70 x 1.00	67-46010-09	9	0.90 x 1.00	67-46020-09	9		n/a
10	0.70 x 1.00	67-46000-10	10	0.70 x 1.00	67-46005-10	10	0.75 x 1.50	67-46010-10	10	0.80 x 1.50	67-46020-10	10	0.80 x 1.50	67-46022-10
11	0.70 x 1.00	67-46000-11	11	0.70 x 1.00	67-46005-11	11	0.75 x 1.50	67-46010-11	11	0.80 x 1.50	67-46020-11	11	0.80 x 1.50	67-46022-11
12	0.70 x 1.00	67-46000-12	12	0.70 x 1.00	67-46005-12	12	0.75 x 1.50	67-46010-12	12	0.90 x 2.00	67-46020-12	12	0.90 x 2.00	67-46022-12
13	0.70 x 1.00	67-46000-13	13	0.70 x 1.00	67-46005-13	13	0.75 x 1.50	67-46010-13	13	0.90 x 2.00	67-46020-13	13	0.90 x 2.00	67-46022-13
14	0.70 x 1.00	67-46000-14	14	0.70 x 1.00	67-46005-14	14	0.75 x 1.50	67-46010-14	14	0.90 x 2.00	67-46020-14	14	0.90 x 2.00	67-46022-14
15	0.70 x 1.00	67-46000-15	15	0.70 x 1.00	67-46005-15	15	0.75 x 1.50	67-46010-15	15	0.90 x 2.00	67-46020-15	15	0.90 x 2.00	67-46022-15
16	0.70 x 1.00	67-46000-16	16	0.70 x 1.00	67-46005-16	16	0.75 x 1.50	67-46010-16	16	0.90 x 2.00	67-46020-16	16	0.90 x 2.00	67-46022-16
17	0.70 x 1.00	67-46000-17	17	0.70 x 1.00	67-46005-17	17	0.75 x 1.50	67-46010-17	17	0.90 x 2.00	67-46020-17	17	0.90 x 2.00	67-46022-17
18	0.70 x 1.00	67-46000-18	18	0.70 x 1.00	67-46005-18	18	0.75 x 1.50	67-46010-18	18	0.90 x 2.00	67-46020-18	18	0.90 x 2.00	67-46022-18
19	0.70 x 1.00	67-46000-19	19	0.70 x 1.00	67-46005-19	19	0.75 x 1.50	67-46010-19	19	0.90 x 2.00	67-46020-19	19	0.90 x 2.00	67-46022-19
20	0.70 x 1.00	67-46000-20	20	0.70 x 1.00	67-46005-20	20	0.75 x 1.50	67-46010-20	20	0.90 x 2.00	67-46020-20	20	0.90 x 2.00	67-46022-20
21	0.70 x 1.00	67-46000-21	21	0.70 x 1.00	67-46005-21	21	0.75 x 1.50	67-46010-21	21	0.90 x 2.00	67-46020-21	21	0.90 x 2.00	67-46022-21
22	0.70 x 1.00	67-46000-22	22	0.70 x 1.00	67-46005-22	22	0.75 x 1.50	67-46010-22	22	0.90 x 2.00	67-46020-22	22	0.90 x 2.00	67-46022-22
23	0.70 x 1.00	67-46000-23	23	0.70 x 1.00	67-46005-23	23	0.75 x 1.50	67-46010-23	23	0.90 x 2.00	67-46020-23	23	0.90 x 2.00	67-46022-23
24	0.70 x 1.00	67-46000-24	24	0.70 x 1.00	67-46005-24	24		n/a	24	0.90 x 2.00	67-46020-24	24	0.90 x 2.00	67-46022-24
36		n/a	36		n/a	36		n/a	36	0.90 x 2.00	67-46020-36	36		n/a



SPECIALITY SPRING BARS

PRESTIGE SPRING BARS

Assortments

67-99120 “PRESTIGE” Swiss Quality Spring Bar Assortment

This assortment contains 40 **special strong** stainless steel spring bars. This assortment has been specially designed for the servicing of “Prestige” watch brand watches such as Rolex, Omega, etc. Assortment consists of 10 different bars, 4 pieces of each size. Set includes numbers **67-46050-20, 67-46051-13, 67-46052-13, 17, 19, 20, 67-46053-19, 67-46054-20, 67-46055-20 and 67-46056-20**. Refills are available.



“Prestige” Swiss Quality Spring Bar by Size

Sold Individually. A good percentage of these “Prestige” spring bars are copies of the Rolex® style of spring bar

Product Number	Description				Image
	Size (L)	Dimension (A)	Dimension (B)	Body Diameter	
67-46050	20 mm	1.20 mm	2.80 mm	2.00 mm, special strong	
67-46051	13 mm	0.88 mm	1.60 mm	1.80 mm, special strong	
67-46052-13	13 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46052-14	14 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46052-15	15 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46052-16	16 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46052-17	17 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46052-18	18 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46052-19	19 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46052-20	20 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46052-21	21 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46052-22	22 mm	0.88 mm	1.00 mm	1.80 mm, flanged	
67-46053-13	13 mm	0.88 mm	1.65 mm	1.80 mm, telescopic	
67-46053-17	17 mm	0.88 mm	2.00 mm	1.80 mm, telescopic	
67-46053-19	19 mm	0.88 mm	2.00 mm	1.80 mm, telescopic	
67-46053-20	20 mm	0.88 mm	2.00 mm	1.80 mm, telescopic	
67-46054	20 mm	0.88 mm	2.00 mm	1.80 mm, single telescopic	
67-46055	20 mm	0.88 mm	1.00 mm	1.80 mm, double flanged	
67-46056	20 mm	0.88 mm	1.00 mm	1.80 mm, yellow double flanged	

PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5


Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



“FEMALE” SPRING BARS

Assortments



67-99105 “Female” Spring Bar Assortment – Body Diameter 1.80mm

This assortment consists of 60 pieces of female spring bars with lengths from 9 to 20mm. Female spring bars are used on a variety of antique watch cases, where the case lug has a pin, instead of a hole. Set includes numbers **67-46400-09, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 and 20 mm**. Refills are available.

“Female” Spring Bars by Size

Sold in Packages of 12 Pieces

Part Number	Size
67-46400-07	7 mm
67-46400-7/10 (telescopic)	7 to 10 mm
67-46400-08	8 mm
67-46400-09	9 mm
67-46400-10	10 mm
67-46400-10/14 (telescopic)	10 to 14 mm
67-46400-11	11 mm
67-46400-12	12 mm
67-46400-13	13 mm
67-46400-14	14 mm
67-46400-15	15 mm
67-46400-16	16 mm
67-46400-17	17 mm
67-46400-18	18 mm
67-46400-19	19 mm
67-46400-20	20 mm
67-46400-21	21 mm
67-46400-22	22 mm
67-46400-23	23 mm
67-46400-24	24 mm

PEGGED SPRING BARS

Assortments



68-935 Pegged Spring Bars (Spring Bars with Trigger) Assortment

These are unique spring bars with a ball shaped trigger that allows for the easy removal of the spring bar. The leather band typically has a slot cut out of it, allowing the trigger to protrude beyond the leather band. This type of spring bar is used when watches are supplied with multiple coloured straps, permitting the changing of the strap on a regular basis. This assortment is supplied in a small compartment box, contains 5 sizes from 14 to 22 mm, for a total of 20 bars. Set includes numbers **68-935-REFILL-14, 16, 18, 20 and 22 mm**. Refills are available.



Pegged Spring Bars by Size

Sold in Packages of 12 Pieces

Part Number	Total Length (mm)	Diameter of Pivot (mm)	Length of Pivot (mm)	Diameter of Bar (mm)
68-935-14	16.00	0.85	1.00	1.78
68-935-16	18.00	0.85	1.00	1.78
68-935-18	20.00	0.85	1.00	1.78
68-935-20	22.00	0.85	1.00	1.78
68-935-22	24.00	0.85	1.25	1.78

UNIVERSAL SPRING BARS

Assortments

67-99199 Telescopic Universal Spring Bars Assortment – Body Diameter 1.80 mm

This assortment consists of 100 telescopic universal stainless steel spring bars from lengths of 8-12 mm to 32-38 mm. Set includes numbers **67-46600-0812, 0914, 1318, 1521, 1723, 1824, 2026, 2430, 2834 and 3238 mm**. Refills are available.



Telescopic Universal Spring Bars by Size

Sold in package of 100 pieces

Size L (mm)	Pivot (AxB) (mm)	Dia 1.80mm Stainless Steel Part Number
7-10	0.80 x 1.00	67-46600-0710
8-12	0.80 x 1.00	67-46600-0812
9-14	0.80 x 1.00	67-46600-0914
10-14	0.80 x 1.00	67-46600-1014
13-18	0.80 x 1.00	67-46600-1318
14-19	0.80 x 1.00	67-46600-1419
15-21	0.80 x 1.00	67-46600-1521
17-23	0.80 x 1.00	67-46600-1723
18-24	0.80 x 1.00	67-46600-1824
20-26	0.80 x 1.00	67-46600-2026
24-30	0.80 x 1.00	67-46600-2430
28-34	0.80 x 1.00	67-46600-2834
32-38	0.80 x 1.00	67-46600-3238



Universal Spring Bars – Body Diameter 1.50 mm & 1.80 mm

This unique spring bar consists of a fixed pivot on 1 side, and a telescopic pivot on the other side, Swiss made. We are **unable to supply an assortment**, we can supply individual sizes only. The smaller lengths are available in body diameter 1.50 mm, the larger lengths are available in body diameter 1.80 mm only. **Minimum order quantity 1 dozen per size.**



Part Number	Body Dia (mm)	Size
67-46100-09	1.50	9 mm
67-46100-10	1.50	10 mm
67-46100-11	1.50	11 mm
67-46100-12	1.50	12 mm
67-46110-13	1.80	13 mm
67-46110-14	1.80	14 mm
67-46110-15	1.80	15 mm
67-46110-16	1.80	16 mm
67-46110-17	1.80	17 mm
67-46110-18	1.80	18 mm
67-46110-19	1.80	19 mm
67-46110-20	1.80	20 mm
67-46110-21	1.80	21 mm
67-46110-22	1.80	22 mm
67-46110-23	1.80	23 mm
67-46110-24	1.80	24 mm
67-46110-30	1.80	30 mm
67-46110-34	1.80	34 mm
67-46110-35	1.80	35 mm

THREADED BARS (GUCCI STYLE)

Assortments

1.30mm



67-99002 Threaded Bar Assortment Yellow - Body Diameter 1.30 mm

This threaded bar assortment consists of 60 yellow screw-on bars with a body diameter of 1.30mm and 60 screws. Set contains 5 different lengths of bars from 12 to 20 mm. Assortment is supplied with yellow screws only with a head diameter of 3.00 mm. Set includes numbers **67-46800-12, 14, 16, 18 and 20 mm**. Refills are available.



67-99108 Threaded Bar Assortment White - Body Diameter 1.30 mm

This threaded bar assortment consists of 60 chromed screw-on bars with a body diameter of 1.30mm and 60 screws. Set contains 5 different lengths of bars from 12 to 20 mm. Assortment is supplied with white chromed screws only with a head diameter 3.00 mm. Set includes numbers **67-46801-12, 14, 16, 18 and 20 mm**. Refills are available.

67-99055 “Swiss Made” Threaded Bar Assortment Yellow and White - Body Diameter 1.30 mm

This is an assortment of 16 thin threaded bars (1.30 mm diameter) with 32 screws in yellow and white. Set contains 8 different lengths of bars from 10 to 20 mm and 2 different diameters of screws (3.00 mm and 3.50 mm) in both yellow and white. Set includes numbers **67-46810-10, 12, 14, 15, 16, 17, 18, 20, 67-46811, 46812, 46813 and 46814**. Refills are available.



67-99217 Threaded Bar Assortment Yellow - Body Diameter 1.50 mm

This is an assortment of 60 yellow screw-on threaded bars with yellow white screws, all with a body diameter of 1.50 mm. Set contains 5 different length of bars from 12 to 20 mm. Screws have a head diameter of 3.00 mm. Set includes numbers **67-46802-10, 12, 14, 16, 18 and 20**. Refills are available.



67-99216 Threaded Bar Assortment White - Body Diameter 1.50 mm

This is an assortment of 60 white screw-on threaded bars with matching white screws, all with a body diameter of 1.50 mm. Set contains 5 different length of bars from 12 to 20 mm. Screws have a head diameter of 3.00 mm. Set includes numbers **67-46803-10, 12, 14, 16, 18 and 20**. Refills are available.



67-99056 “Swiss Made” Threaded Bar Assortment Yellow and White - Body Diameter 1.50 mm

This is an assortment of 16 threaded bars (1.50 mm diameter) with 32 screws in yellow and white. Set contains 8 different lengths of bars from 10 to 20 mm and 2 different diameters of screws (3.20 & 3.70 mm) in both yellow and white. Sets include numbers **67-46820-10, 12, 14, 15, 16, 17, 18, 20, 67-46821, 46822, 46823 and 46824**. Refills are available.



PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



Economical Threaded Bars (Gucci Style) By Size

Available in either a bar diameter of 1.30 or 1.50 mm. **Refills are supplied with matching screws.** Screws with bars are available in either yellow or white. The head diameter of the screws for all bar sizes is 3.00 mm.

Sold in Package of 10 pieces

Length of Bar (mm)	White (3.00 mm head) Bar Dia. 1.30 mm Order Number	Yellow (3.00 mm head) Bar Dia. 1.30 mm Order Number	White (3.00 mm head) Bar Dia. 1.50 mm Order Number	Yellow (3.00 mm head) Bar Dia. 1.50 mm Order Number
10	n/a	67-46800-10	n/a	n/a
12	67-46801-12	67-46800-12	67-46803-12	67-46802-12
14	67-46801-14	67-46800-14	67-46803-14	67-46802-14
16	67-46801-16	67-46800-16	67-46803-16	67-46802-16
18	67-46801-18	67-46800-18	67-46803-18	67-46802-18
20	67-46801-20	67-46800-20	67-46803-20	67-46802-20

"Swiss Made" Threaded Bars (Gucci Style) By Size

Available in either a bar diameter of 1.30 or 1.50 mm. **Bars and screws are both supplied individually.** Typically for each bar ordered, you should order 2 screws, one for each end.

Threaded Bars		
Length of Bar (mm)	Bar Dia. 1.30 mm Order Number	Bar Dia. 1.50 mm Order Number
9	n/a	67-46820-09
10	67-46810-10	67-46820-10
11	n/a	67-46820-11
12	67-46810-12	67-46820-12
13	n/a	67-46820-13
14	67-46810-14	67-46820-14
15	67-46810-15	67-46820-15
16	67-46810-16	67-46820-16
17	67-46810-17	67-46820-17
18	67-46810-18	67-46820-18
20	67-46810-20	67-46820-20
22	n/a	67-46820-22
24	n/a	67-46820-24

Screws			
Head Diameter (mm)	Thread Diameter (mm)	White Order Number	Yellow Order Number
3.00 (to fit bar 1.30 mm)	0.85	67-46812	67-46811
3.50 (to fit bar 1.30 mm)	0.85	67-46814	67-46813
3.20 (to fit bar 1.50 mm)	0.97	67-46822	67-46821
3.70 (to fit bar 1.50 mm)	0.97	67-46824	67-46823

PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



PRESSURE BARS (GUCCI STYLE RIVET BARS)

Assortments



67-99057 “Economical” Gucci Style Pressure Bars Assortment – Body diameter 1.30 mm

This is an assortment of 60 press-in bars stainless steel, gilt colour. Assortment contains a total of 60 bars (5 sizes) from 12 mm to 20 mm, with a bar diameter of 1.30 mm and a head diameter of 1.80 mm. Set includes numbers **67-46805-12, 14, 16, 18 & 20**. Refills are available.



67-99053 “Swiss Made” Gucci Style Pressure Bars Assortment – Body diameter 1.30 mm

This assortment contains 16 rivet bars with a body diameter of 1.30 mm. Matching rivets are supplied in both yellow and white in two different diameters. Set contains 8 different lengths of bars from 10 to 20 mm and 2 different diameters of rivet 2.50 mm and 3.00 mm in both yellow and white. Set includes numbers **67-46910-10, 12, 14, 15, 16, 17, 18, 20, 67-46911, 46912, 46913 and 46914**. Refills for this assortment are available. Bars and rivets are sold separately. Bars are priced **individually** or by the **dozen per size**. Rivets are priced **individually** or by the **dozen per size and colour**.



67-9052 “Economical” Gucci Style Pressure Bars Assortment – Body diameter 1.40 mm


This economical assortment of Gucci style pressure bars contains 5 sizes of bars, 6 of each size with matching yellow rivets, for a total of 30 bars. Bars have a diameter of 1.40 mm. Rivets have a diameter of 2.85 mm. Set includes numbers **67-9052-10, 12, 14, 16 & 18 mm**. Refills are available, sold as **packages of 10 bars with matching rivets per size**.



67-99054 “Swiss Made” Gucci Style Pressure Bars Assortment – Body diameter 1.50 mm

This assortment contains 16 rivet bars with a body diameter of 1.50 mm. Matching rivets are supplied in both yellow and white in two different diameters. Set contains 8 different lengths of bars from 10 to 20 mm and 2 different diameters of rivet 3.00 mm and 3.50 mm in both yellow and white. Set includes numbers **67-46920-10, 12, 14, 15, 16, 17, 18, 20, 67-46921, 46922, 46923 and 46924**. Refills for this assortment are available. Bars and rivets are sold separately. Bars are priced **individually** or by the **dozen per size**. Rivets are priced **individually** or by the **dozen per size and colour**.





PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



Economical "Made in India" Pressure Bars (Gucci Style) by Size

Available with a bar diameter 1.25 mm, rivet has a diameter 3.00 mm.

Refills are supplied as a package of 50 bars with matching rivets.

Length of Bar	Part Number
10 mm	67-9053-10
12 mm	67-9053-12
14 mm	67-9053-14
16 mm	67-9053-16
18 mm	67-9053-18
20 mm	67-9053-20

"Economical" Gucci Style Pressure Bars by Size

Available in either a bar diameter of 1.30 or 1.40 mm.

Refills are supplied with matching rivets

Length of Bar	Part Number	
	Bar Diameter 1.30 mm Pkg of 100	Bar Diameter 1.40 mm Pkg of 10
10 mm	n/a	67-9052-10
12 mm	67-46805-12	67-9052-12
14 mm	67-46805-14	67-9052-14
16 mm	67-46805-16	67-9052-16
18 mm	67-46805-18	67-9052-18
20 mm	67-46805-20	n/a

"Swiss Made" Gucci Style Pressure Bars by Size

Sold Individually

Length of Bar	Part Number	
	Bar Diameter 1.30 mm	Bar Diameter 1.50 mm
10 mm	67-46910-10	67-46920-10
11 mm	n/a	67-46920-11
12 mm	67-46910-12	67-46920-12
13 mm	n/a	67-46920-13
14 mm	67-46910-14	67-46920-14
15 mm	67-46910-15	67-46920-15
16 mm	67-46910-16	67-46920-16
17 mm	67-46910-17	67-46920-17
18 mm	67-46910-18	67-46920-18
20 mm	67-46910-20	67-46920-20
21 mm	67-46910-21	n/a

Rivets

Sold Individually

Head Diameter (mm)	Post Diameter / Total Length (mm)	Thread Diameter (mm)	Part Number White	Part Number Yellow
2.50 to fit bar 1.30	1.00 / 4.80	0.85	67-46912	67-46911
3.00 to fit bar 1.30	1.00 / 4.80	0.85	67-46914	67-46913
3.20 to fit bar 1.50	1.00 / 5.00	0.97	67-46922	67-46921
3.70 to fit bar 1.50	1.00 / 5.20	0.97	67-46924	67-46923

METAL BAND BRACELET SCREWS

Assortments

68-1178 Stainless Steel Threaded Bar with Rivets for Metal Bands



These bars are used for attaching the metal watch bands to the watch case. Bar is supplied in a 30 mm length, and can be cut to length. One side of this bar is a hollow bar that receives a rivet. This allows you to cut the bar to length, insert and fasten the rivet, install the bar to the case. The other side of the bar has an internal thread to accept a threaded screw. This assortment contains a total of 40 bars (diameters 1.00 to 1.50 mm) with screws and rivets. Bars are supplied with a solid tube, to prevent the bar from collapsing while cutting. Set includes numbers **68-1178-151030, 151130, 161230, 181330, 201330, 251330, 201530, 251530, 301530 & 351530**. Refills are available.

68-1177 Stainless Steel Threaded Bar with Rivets for Metal Bands

These bars are used for attaching the metal watch bands to the watch case. Bar is supplied in a 30 mm or 36mm length, and can be cut to length. One side of this bar is a hollow bar that receives a rivet. This allows you to cut the bar to length, insert and fasten the rivet, install the bar to the case. The other side of the bar has an internal thread to accept a threaded screw. This assortment contains a total of 40 bars (diameters 1.80 to 2.20 mm) with screws and rivets. Bars are supplied with a solid tube, to prevent the bar from collapsing while cutting. Set includes numbers **68-1177-251830, 301830, 351830, 401336, 451836, 501836, 402036, 452036, 502036 & 502236**. Refills are available.



Metal Band Bracelet Screws by Size

Sold in Package of 10 pieces

Order Number	Diameter of Screw (mm)	Diameter of Tube (mm)	Length of Tube (mm)
68-1178-151030	1.50	1.00	30.00
68-1178-151130	1.50	1.10	30.00
68-1178-161230	1.60	1.20	30.00
68-1178-181330	1.80	1.30	30.00
68-1178-201330	2.00	1.30	30.00
68-1178-201530	2.00	1.50	30.00
68-1178-251330	2.50	1.30	30.00
68-1178-251530	2.50	1.50	30.00
68-1177-251830	2.50	1.80	30.00
68-1178-301530	3.00	1.50	30.00
68-1177-301830	3.00	1.80	30.00
68-1178-351530	3.50	1.50	30.00
68-1177-351830	3.50	1.80	30.00
68-1177-401336	4.00	1.80	36.00
68-1177-402036	4.00	2.00	36.00
68-1177-451836	4.50	1.80	36.00
68-1177-452036	4.50	2.00	36.00
68-1177-501836	5.00	1.80	36.00
68-1177-502036	5.00	2.00	36.00
68-1177-502236	5.00	2.20	36.00



67-9257 Steel/Gold Plated Bracelet Screw Assortment

This assortment contains 100 assorted bracelet link screws in various lengths and styles, all of which are gold plated steel. This is a bulk assortment. Refills are **not** available.

67-9258 Steel Bracelet Screw Assortment

This assortment contains 100 assorted bracelet link screws in various lengths and styles, all of which are steel. This is a bulk assortment. Refills are **not** available.



67-59025 Stainless Steel Bracelet Screw Assortment

This assortment contains 30 assorted stainless steel bracelet screws (Swiss made) in diameters 0.90, 1.00, 1.20, 1.40, 1.60 mm. Total length of the screw is 25.0 mm, overall length of the threaded portion of the screw is 20.0 mm. Screws can be cut to adjust for length. Set includes numbers **67-59025-1, 2, 3, 4 and 5**. Refills are available: (Sold in packages of 10 pieces.)


Stainless Steel Bracelet Screw by Size

Package of 10 pieces

Part Number	Diameter Of Head	Diameter of Thread
67-59025-1	0.90 mm	0.88 mm
67-59025-2	1.00 mm	0.97 mm
67-59025-3	1.20 mm	1.15 mm
67-59025-4	1.40 mm	1.37 mm
67-59025-5	1.60 mm	1.55 mm

67-99109 Steel Bracelet Screws for the Repair of ROLEX® Type Bracelets

This assortment has 16 screw-on bars, Swiss made, for the repairing of Rolex bracelets. Assortment contains 2 each of 8 sizes from 8.8 to 15.5 mm. Set includes numbers **67-463971, 463972, 463973, 463974, 463975, 463976, 463977 and 463978**. Refills are available: (Sold separately)



67-6090 “NEWALL BRAND” Bracelet Screw Assortment for Rolex® Type Bracelets



This screw assortment is designed to service Rolex type watch bracelets. Contains 18 different sizes of screws, 5 pieces each, supplied in plastic bottles organized in a hinged plastic box. Set includes numbers **67-6090-01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14, 15, 16, 17 and 18**. Refills are available.

Steel Bracelet Screws for the Repair of ROLEX® Type Bracelets by Size



Part Number	Quality	Supplier Number	Total Length (mm)	Body Diameter (mm)	Thread Diameter (mm)	Sold By
67-6090-05	Stainless steel	Newall RBS90 bottle 5	8.60	1.70	1.20	Package of 10
67-39781	18kt yellow		8.80	0.90	0.76	Sold Individually
67-463971	Stainless steel	MSA 46.39709508	8.80	0.95	0.76	Sold Individually
67-6090-01	Stainless steel	Newall RBS90 bottle 1	8.80	0.95	0.80	Package of 10
67-463972	Stainless steel	MSA 46.39712010	10.00	1.20	1.17	Sold Individually
67-6090-06	Stainless steel	Newall RBS90 Bottle 6	10.00	1.30	1.20	Package of 10
67-463973	Stainless steel	MSA 46.39714010	10.00	1.40	1.36	Sold Individually
67-6090-13	Stainless steel	Newall RBS90 Bottle 13	10.00	1.40	1.40	Package of 10
67-6090-07	Stainless steel	Newall RBS90 Bottle 7	11.00	1.70	1.20	Package of 10
67-39783	18kt yellow		12.10	1.27	0.92	Sold Individually
67-463974	Stainless steel	MSA 46.39713012	12.10	1.30	0.96	Sold Individually
67-6090-02	Stainless steel	Newall RBS90 Bottle 2	12.10	1.30	1.00	Package of 10
67-6090-08	Stainless steel	Newall RBS90 Bottle 8	13.00	1.70	1.20	Package of 10
67-6090-03	Stainless steel	Newall RBS90 Bottle 3	13.60	1.70	1.10	Package of 10
67-463975	Stainless steel	MSA 46.39716814	14.00	1.69	1.36	Sold Individually
67-6090-09	Stainless steel	Newall RBS90 Bottle 9	14.00	1.70	1.20	Package of 10
67-6090-14	Stainless steel	Newall RBS90 Bottle 14	14.00	1.70	1.40	Package of 10
67-39782	18kt yellow		14.40	1.57	1.15	Sold Individually
67-463976	Stainless steel	MSA 46.39716014	14.40	1.60	1.17	Sold Individually
67-6090-10	Stainless steel	Newall RBS90 Bottle 10	14.40	1.60	1.20	Package of 10
67-6090-04	Stainless steel	Newall RBS90 Bottle 4	15.00	1.20	1.10	Package of 10
67-6090-15	Stainless steel	Newall RBS90 Bottle 15	15.00	1.70	1.40	Package of 10
67-6090-11	Stainless steel	Newall RBS90 Bottle 11	15.20	1.50	1.20	Package of 10
67-463977	Stainless steel	MSA 46.39712015	15.50	1.20	1.17	Sold Individually
67-6090-12	Stainless steel	Newall RBS90 Bottle 12	15.50	1.20	1.20	Package of 10
67-463978	Stainless steel	MSA 46.39716815	15.50	1.69	1.38	Sold Individually
67-6090-16	Stainless steel	Newall RBS90 Bottle 16	15.90	1.50	1.40	Package of 10
67-6090-17	Stainless steel	Newall RBS90 Bottle 17	17.30	1.50	1.40	Package of 10
67-6090-18	Stainless steel	Newall RBS90 Bottle 18	19.40	1.50	1.40	Package of 10



67-99195 Assortment of Extra Large, Screw-On Bars for Bracelet Repair

This is an organized assortment of 6 different models, 10 each of Extra Large, screw-on bars, stainless steel for Bracelet Repair. The bars included in the assortment are models 67-46391, 67-46392, 67-46393, 67-46394, 67-46395, 67-46396

Extra Large Screw-On Bars for Bracelet Repair, Individual Sizes

These are Swiss made specialized stainless steel, bars for bracelet repair. Sold in **packages of 10** pieces per model.

Part Number	Diameter (mm)	Length Interior (mm)	Length Exterior (mm)
67-46392	1.50	23.0	27.5
67-46394	1.70	24.0	28.8
67-46396	1.70	25.0	30.0
67-46391	1.40	26.7	30.2
67-46393	1.50	25.6	30.5
67-46395	1.80	25.4	30.5



Brand Specific Bracelet Repair Bars, Pins & Tubes

Generic CARTIER®

H. & W. Perrin Company Limited is independent of and not affiliated with or sponsored by Cartier®. Cartier® warranty does not apply to non-genuine parts supplied by H. & W. Perrin Company Limited.

BR-CART02 12.60 mm **bracelet link screw**, diameter 1.20 mm, with a threaded floating screw on the one end, thread dia. 1.35mm, head dia. 1.50 mm, Cartier Ballon Bleu, supplied as a pair

BR-CART03 16.60 mm **bracelet link screw**, diameter 1.20 mm, with a threaded floating screw on the one end, thread dia. 1.35mm, head dia. 1.50 mm, Cartier Ballon Bleu, supplied as a pair

BR-CART04 18.30 mm **bracelet link screw**, diameter 1.20 mm, with a threaded floating screw on the one end, thread dia. 1.35mm, head dia. 1.50 mm, Cartier Ballon Bleu, supplied as a pair



BR-CART06 14.20 mm **bracelet clasp screw**, diameter 1.20 mm, threaded (0.90 mm) on the one end, supplied as a pair

BR-CART08 16.00 mm **bracelet clasp screw**, diameter 1.20 mm, threaded (0.90 mm) on the one end, supplied as a pair

BR-CART05 20.40 mm **bracelet clasp screw**, diameter 1.20 mm, threaded (0.90 mm) on the one end, supplied as a pair



BR-CART07 26.65 mm **lug/end piece screw**, diameter 1.36 mm, threaded (0.95 mm) on the one end, supplied as a pair



BR-CART09 30.80 mm **lug screw**, diameter 1.50 mm, threaded (1.17 mm) on the one end, Cartier Santos 100, supplied as a pair



BR-CART50 21.60 mm **bar with screw**, bar is 21.60 mm in length, dia. 2.20 mm supplied with 2 screws thread dia. 1.35 mm, head diameter 5.00, fits case number 2970



Generic CHOPARD®

H. & W. Perrin Company Limited is independent of and not affiliated with or sponsored by Chopard®. Chopard® warranty does not apply to non-genuine parts supplied by H. & W. Perrin Company Limited.

BR-CHOP01 **Bracelet link screw with tube**, steel, tube is 17.40 mm in length, diameter 2.00 mm, supplied with screws, head diameter 2.60 mm, thread diameter 1.16 mm, total length 4.15 mm, supplied as set of 2 bars with 4 screws

BR-CHOP02 **Bracelet link screw with tube**, yellow, tube is 17.40 mm in length, diameter 2.00 mm, supplied with screws, head diameter 2.60 mm, thread diameter 1.16 mm, total length 4.15 mm, supplied as set of 2 bars with 4 screws



PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



Generic HERMES®

H. & W. Perrin Company Limited is independent of and not affiliated with or sponsored by Hermes®. Hermes® warranty does not apply to non-genuine parts supplied by H. & W. Perrin Company Limited.

BR-HERM01 Bracelet link screw, head diameter 1.35 mm, thread diameter 1.15 mm, total length 4.20 mm, sold individually



BR-HERM02 Bracelet link screw, head diameter 1.40 mm, thread diameter 1.03 mm, total length 3.53 mm, sold individually



Generic OMEGA®

H. & W. Perrin Company Limited is independent of and not affiliated with or sponsored by Omega®. Omega® warranty does not apply to non-genuine parts supplied by H. & W. Perrin Company Limited.

Generic Omega® Spring Bars

BR-OM068ST2105 Spring bar to hold metal band to case, body diameter 1.50 mm, total length 21.00 mm, for opening 17.70 mm, sold individually. Fits Omega® bracelet numbers: 1521/843, 1560/850, 1560/852, 1562/850, 1563/850, 1569/814, 1569/841, 1569/851. Fits Omega® case numbers: 111.0127, 111.0128, 111.0129, 111.0130, 175.0063, 175.0064, 175.0082, 175.0083, 175.0087, 175.0084, 191.0126, 191.01261, 195.0035, 511.0428, 511.0458, 511.0476, 511.0477, 551.0066.



Generic Omega® Bracelet Pin with Matching Tube

BR-OM128ST9074 Pin (diameter 0.90 mm, length 21.40 mm) supplied with matching tube (diameter 1.20 mm, length 14.00 mm). Fits Omega® bracelet numbers: 1551/06, 1551/12, 1551/862.



BR-OM128ST9075 Pin (diameter 0.90, length 19.50 mm) supplied with matching tube (diameter 1.20 mm, length 12.10 mm). Fits Omega® bracelet numbers: 1550/06, 1550/12, 1550/860, 1551/06, 1551/12, 1551/861,



BR-OM128ST9076 Pin (diameter 0.90 mm, length 18.20 mm) supplied with matching tube (diameter 1.20 mm, length 10.70 mm). Fits Omega® bracelet numbers: 1550/860, 1551/861, 1552/862. Fits Omega® case numbers: 368.1201, 368.1203, 368.1206, 368.1207, 368.1209, 368.1210, 368.1212, 368.1213, 368.1216, 368.1218, 368.1219, 368.1222, 368.1225, 368.2008, 386.1201, 396.1201, 396.1202, 468.1201468.1225, 468.2008, 496.1201.



BR-OM128ST9077 Pin (diameter 0.90 mm, length 17.20 mm) supplied with matching tube (diameter 1.20 mm, length 9.20 mm). Fits Omega® bracelet numbers: 1550/06, 1550/12, 1550/860, 1551/06, 1551/12, 1551/861. Fits Omega® case numbers: 368.1201, 368.1203, 368.1206, 368.1207, 368.1209, 368.1210, 368.1212, 368.1213, 368.1216, 368.1218, 368.1219, 368.1222, 368.1225, 368.2008, 386.1201, 396.1201, 396.1202, 468.1201, 468.1225, 468.2008, 496.1201,



BR-OM128ST9078

Pin (diameter 0.90 mm, length 16.60 mm) supplied with matching tube (diameter 1.20 mm, length 9.30 mm). Fits Omega® bracelet numbers: 1550/06, 1550/12, 1550/860, 1551/06, 1551/12, 1551/861, 1552/06, 1552/12, 1552/862,

**BR-OM128ST9090**

Pin (diameter 0.90 mm, length 11.00 mm) supplied with matching tube (diameter 1.20 mm, length 6.30 mm). Fits Omega® bracelet numbers: 6553/865, 6563/875, 6568/935, Fits Omega® case numbers: 795.1203, 795.1207, 795.1210, 795.1243, 795.2008, 895.1203, 895.1214, 895.1217, 895.1218, 895.1222, 895.1243, 795.1249, 895.2008

**BR-OM128ST9091**

Pin (diameter 0.90 mm, length 13.00 mm) supplied with matching tube (diameter 1.20 mm, length 8.45 mm). Fits Omega® bracelet numbers: 6553/865, 6562/874, 6563/875, 6568/935

**BR-OM128ST2012**

Pin (diameter 1.00 mm, length 22.1 mm) supplied with matching tube (diameter 1.30 mm, length 9.50 mm). Fits Omega® bracelet number: 1656/981. Fits Omega® case numbers: 368.2010, 368.2011, 368.2012, 396.2010, 396.2011, 396.2012, 468.2010, 468.2025.

**BR-OM128ST9452**

Pin (diameter 0.88 mm, length 15.1 mm) supplied with matching tube (diameter 1.20 mm, length 5.35 mm). Fits Omega® bracelet numbers: 01059, 1961/999, 6891. Fits Omega® case numbers: 1780091, 1780092, 2780091, 7172, 7174, 7178, 7407, 7951001, 7951002, 7951007, 7951291, 8460, 8951001, 8951002, 8951006, 8951291.

**BR-OM128ST9456**

Pin (diameter 0.90 mm, length 17.15 mm) supplied with matching tube (diameter 1.20 mm, length 9.30 mm). Fits Omega® bracelets: 6545/958, 6546/958. Fits Omega® case numbers: 7682100, 7682103, 7951011, 7951012, 7951017, 8682100, 8951011, 8951012, 8951018, 9298, 9299, 9300.



Genuine OMEGA®

H. & W. Perrin Company Limited is independent of and not affiliated with or sponsored by Omega®. Omega® warranty does not apply to non-genuine parts supplied by H. & W. Perrin Company Limited.

Genuine Omega® Link Pins to be used with Link Tubes

OM-128ST9731

Genuine Omega® link pins, to be used with removable link tubes, diameter 0.70 mm, length 15.00 mm. Fits Omega® bracelets: 1392/012, 1392/084. Fits Omega® case numbers: 168.0068, 368.0865.

**OM-128ST9073**

Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 11.00 mm. Fits Omega® bracelets: 1261, 1266, 1267, 3752, 6003/06, 6003/12, 6003/752, 6504/838. Fits Omega® case numbers: 595.1037, 595.1055, 595.1058, 695.1037, 695.1055, 0901, 0903.


**OM-128ST9207**

Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 11.00 mm. Fits Omega® bracelet 6101/433. Fits Omega® case numbers: 595.0101, 795.0901, 895.0921.

**OM-128ST9208**

Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 11.50 mm. Fits Omega® bracelet 6189/817. Fits Omega® case numbers: 566.0285, 566.0286, 566.0295, 666.0285, 666.0286, 795.0863, 795.1520, 795.152CA, 795.4060, 795.406CA, 866.0885, 866.0886, 895.1520, 895.152CA, 895.4060, 895.406CA.



- OM-128ST9062**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 12.00 mm.** Fits Omega® bracelet 6502/830. Fits Omega case numbers: 596.1502, 596.1502005, 596.1504, 596.1512, 596.1514, 596.1521, 596.1524, 596.1525, 696.1502, 796.1502, 796.1502005, 896.1502, 896.1502005.
- OM-128ST9054**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 12.00 mm.** Fits Omega® bracelets: 6155/059, 6155/092, 6155/449, 6175/059, 6175/092, 6175/449. Fits Omega® case numbers: 595.0072, 596.0053, 596.00531, 596.0060, 795.1020, 795.1021, 795.1022, 796.0845, 796.0855, 796.1021, 796.1022, 795.1031, 796.1031, 895.0845.
- OM-128ST9068**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 12.00 mm.** Fits Omega® bracelets: 1262, 1263, 1282, 1302, 1304, 1761, 1930, 1935, 1936, 1938, 1940, 2760, 6001, 6001/761, 6002/06, 6002/12, 6002/760, 6503/833, 6505/839, 6506/06, 6506/12, 6506/988. Fits Omega® case numbers: 891, 893, 896, 898, 1562, 1698, 1700, 1702, 1705, 1706, 1710, 1711, 1713, 1715, 1717, 1855, 1860, 1862, 1863, 2794, 2795, 2796, 5264, 5464, 566.1050, 568.1701, 595.1038, 595.1050, 595.1150, 666.1050, 668.1701, 695.1038, 695.1040, 695.1150.
- OM-128ST9069**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 12.00 mm.** Fits Omega® bracelets: 1262, 1263, 1282, 1302, 1304, 1761, 1930, 1933, 1935, 1936, 1938, 1940, 2760, 6001, 6001/761, 6002/06, 6002/12, 6002/760, 6503/833, 6505/839, 6506/06, 6506/12, 6506/988. Fits Omega® case numbers: 891, 893, 896, 898, 1562, 1698, 1700, 1702, 1705, 1706, 1710, 1711, 1713, 1715, 1717, 1855, 1860, 1862, 1863, 2794, 2796, 5264, 5464, 566.1050, 568.1701, 595.1038, 595.1050, 595.1150, 666.1050, 668.1701.
- OM-128ST9072**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 12.00 mm.** Fits Omega® bracelets: 1261, 1266, 1267, 3752, 6003/06, 6003/12, 6003/752, 6504/838. Fits Omega case numbers: 595.1037, 595.1051, 595.1052, 595.1055, 595.1058, 695.1037, 695.1055, 0901, 0903.
- OM-128ST9083**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 13.00 mm.** Fits Omega® bracelets: 6551/06, 6551/12, 6551/863, 6552/06, 6552/126552/864, 6556/882, 6561/873, 6562/06, 6562/12, 6562/874, 6567/913, 6568/935. Fits Omega case numbers: 595.1201, 766.1201, 766.1206, 766.1210, 766.1222, 766.1241, 795.1201, 795.1202, 795.1240, 795.1241, 796.1201, 866.1201, 866.1211, 866.1213, 866.1218, 866.1241, 895.1201, 895.1221, 895.1240, 895.1241, 895.1246, 895.1247, 896.1201.
- OM-128ST9091**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 13.00 mm.** Fits Omega® bracelets: 6553/865, 6562/874, 6563/875, 6568/935. Fits Omega® case numbers: 795.1203, 795.1206, 795.1207, 795.1209, 795.1210, 795.1213, 795.1216, 795.1219, 795.1223, 795.1240, 795.1241, 795.1243, 795.2008, 895.1203, 895.1208, 895.1214, 895.1217, 895.1218, 895.1222, 895.1240, 895.1241, 895.1243, 895.1245, 895.1248, 895.1249, 895.2008.
- OM-128ST9084**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 14.45 mm.** Fits Omega® bracelets: 6551/06, 6551/12, 6551/863, 6552/06, 6552/12, 6552/864, 6561/873, 6562/06, 6562/12, 6562/874. Fits Omega® case numbers: 595.1201, 766.1201, 766.1206, 766.1210, 766.1222, 766.1241, 795.1201, 795.1202, 795.1241, 796.1201, 866.1201, 866.1211, 866.1213, 866.1218, 866.1241, 895.1201, 895.1221, 895.1241, 896.1201.
- OM-128ST9215**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 14.95 mm.** Fits Omega® bracelets: 1457/448, 1457/464, 1469/06, 1469/12, 1469/811, 1469/813, 1470/06, 1470/12, 1470/815, 1489/813, 1489/814, 1569/814, 1569/841, 1569/851, 1570/870, 1571/871, 3012/381, 3025/212. Fits Omega® case number: 796.0876.
- OM-128ST9434**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 14.95 mm.** Fits Omega® bracelets: 1498/840, 1499/842, 1560/852, 1562/850, 1563/850, 1572/880, 85006, 85012.
- OM-128ST9611**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 15.00 mm, (new # 128ST9469).** Fits Omega® bracelets: 1373/000, 1373/763, 1373/764, 1373/765, 1373/766, 1500/820. Fits Omega® case numbers: 195.0011, 195.0012, 195.0013, 195.0017, 395.2378, 395.3378, 396.2379, 396.2432.
- OM-128ST9070**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 15.50 mm.** Fits Omega® bracelets: 1264, 1310, 1507/834, 1507/848, 1508/06, 1508/12, 1508/835, 1508/837, 1509/836, 1510, 1510/762, 5804, 5845, 5848, 5851, 5853, 5856, 5938, 5941, 5943. Fits Omega® case numbers: 125.0050, 125.0150, 145.0050, 166.1230, 168.1050, 168.1055, 168.1057, 168.1058, 168.1058A, 168.1220, 168.2081, 168.2082, 196.1050, 196.1150, 196.1151, 196.1152, 268.1050, 268.1057, 2746, 296.1150, 3603.

- OM-128ST9071**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 15.50 mm.** Fits Omega® bracelets: 1264, 1310, 1507/834, 1507/848, 1508/06, 1508/12, 1508/835, 1508/837, 1509/836, 1510, 1510/762, 5804, 5845, 5848, 5851, 5853, 5856, 5938, 5941, 5943. Fits Omega® case numbers: 125.0050, 125.0150, 145.0050, 166.1230, 168.1050, 168.1055, 168.1057, 168.1058, 168.1058A, 168.1220, 168.2081, 168.2082, 196.1050, 196.1150, 196.1151, 196.1152, 268.1050, 268.1057, 268.2081, 2746.
- OM-128ST9089**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 15.50 mm.** Fits Omega® bracelets: 1498/840, 1499/842, 1560/852, 1562/850. Fits Omega® case numbers: 145.0022, 145.0062, 145.0222, 145.0223, 145.0808, 145.0818, 175.0083, 175.0084.
- OM-128ST9217**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 16.00 mm.** Fits Omega® bracelets: 1449/432, 3022/893, 6077/083. Fits Omega® case number 596.0061.
- OM-128ST9218**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 16.50 mm.** Fits Omega® bracelets: 1564/06, 1564/12, 1564/975, 1565/06, 1565/12, 1565/976, 3509/379, 5982/368, 6049/010, 6049/088, 6095/418. Fits Omega® case numbers: 178.0055, 178.0056, 178.0057, 178.0058, 178.0059, 178.0060, 178.0061, 178.0062, 178.0065, 178.0066, 178.0068, 178.2060, 178.2061, 178.2062, 396.7720, 396.772DA, 396.9800, 396.980DA, 496.7720, 496.772DA, 496.9800, 496.980DA, 595.0034, 595.0047, 596.0025, 596.0029, 795.0820, 795.0828, 795.0863, 796.0824.
- OM-128ST9439**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 16.50 mm.** Fits Omega® bracelets: 6203/856, 6204/844. Fits Omega® case numbers: 795.1471, 795.1473.
- OM-128ST9078**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 16.60 mm.** Fits Omega® bracelets: 1550/06, 1550/12, 1550/860, 1551/06, 1551/12, 1551/861, 1552/06, 1552/12, 1552/862. Fits Omega® case number: 368.1201.
- OM-128ST9088**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 16.60 mm.** Fits Omega® bracelet 1525/855. Fits Omega® case numbers: 396.2532, 766.1201, 766.1206, 766.1210, 766.1222, 766.1241, 796.1201, 866.1201, 866.1211, 866.1213, 866.1218, 866.1241, 896.1201.
- OM-128ST9051**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 16.90 mm.** Fits Omega® bracelets: 1501/823, 1502/824, 1521/843. Fits Omega® case numbers: 168.1501, 168.1501005, 168.1502, 168.1506, 168.1507, 168.1601, 168.1602, 168.1611, 168.1612, 168.1614, 168.1615, 168.1621, 168.1622, 168.1624, 168.1625, 168.1628, 168.1638, 168.1641, 168.1646, 175.0063, 175.0064, 186.1501, 186.1502, 196.1501, 196.1502, 196.1505, 196.1508, 196.1516, 196.1522, 196.1525, 196.1526, 196.1536, 196.1641, 268.1501, 296.1501.
- OM-128ST9435**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 16.95 mm.** Fits Omega® bracelets 1560/852. Fits Omega case numbers: 175.0083, 175.0084.
- OM-128ST9066**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 17.48 mm.** Fits Omega® bracelets: 1502/824, 1580/06, 1580/12, 1580/952, 1610/06, 1610/12, 1610/930, 1611/06, 1611/12, 1611/931, 1612/06, 1612/12, 1612/932, 1615/930. Fits Omega® case numbers: 168.1502, 168.1506, 168.1507, 168.1602, 168.1613, 168.1618, 168.1620, 168.1622, 168.1628, 168.1636, 168.1638, 168.1640, 168.1641, 168.1642, 168.1643, 168.1644, 168.1645, 168.1646, 168.1651, 168.1653.
- OM-128ST9085**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 17.68 mm.** Fits Omega® bracelets: 1600/940, 1600/941, 1601/942, 1601/943, 6554/866, 8570/885. Fits Omega case numbers: 168.1700, 168.1702, 168.1704, 795.1230, 895.1230, 895.1232.
- OM-128ST9433**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 18.95 mm.** Fits Omega® bracelet 1499/842. Fits Omega® case numbers: 145.0022, 145.0808, 895.1290.
- OM-128ST9060**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 18.95 mm.** Fits Omega® bracelets: 1503/06, 1503/12, 1503/825, 1504/826, 1513/825, 1514/825. Fits Omega® case numbers: 168.1503, 168.1603, 168.1613, 168.1617, 168.1623, 168.1626, 168.1627, 168.1629, 168.1630, 168.1631, 168.1632, 168.1634, 168.1635, 168.1637, 168.1640, 168.1648, 175.0504, 175.0514, 178.0504, 178.0514, 178.0522, 178.0523, 178.0524, 196.1503, 196.1504, 196.1507, 196.1523, 196.1524, 196.1640.
- OM-128ST9061**  **Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 19.45 mm.** Fits Omega® bracelets: 1503/06, 1503/12, 1503/825. Fits Omega case numbers: 168.1503, 168.1603, 196.1503.

OM-128ST9224	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 19.45 mm. Fits Omega® bracelets: 1504/826, 1514/825. Fits Omega® case numbers: 168.1626, 168.1631, 168.1635, 175.0504, 175.0514, 178.0504, 178.0514, 178.0522, 178.0523, 178.0524, 195.0019, 195.0021.</p>
OM-128ST9075	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 19.50 mm. Fits Omega® bracelets: 1550/06, 1550/12, 1550/860, 1551/06, 1551/12, 1551/861. Fits Omega® case numbers: 368.1201, 368.1203, 368.1206, 368.1207, 368.1209, 368.1210, 368.1212, 368.1213, 368.1216, 368.1218, 368.1219, 368.1222, 368.1224, 368.1225, 368.2008, 386.1201, 396.1201, 396.1202, 468.1201, 468.1213, 468.1225, 468.2008, 496.1201.</p>
OM-128ST9074	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 0.90 mm, length 21.40 mm. Fits Omega® bracelets: 1551/06, 1551/12, 1551/862. Fits Omega® case number: 368.1201.</p>
OM-128ST9901	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.00 mm, length 11.00 mm. Fits Omega® bracelets: 6101/433, 6574/06, 6574/12, 6574/972, 6573/06, 6573/12, 6573/912. Fits Omega® case numbers: 566.1110, 566.1113, 595.0101, 596.1110, 596.1115, 666.1110, 666.1111, 666.1112, 696.1116, 696.1117, 795.0901, 895.0921.</p>
OM-128ST9903	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.00 mm, length 15.00 mm. Fits Omega® bracelets: 6600/945, 6600/94506, 6600/94512. Fits Omega® case numbers: 196.0316, 496.1016, 568.1700, 668.1700.</p>
OM-128ST9919	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.00 mm, length 15.00 mm. Fits Omega® bracelets: 1553/06, 1553/12, 1553/909, 1553/939, 1563/06, 1563/12, 1575/06, 1575/12, 1575/899, 1577/06, 1577/12, 1577/971. Fits Omega® case numbers: 168.1112, 168.1114, 168.1115, 175.0041, 175.0042, 196.1114, 268.1116, 268.1117, 268.1118, 275.0032, 275.0042.</p>
OM-128ST9053	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.00 mm, length 16.00 mm. Fits Omega bracelets: 1455/058, 1455/448, 1455/4481, 1455/452, 1455/453, 1455/462, 1465/452, 1465/453, 1475/448, 1475/462, 1485/828, 1485/829, 1564/06, 1564/12, 1564/975, 1574/06, 1574/12, 1574/898, 1576/06, 1576/12, 1574/06, 1574/12, 1576/970, 3005/207. Fits Omega case numbers: 168.1111, 168.1113, 168.1119, 168.1120, 178.0055, 178.0056, 178.0057, 178.0058, 178.0059, 178.0060, 178.0061, 178.0062, 178.0065, 178.0066, 178.0068, 196.0022, 196.0257, 196.0291, 196.1113, 368.0885, 368.0890, 368.1041, 368.1042, 368.1051, 368.1061, 368.1062, 378.0885, 386.0820, 386.0822, 386.08221, 386.0823, 386.0885, 386.1031, 386.1231, 386.1232, 396.0981, 396.1000, 396.1020, 396.10211, 396.1022, 396.1031, 396.1041, 396.1042, 396.1051, 396.1052, 396.1061, 396.1062, 396.1100, 396.11001, 396.1121, 396.1122, 396.1222, 496.0981, 496.1000.</p>
OM-128ST9902	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.00 mm, length 16.00 mm. Fits Omega® bracelet 1449/432. Fits Omega® case numbers: 196.0316, 396.1016.</p>
OM-128ST9968	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.00 mm, length 16.45 mm. Fits Omega® bracelet 6156/463. Fits Omega® case numbers: 796.1041, 796.10413, 796.1051.</p>
OM-128ST9906	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.00 mm, length 17.45 mm. Fits Omega® bracelets: 1610/930, 1997/998, 1998/998. Fits Omega® case numbers: 168.1623, 168.1640, 186.1998, 186.1999, 186.2000.</p>
OM-128ST9056	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.00 mm, length 18.80 mm. Fits Omega® bracelet 1465/462. Fits Omega® case numbers: 368.1041, 368.1051, 368.1061, 396.1041, 396.1042, 396.10423, 396.10424, 396.1051, 396.1052, 396.1061.</p>
OM-128ST9973	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.00 mm, length 19.00 mm. Fits Omega® bracelet: 1564/06, 1564/12, 1564/975, 1565/02, 1565/12, 1565/976. Fits Omega® case numbers: 178.0055, 178.0056, 178.0057, 178.0058, 178.0059, 178.0060, 178.0061, 178.0062, 178.0065, 178.0066, 178.0068, 178.2060, 178.2061, 178.2062, 368.1042, 368.1062, 396.1042, 396.10423, 396.1052, 396.1062.</p>
OM-128ST9101	 <p>Genuine Omega® link pins, to be used with removable link tubes, diameter 1.10 mm, length 17.70 mm. Fits Omega® bracelets: 1601/942, 1601/943, 6554/866, 8570/885. Fits Omega® case number: 168.1700, 168.1702, 168.1704, 795.1230, 795.1233, 895.1230, 895.1232, 895.1237.</p>

OM-128ST9318



Genuine Omega® link pins, to be used with removable link tubes, **diameter 1.10 mm, length 17.90 mm**. Fits Omega® bracelets: 1564/06, 1564/12, 1564/975, 1575/06, 1575/12, 1575/899, 1577/06, 1577/12, 1577/971. Fits Omega® case numbers: 168.1112, 168.1114, 168.1115, 178.0055, 178.0056, 178.0057, 178.0058, 178.0059, 178.0060, 178.0061, 178.0062, 178.0065, 178.0066, 178.0068, 196.1114, 268.1116, 268.1117, 268.1118.

OM-128ST2001



Genuine Omega® link pins, to be used with removable link tubes, **diameter 1.10 mm, length 18.95 mm**. Fits Omega® bracelets: 1574/06, 1574/12, 1574/898, 1576/06, 1576/12, 1576/970, 1580/06, 1580/12, 1580/952, 1610/06, 1610/12, 1610/930, 1611/06, 1611/12, 1611/931, 1613/06, 1613/12, 1613/934, 1614/06, 1614/12, 1614/911, 1615/930, 1620/06, 1620/12, 1620/887, 1998/06, 1998/062, 1998/12, 1998/122, 1998/840, 1998/849, 1998/998, 1999/849. Fits Omega® case numbers: 4552, 145.0022, 145.0031, 145.0055, 145.0057, 145.0222, 145.0224, 145.0226, 145.0227, 145.0228, 145.0229, 145.0300, 145.0301, 145.0302, 145.0304, 145.0808, 145.0809, 145.0811, 168.1111, 168.1113, 168.1119, 168.1120, 168.1613, 168.1618, 168.1620, 168.1636, 168.1640, 168.1642, 168.1644, 168.1645, 168.1651, 168.1653, 168.1657, 168.1659, 168.1661, 175.0518, 175.0519, 177.0320, 178.0015, 178.0017, 178.0019, 178.0020, 178.0022, 178.0028, 178.0030, 178.0031, 178.0200, 178.0201, 178.0202, 178.0205, 178.0515, 178.0520, 196.1113, 196.1640, 278.0022, 376.0822.

OM-128ST9065



Genuine Omega® link pins, to be used with removable link tubes, **diameter 1.10 mm, length 18.95 mm**. Fits Omega® bracelet: 1504/826. Fits Omega case numbers: 175.0504, 175.0514, 178.0504, 178.0514.

OM-128ST9059



Genuine Omega® link pins, to be used with removable link tubes, **diameter 1.10 mm, length 18.95 mm**. Fits Omega® bracelets: 1504/826, 1523/825. Fits Omega case numbers: 168.1623, 168.1633, 168.1640, 175.0504, 175.0514, 178.0504, 178.0514, 178.0522, 178.0523, 178.0524.

Genuine Omega® Bracelet Link Tubes

OM-201ST0035



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.00mm, length 2.10 mm**. Fits Omega® bracelet 6202/822. Fits Omega® case number 795.1111.

OM-201ST0033



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.00mm, length 2.25 mm**. Fits Omega® bracelets: 1500/06, 1500/12, 1500/820. Fits Omega case numbers: 395.2378, 395.23781, 395.3378, 395.33781, 396.2379, 396.23791, 396.2432, 396.2432004.

OM-201ST0034



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.00mm, length 2.30 mm**. Fits Omega® bracelet 6201/821. Fits Omega® case numbers: 795.1378, 795.3111, 796.2379, 796.2579.

OM-201ST0032



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.00mm, length 2.50 mm**. Fits Omega® bracelet 1520/820. Fits Omega® case numbers: 395.2378, 395.3378, 395.4378, 396.2432, 795.1111, 895.1111.

OM-201ST0031



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.00mm, length 2.70 mm**. Fits Omega® bracelets: 6201/821, 6221/821. Fits Omega® case numbers: 795.1378, 795.3111, 795.4378, 895.3111.

OM-201ST0082



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 1.65 mm**. Fits Omega® bracelets: 1261, 1266, 1267, 3752, 6504/838, 6003/06, 6003/12, 6003/752. Fits Omega® case numbers: 0901, 0903, 595.1037, 595.1051, 595.1052, 595.1055, 595.1058, 595.1058A, 695.1037, 695.1055.

OM-201ST0080



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 2.50 mm**. Fits Omega® bracelets: 1264, 1310, 1507/834, 1507/848, 1508/06, 1508/12, 1508/835, 1508/837, 1509/836, 1510, 1510/762, 5804, 5845, 5848, 5851, 5853, 5856, 5938, 5941, 5943, 6203/856, 6204/844. Fits Omega® case numbers: 0792, 0804, 125.0050, 125.0150, 145.0050, 166.1230, 168.1050, 168.1055, 168.1057, 168.1058, 168.1058A, 168.1220, 168.2081, 168.2082, 196.1050, 196.1150, 196.1151, 196.1152, 268.1050, 268.1057, 268.2081, 2746, 296.1150, 3603, 3604, 3622, 3736, 4546, 5309, 795.1471, 795.1473.

OM-201ST0247



Genuine Omega® Bracelet Pipe (tubes), to be used with link pins, **diameter 1.20mm, length 3.50 mm**. Fits Omega® bracelet 1525/855. Fits Omega® case number 396.2532.

OM-201ST0204



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 3.90 mm**. Fits Omega® bracelets: 1387/397, 1387/3971, 1387/398, 1387/3981, 1418/070, 3035/398. Fits Omega® case numbers: 196.0221, 196.0225, 196.0233, 196.0277, 196.0278, 196.0279, 196.02791, 396.1014.

OM-201ST0069



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 6.40 mm**. Fits Omega® bracelets: 6155/059, 6155/092, 6155/449, 6175/059, 6175/092, 6175/449. Fits Omega® case numbers: 595.0072, 596.0053, 596.00531, 596.0060, 795.1020, 795.1021, 795.1022, 795.1031, 796.0845, 796.0855, 796.1021, 796.1022, 796.1031, 895.0845.

OM-201ST0253



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 6.40 mm**. Fits Omega® bracelets: 6552/864, 6553/865, 6562/06, 6562/12, 6562/874, 6563/875, 6568/935. Fits Omega® case numbers: 595.1201, 795.1201, 795.1203, 795.1206, 795.1207, 795.1209, 795.1210, 795.1213, 795.1216, 795.1219, 795.1223, 795.1240, 795.1241, 795.1243, 795.2008, 895.1201, 895.1203, 895.1208, 895.1214, 895.1217, 895.1218, 895.1221, 895.1222, 895.1240, 895.1241, 895.1243, 895.1245, 895.1248, 895.1249, 895.2008.

OM-201ST0094



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 6.55 mm**. Fits Omega® bracelets: 6551/06, 6551/12, 6551/863, 6552/06, 6552/12, 6552/864, 6556/882, 6561/873, 6562/06, 6562/12, 6562/874, 6567/913, 6568/935. Fits Omega® case numbers: 595.1201, 766.1201, 766.1206, 766.1210, 766.1222, 766.1241, 795.1201, 795.1202, 795.1240, 795.1241, 796.1201, 866.1201, 866.1211, 866.1213, 866.1218, 866.1241, 895.1201, 895.1221, 895.1240, 895.1241, 895.1246, 895.1247, 896.1201.

OM-201ST0210



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 6.90 mm**. Fits Omega® bracelets: 0765, 1189, 1190, 1469/06, 1469/12, 1469/811, 1469/813, 1470/06, 1470/12, 1470/815, 1471/06, 1471/12, 1471/815, 1489/813, 1489/814, 1564/06, 1564/12, 1564/975, 1565/06, 1565/12, 1565/976, 1569/814, 1569/841, 1569/851, 1570/870, 1571/871, 1620/06, 1620/12, 1620/887, 1621/06, 1621/12, 1621/990, 1621/991, 1621/99106, 1621/99112, 1622/06, 1622/12, 1622/977, 1623/06, 1623/12, 1623/993, 1957/06, 1957/12, 1957/957, 1958/06, 1958/12, 1958/957, 1958/989, 1998/06, 1998/062, 1998/12, 1998/122, 1998/840, 1998/849, 1998/998, 1999/849, 3509/379, 4193, 4195, 4196, 5142, 5143, 5144, 5982/368, 6052/015, 6078/091, 6089/409, 6189/817, Fits Omega® case numbers: 796.0860, 796.0876.

OM-201ST0074



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 7.10 mm**. Fits Omega® bracelets: 1502/824, 1503/06, 1503/12, 1503/825, 1504/826, 1514/825, 1579/06, 1579/12, 1579/951, 1580/06, 1580/12, 1580/952, 1581/06, 1581/12, 1581/953, 1588/951, 1610/06, 1610/12, 1610/930, 1611/06, 1611/12, 1611/931, 1612/06, 1612/12, 1612/932, 1613/06, 1613/12, 1613/934, 1614/06, 1614/12, 1614/911, 1615/930. Fits Omega® case numbers: 168.1502, 168.1503, 168.1506, 168.1507, 168.1602, 168.1603, 168.1613, 168.1617, 168.1618, 168.1620, 168.1622, 168.1623, 168.1626, 168.1627, 168.1628, 168.1629, 168.1630, 168.1631, 168.1632, 168.1634, 168.1635, 168.1636, 168.1637, 168.1638, 168.1640, 168.1641, 168.1642, 168.1643, 168.1644, 168.1645, 168.1646, 168.1648, 168.1650, 168.1651, 168.1652, 168.1653, 168.1657, 168.1658, 168.1659, 168.1660, 168.1661, 168.1663, 175.0504, 175.0514, 175.0518, 177.0519, 178.0504, 178.0514, 178.0515, 178.0520, 178.0522, 178.0523, 178.0524, 178.1650, 178.1651, 178.1652, 178.1653, 196.1502, 196.1503, 196.1504, 196.1505, 196.1507, 196.1508, 196.1522, 196.1523, 196.1524, 196.1525, 196.1640, 196.1641.

OM-201ST0099



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 7.40 mm**. Fits Omega® bracelets: 6551/06, 6551/12, 6551/863, 6556/882, 6561/873, 6567/913, 6568/935. Fits Omega® case numbers: 766.1241, 795.1240, 866.1201, 866.1211, 866.1213, 866.1218, 866.1241, 895.1240, 895.1246, 895.1247

OM-201ST0211



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 7.40 mm**. Fits Omega® bracelets: 1368/365, 1368/373, 1368/392, 1368/3922, 1385/393, 1368/392, 1385/393, 1389/3841, 6101/433. Fits Omega® case number 196.0197, 196.0209.

OM-201ST0083



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 8.00 mm**. Fits Omega® bracelets: 1261, 1266, 1267, 6003/06, 6003/12, 6003/752, 6504/838. Fits Omega® case numbers: 0901, 0903, 595.1037, 595.1055, 595.1058, 595.1058A, 695.1037, 695.1055.

OM-201ST0255



Genuine Omega® Bracelet Pipe (tubes), to be used with link pins, **diameter 1.20mm, length 8.50 mm**. Fits Omega® bracelets: 6553/865, 6563/875. Fits Omega® case numbers: 795.1203, 795.1206, 795.1207, 795.1209, 795.1210, 795.1213, 795.1216, 795.1219, 795.1223, 795.1243, 795.2008, 895.1203, 895.1208, 895.1214, 895.1217, 895.1218, 895.1222, 895.1243, 895.1245, 895.1248, 895.1249, 895.2008,

OM-201ST0070

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 9.10 mm**. Fits Omega® bracelet 6502/830. Fits Omega® case numbers: 596.1502, 596.1502005, 596.1504, 596.1512, 596.1514, 596.1521, 596.1524, 596.1525, 696.1502, 796.1502, 796.1502005, 896.1502, 896.1502005.

OM-201ST0088

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 9.20 mm**. Fits Omega® bracelets: 1550/06, 1550/12, 1550/860, 1551/06, 1551/12, 1551/861, 1552/06, 1552/12, 1552/06, 1552/12, 1552/862, 6554/866, 8570/885. Fits Omega® case numbers: 368.1201, 368.1203, 368.1206, 368.1207, 368.1209, 368.1210, 368.1212, 368.1213, 368.1216, 368.1218, 368.1219, 368.1222, 368.1224, 368.1225, 368.2008, 386.1201, 396.1201, 396.1202, 468.1201, 468.1213, 468.1225, 468.2008, 496.1201, 795.1230, 895.1230, 895.1232.

OM-201ST0098

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 9.40 mm**. Fits Omega® bracelets: 1498/840, 1499/842, 1560/852, 1562/850, 1563/850, 1572/880, 6552/864, 85006, 85012. Fits Omega® case numbers: 145.0022, 145.0062, 145.0222, 145.0223, 145.0808, 145.0818, 166.0312, 175.0081, 175.0082, 175.0083, 175.0084, 175.0086, 175.0087, 795.1201, 795.1202, 795.1241, 895.1201, 895.1221, 895.1241.

OM-201ST0079

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 9.50 mm**. Fits Omega® bracelets: 1262, 1263, 1282, 1302, 1304, 1761, 1930, 1933, 1935, 1936, 1938, 1940, 2760, 6001, 6001/761, 6002/06, 6002/12, 6002/760, 6501/06, 6501/12, 6501/827, 6503/833, 6505/839, 6506/06, 6506/12, 6506/988, 6600/945, 6600/94506, 6600/94512. Fits Omega case numbers: 0891, 0893, 0896, 0898, 1562, 1698, 1700, 1702, 1705, 1706, 1710, 1711, 1713, 1715, 1717, 1855, 1860, 1862, 1863, 2794, 2795, 2796, 5264, 5464, 566.1050, 568.1700, 568.1701, 595.1038, 595.1050, 595.1150, 596.1501, 596.1503, 596.1505, 596.1507, 596.1513, 596.1515, 596.1523, 596.1640, 596.1641, 666.1050, 668.1700, 668.1701, 695.1038, 695.1040, 695.1150, 696.1501, 696.1508, 796.1503.

OM-201ST0217

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 10.40 mm**. Fits Omega® bracelets: 1408/055, 1449/432, 6049/010, 6049/088. Fits Omega® case numbers: 195.0033, 196.0316, 396.1016, 595.0047, 795.0828.

OM-201ST0252

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 10.80 mm**. Fits Omega® bracelets: 6551/06, 6551/12, 6551/863, 6561/873. Fits Omega® case numbers: 766.1201, 766.1206, 766.1210, 766.1222, 766.1241, 796.1201, 866.1201, 866.1211, 866.1213, 866.1218, 866.1241, 896.1201.

OM-201ST0066

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 11.90 mm**. Fits Omega® bracelets: 1501/823, 1513/825. Fits Omega® case numbers: 168.1501, 168.1601, 168.1611, 168.1612, 168.1613, 168.1614, 168.1615, 168.1621, 168.1624, 168.1625, 175.0063, 175.0064, 186.1501, 186.1502, 196.1501, 196.1516, 196.1526, 196.1536.

OM-201ST0081

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 11.90 mm**. Fits Omega® bracelets: 1264, 1310, 1507/834, 1507/848, 1508/06, 1508/12, 1508/835, 1508/837, 1509/836, 1510, 1510/762, 5804, 5845, 5848, 5851, 5853, 5856, 5938, 5941, 5943. Fits Omega® case numbers: 0792, 0804, 125.0050, 125.0150, 145.0050, 166.1230, 168.1050, 168.1055, 168.1057, 168.1058, 168.1058A, 168.1220, 168.2081, 168.2082, 196.1050, 196.1150, 196.1151, 196.1152, 268.1050, 268.1057, 268.2081, 2746, 296.1150, 3603, 3604, 3622, 3736, 4546, 5309.

OM-201ST0085

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 12.15 mm**. Fits Omega® bracelets: 1550/06, 1550/12, 1550/860, 1551/06, 1551/12, 1551/861. Fits Omega® case numbers: 368.1201, 368.1203, 368.1206, 368.1207, 368.1209, 368.1210, 368.1212, 368.1213, 368.1216, 368.1218, 368.1219, 368.1222, 368.1224, 368.1225, 368.2008, 386.1201, 396.1201, 396.1202, 468.1201, 468.1213, 468.1225, 468.2008, 496.1201.

OM-201ST0221

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 12.40 mm**. Fits Omega® bracelets: 1398/022, 1398/051, 2135. Fits Omega® case numbers: 196.0254, 196.0256, 396.0949, 396.0951, 396.7720, 396.772DA, 396.9800, 396.980DA, 496.7720, 496.772DA, 496.9800, 496.980DA.

OM-201ST0084

Genuine Omega® Bracelet pipe (tubes), to be used with link pins, **diameter 1.20mm, length 14.00 mm**. Fits Omega® bracelets: 1551/06, 1551/12, 1551/861. Fits Omega® case number 368.1201.

OM-201ST0505

Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.30mm, length 2.60 mm**. Fits Omega® bracelet 6101/433. Fits Omega® case numbers: 595.0101, 795.0901, 895.0901, 895.0921.

OM-201ST0049



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.30mm, length 3.40 mm**. Fits Omega® bracelets: 1501/823, 1502/824, 1521/843. Fits Omega® case numbers: 168.1501, 168.1501005, 168.1502, 168.1506, 168.1507, 168.1601, 168.1602, 168.1611, 168.1612, 168.1614, 168.1615, 168.1621, 168.1622, 168.1624, 168.1625, 168.1628, 168.1638, 168.1641, 168.1646, 175.0063, 175.0064, 186.1501, 186.1502, 196.1501, 196.1502, 196.1505, 196.1508, 196.1516, 196.1522, 196.1525, 196.1526, 196.1536, 196.1641, 268.1501, 296.1501.

OM-201ST0508



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.30mm, length 3.40 mm**. Fits Omega® bracelet 2143. Fits Omega® case numbers: 196.0316, 496.1016.

OM-201ST0509



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.30mm, length 3.60 mm**. Fits Omega® bracelet 1449/432. Fits Omega® case numbers: 196.0316, 396.1016.

OM-201ST0053



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.30mm, length 3.90 mm**. Fits Omega® bracelets: 1503/06, 1503/12, 1503/825, 1504/826, 1513/825, 1514/825, 1613/06, 1613/12, 1613/934, 6552/864. Fits Omega® case numbers: 168.1503, 168.1603, 168.1613, 168.1617, 168.1623, 168.1626, 168.1627, 168.1629, 168.1630, 168.1631, 168.1632, 168.1634, 168.1635, 168.1637, 168.1640, 168.1648, 175.0504, 175.0514, 175.0518, 178.0504, 178.0514, 178.0515, 178.0520, 178.0522, 178.0523, 178.0524, 196.1503, 196.1504, 196.1507, 196.1523, 196.1524, 196.1640, 595.1201, 795.1201, 895.1201, 895.1221.

OM-201ST0055



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.30mm, length 9.40 mm**. Fits Omega® bracelets: 1563/06, 1563/12, 1564/06, 1564/12, 1564/975, 1574/06, 1574/12, 1574/898, 1575/06, 1575/12, 1575/899, 1576/06, 1576/12, 1576/970, 1577/06, 1577/12, 1577/971, 1580/06, 1580/12, 1580/952, 1610/06, 1610/12, 1610/930, 1611/06, 1611/12, 1611/931, 1612/06, 1612/12, 1612/932, 1613/06, 1613/12, 1613/934, 1614/06, 1614/12, 1614/911, 1615/930, 1620/06, 1620/12, 1620/887, 1621/06, 1621/12, 1621/990, 1621/991, 1621/99106, 1998/06, 1998/062, 1998/12, 1998/122, 1998/840, 1998/849, 1998/998, 1999/849. Fits Omega® case numbers: 145.0022, 145.0031, 145.0048, 145.0055, 145.0057, 145.0222, 145.0224, 145.0226, 145.0227, 145.0228, 145.0229, 145.0300, 145.0301, 145.0302, 145.0304, 145.0808, 145.0809, 145.0811, 168.1111, 168.1112, 168.1113, 168.1114, 168.1115, 168.1119, 168.1120, 168.1613, 168.1618, 168.1620, 168.1636, 168.1640, 168.1641, 168.1642, 168.1643, 168.1644, 168.1645, 168.1651, 168.1653, 168.1657, 168.1659, 168.1661, 175.0518, 177.0320, 177.0519, 178.0015, 178.0017, 178.0018, 178.0019, 178.0020, 178.0022, 178.0027, 178.0028, 178.0030, 178.0031, 178.0055, 178.0056, 178.0057, 178.0058, 178.0059, 178.0060, 178.0061, 178.0062, 178.0065, 178.0066, 178.0068, 178.0200, 178.0201, 178.0202, 178.0205, 178.0213, 178.0215, 178.0221, 178.0515, 178.0520, 196.1113, 196.1114, 196.1640, 196.1641, 268.1116, 268.1117, 268.1118, 278.0022, 376.0822, 4552, 778.1202, 867.2020, 878.1200, 878.1204.

OM-201ST0613



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.40mm, length 8.35 mm**. Fits Omega® bracelet 6156/463. Fits Omega® case numbers: 368.1041, 368.1042, 368.1051, 368.1061, 368.1062, 386.1031, 386.10311, 386.10312, 386.1231, 386.12311, 386.12312, 396.1041, 396.10413, 396.1042, 396.10423, 396.1051, 396.1052, 396.1061, 396.1062, 796.1041, 796.10413, 796.1051.

OM-201ST0068



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.40mm, length 8.40 mm**. Fits Omega® bracelets: 1455/058, 1455/448, 1455/4481, 1455/452, 1455/453, 1455/462, 1465/452, 1465/453, 1475/448, 1475/462, 1485/828, 1485/829. Fits Omega® case number: 386.1031

OM-201ST1000



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.40mm, length 9.40 mm**. Fits Omega® bracelets: 1498/840, 1562/850, 1563/06, 1563/12, 1563/850, 1564/06, 1564/12, 1564/975, 1572/880, 1574/06, 1574/12, 1574/898, 1575/06, 1575/12, 1575/899, 1576/06, 1576/12, 1576/970, 1577/06, 1577/12, 1577/971, 1580/06, 1580/12, 1580/952, 1610/06, 1610/12, 1610/930, 1611/06, 1611/12, 1611/931, 1612/06, 1612/12, 1612/932, 1613/06, 1613/12, 1613/934, 1614/06, 1614/12, 1614/911, 1615/930, 1620/06, 1620/12, 1620/887, 1621/06, 1621/12, 1621/661, 1621/990, 1621/99106, 1998/06, 1998/062, 1998/12, 1998/122, 1998/840, 85006, 85012 1998/849, 1998/998, 1999/849. Fits Omega® case numbers: 145.0022, 145.0031, 145.0048, 145.0055, 145.0057, 145.0062, 145.0222, 145.0223, 145.0224, 145.0226, 145.0227, 145.0228, 145.0229, 145.0300, 145.0301, 145.0302, 145.0304, 145.0808, 145.0809, 145.0811, 145.0818, 166.0312, 168.1111, 168.1112, 168.1113, 168.1114, 168.1115, 168.1119, 168.1120, 168.1613, 168.1618, 168.1620, 168.1636, 168.1640, 168.1641, 168.1642, 168.1643, 168.1644, 168.1645, 168.1651, 168.1653, 168.1657, 168.1659, 168.1661, 175.0081, 175.0082, 175.0083, 175.0084, 175.0086, 175.0087, 175.0518, 175.0519, 177.0320, 178.0015, 178.0017, 178.0018, 178.0019, 178.0020, 178.0022, 178.0027, 178.0028, 178.0030, 178.0031, 178.0055, 178.0056, 178.0057, 178.0058, 178.0059, 178.0060, 178.0061, 178.0062, 178.0065, 178.0066, 178.0068, 178.0200, 178.0201, 178.0202, 178.0205, 178.0213, 178.0215, 178.0221, 178.0515, 178.0520, 196.1113, 196.1114, 196.1640, 196.1641, 268.1116, 268.1117, 268.1118, 278.0022, 376.0822, 4552.

OM-201ST1001



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.40mm, length 9.70 mm**. Fits Omega® bracelets: 1601/942, 1601/94206, 1601/94212, 1601/943, 1601/94306, 1601/94312, 6554/866, 8570/885. Fits Omega® case numbers: 168.1700, 168.1702, 168.1704, 795.1230, 795.1233, 895.1230, 895.1232, 895.1237.

OM-201ST0110



Genuine Omega® bracelet pipe (tubes), to be used with link pins, **diameter 1.50mm, length 6.90 mm**. Fits Omega® bracelet 6052/015. Fits Omega® case numbers: 595.0024, 795.0815.

Genuine Omega® Solid Pins for Bracelet Links

OM-128ST0029



Genuine Omega® steel pivot, **diameter 1.20 mm, length 4.10 mm**, to attach bracelet to case. Fits Omega® bracelets: 1455/448, 1455/4481, 1457/448, 1475/448. Fits Omega® case numbers: 386.08221, 396.1022, 396.1031, 396.1121, 396.1231

OM-128ST9812



Genuine Omega® "solid pin" (conical on both ends) for bracelet (holds bracelet to case), **diameter 0.70 mm, total length 11.90 mm**. Fits Omega® bracelet 6202/822. Fits Omega® case number 795.1111.

OM-128ST9808



Genuine Omega® "solid pin" (conical on both ends) for bracelet, **diameter 0.70 mm, total length 11.95 mm**. Fits Omega® bracelet 6202/822. Fits Omega® case number 795.1111, 895.1111.

OM-128ST9811



Genuine Omega® "solid pin" (conical on both ends) for bracelet, **diameter 0.70 mm, total length 13.00 mm**. Fits Omega® bracelet 6201/821. Fits Omega® case numbers: 795.1378, 795.3111, 796.2379, 796.2579.

OM-128ST9809



Genuine Omega® "solid pin" (conical on both ends) for bracelet, **diameter 0.70 mm, total length 16.95 mm**. Fits Omega® bracelet 1520/820. Fits Omega® case numbers: 395.2378, 395.3378, 395.4378, 396.2432.

OM-128ST9810



Genuine Omega® "solid pin" (conical on both ends) for Bracelet, **diameter 0.70 mm, total length 17.00 mm**. Fits Omega® bracelets: 1500/06, 1500/12, 1500/820. Fits Omega® case numbers: 395.2378, 395.23781, 395.3378, 395.33781, 396.2379, 396.23791, 396.2432, 396.2432004.

OM-128ST0117



Genuine Omega® "solid pin" for Bracelet Links, **diameter 0.90 mm, total length 15.50 mm**. Fits Omega® bracelets: 1311/742, 1398/022, 1398/051, 1500/06, 1500/12, 1500/820, 1525/855, 1526/819, 1526/857, 1526/895, 1560/852, 1562/850, 1572/880, 3203/350, 3507/371, 85006, 85012. Fits Omega® case numbers: 166.0312, 175.0082, 175.0083, 175.0084, 175.0086, 175.0087, 195.0007, 196.0254, 196.0256, 198.0129, 366.1108, 395.2378, 395.3378, 396.0949, 396.2379, 396.2432, 396.2432004, 396.2532, 595.0004, 595.0025, 795.0803, 795.0816

OM-128ST9785



Genuine Omega® "solid pin, split at the very top" for Bracelet Links, **diameter 0.75 mm, total length 16.10 mm**. Fits Omega® bracelets: 6104/081, 6104/465, 6148/085, 6148/436. Fits Omega® case numbers: 795.1080, 795.10801.

OM-128ST0113



Genuine Omega® "solid pin" for Bracelet Links, **diameter 0.90 mm, total length 16.65 mm**. Fits Omega® bracelet 1449/432. Fits Omega® case numbers: 196.0316, 396.1016.

OM-128ST0116



Genuine Omega® "solid pin" for Bracelet Links, **diameter 0.90 mm, total length 16.65 mm**. Fits Omega® bracelets: 6203/856, 6204/844. Fits Omega case numbers: 795.1471, 795.1473.



H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



Genuine Omega® Split Pins

OM-128ST9780



Genuine Omega® "split pin" for Bracelet Links, **diameter 0.75 mm, total length 11.30 mm**. Fits Omega® bracelets: 6104/013, 6104/081, 6104/085, 6104/465, 6104/469, 6148/013, 6148/081, 6148/085, 6148/436, 6189/817. Fits Omega® case numbers: 566.0295, 595.0055, 595.0058, 595.0076, 598.0003, 795.0836, 795.0837, 795.0849, 795.0876, 795.08761, 795.0877, 795.1076, 795.1080, 795.10801, 796.1076, 796.1080, 796.1180, 798.0003, 798.0005, 798.0076, 895.0836, 895.0849, 895.0876, 895.0877, 895.1076, 895.1080, 895.1086, 896.1080, 896.1180, 898.0003.

OM-128ST9760



Genuine Omega® "split pin" for Bracelet Links, **diameter 0.75 mm, total length 14.80 mm**. Fits Omega® bracelets: 1328/310, 1448/012, 1448/084, 1448/310, 1448/431. Fits Omega® case numbers: 168.0068, 196.0147, 196.02421, 197.0001, 198.0136, 198.0140, 198.0141, 198.0142, 366.0884, 366.0887, 368.0875, 368.1075, 368.10752, 396.1060, 396.1069, 396.1070, 396.10701, 396.1076, 396.10761, 398.0864, 398.0866, 398.0869, 398.0870, 398.0876, 398.0877, 496.1069, 496.1070, 496.1080, 496.1086, 498.0869, 498.0870, 498.0886.

OM-128ST9763



Genuine Omega® "split pin" for Bracelet Links, **diameter 0.75 mm, total length 16.95 mm**. Fits Omega® bracelets: 1448/431, 6104/469. Fits Omega® case numbers: 196.02421, 366.0884, 366.0887, 368.1075, 368.10752, 396.1060, 396.1069, 396.1070, 396.10701, 396.1076, 496.1069, 496.1070, 496.1080, 796.1180, 896.1080, 896.1180.

OM-128ST9766



Genuine Omega® "split pin" for Bracelet Links, **diameter 0.75 mm, total length 22.00 mm**. Fits Omega® bracelet 1448/431. Fits Omega® case numbers: 368.1075, 368.10752, 396.1070, 396.10701, 396.1080.

OM-128ST0112



Genuine Omega® "split pin" for Bracelet Links, **diameter 0.96 mm, total length 10.50 mm**. Fits Omega® bracelets: 6050/011, 6096/422, 6096/423, 6098/000, 6098/801, 6098/802, 6151/440, 6151/441, 6202/822. Fits Omega® case numbers: 595.0037, 595.0038, 595.0052, 595.0053, 595.0054, 596.0075, 596.0073, 596.0075, 795.0822, 795.0823, 795.0833, 795.0834, 795.0835, 795.0897, 795.0897004, 795.08972, 795.0898, 795.0899, 795.1111, 796.0870, 796.0871, 796.0875.

OM-128ST0114



Genuine Omega® "split pin" for Bracelet Links, **diameter 0.96 mm, total length 11.20 mm**. Fits Omega® bracelets: 6201/821, 6203/856, 6204/844. Fits Omega® case numbers: 795.1471, 795.1473, 795.3111.

OM-128ST0111



Genuine Omega® "split pin" for Bracelet Links, **diameter 0.96 mm, total length 11.50 mm**. Fits Omega® bracelet 6201/821. Fits Omega® case number 795.1378, 795.3111, 796.2379, 796.2579.

OM-128ST0110



Genuine Omega® "split pin" for Bracelet Links, **diameter 0.96 mm, total length 15.50 mm**. Fits Omega® bracelets: 1389/3841, 1444/000, 1444/799, 1444/800, 1500/820, 3035/398. Fits Omega® case numbers: 196.0233, 196.0234, 196.0251, 395.2378, 395.3378, 396.0932, 396.1011, 396.2379, 396.2432.

Generic Rado®

H. & W. Perrin Company Limited is independent of and not affiliated with or sponsored by Rado®. Rado® warranty does not apply to non-genuine parts supplied by H. & W. Perrin Company Limited.

Generic Rado® Spring Bars

BR-RADO04



Generic Rado® spring bars, **total length 15 mm, suited for a 12 mm opening, body dia. 1.10 mm**, sold individually.

BR-RADO05



Generic Rado® spring bars, **total length 16.5 mm, suited for a 15 mm opening, body dia. 1.10 mm**, sold individually.

BR-RADO06



Generic Rado® spring bars, **total length 18.0 mm, suited for a 16.3 mm opening, body dia. 1.10 mm**, sold individually.

BR-RADO08



Generic Rado® spring bars, **total length 19.0 mm, suited for a 18.0 mm opening, body dia. 1.10 mm**, sold individually.

BR-RADO07

Generic Rado® spring bars, total length 20.0 mm, suited for a 16.8 mm opening, body dia. 1.10 mm, sold individually.



BR-RADO10

Generic Rado® spring bars, total length 20.0 mm, suited for a 19.0 mm opening, body dia. 1.10 mm, sold individually.



BR-RADO11

Generic Rado® spring bars, total length 21.0 mm, suited for a 20.0 mm opening, body dia. 1.10 mm, sold individually.



BR-RADO09

Generic Rado® spring bars, total length 22.5 mm, suited for a 19.0 mm opening, body dia. 1.10 mm, sold individually.



BR-RADO12

Generic Rado® spring bars, total length 22.5 mm, suited for a 21.0 mm opening, body dia. 1.10 mm, sold individually.



Generic Rado® Case Screw (or Bracelet Screw)

BR-RADO13

Generic Rado® screw for case or bracelet, head diameter 1.50 mm, thread diameter 1.20mm, total length 2.35 mm, sold individually.



PERRIN H. & W. PERRIN CO LTD	90 Thorncliffe Park Drive Toronto On M4H 1N5	Website: Perrinwatchparts.com Email: sales@perrin.ca	Phone: 416 422 4600 Toll free phone: 1 800 387 5117 Fax: 416 422 0290 Toll free fax: 1 800 741 6139
--	--	---	--



PINS AND SPRING BARS

PRICE LIST

April 2019

Use this price list as a guide only, prices are subject to change without notice

Page #	Product #	Price	Page #	Product #	Price
3	67-500	\$ 51.40 asst	12	67-46817-08 to 67-46817-30	\$ 5.90 pk
	67-99036	\$ 24.30 asst		67-56062-100 to 67-56062-180	\$ 13.00 pk
	67-99092	\$ 61.20 asst	13	67-1420	\$ 20.20 asst
	67-99097	\$ 62.50 asst		67-99110	\$ 16.40 asst
	67-99098	\$ 51.00 asst		67-99190	\$ 21.10 asst
	67-99152	\$ 50.70 asst		67-99191	\$ 30.70 asst
	68-1080	\$ 18.20 asst		67-99220	\$ 26.80 asst
4	67-500-16 to 67-500-22	\$ 13.50 pk		67-99221	\$ 36.00 asst
	67-46030-06 to 67-46030-20	\$ 13.70 pk		67-99222	\$ 47.60 asst
	67-46040-10 to 67-46040-19	\$ 14.60 pk	14	67-1420-12 to 67-1420-22	\$ 4.80 pk
	67-46230-09 to 67-46230-20	\$ 13.50 pk		67-1421	\$ 16.40 asst
	67-46240-06	\$ 20.50 pk		67-1421-14 to 67-1421-24	\$ 4.80 pk
	67-46700-06 to 67-46700-20	\$ 1.80 pk		67-1423	\$ 4.50 pk
	67-46750-08 to 67-46750-24	\$ 12.00 pk		67-1424	\$ 4.50 pk
	67-46751-10 to 67-46751-20	\$ 11.50 pk		67-46370-18 to 67-46370-35	\$ 6.50 pk
	68-1080-12 to 68-1080-22	\$ 2.10 pk		67-46380-10 to 67-46380-30	\$ 6.00 pk
5	67-99133	\$ 25.90 asst		67-46390-10 to 67-46390-30	\$ 6.00 pk
	67-99134	\$ 25.90 asst		67-99225	\$ 50.20 asst
	67-99149	\$ 20.90 asst	15	67-99027	\$ 23.50 asst
	67-99210	\$ 24.20 asst		67-99064	\$ 135.20 asst
	67-99211	\$ 24.20 asst		67-99154	\$ 14.40 asst
	67-99212	\$ 24.20 asst		67-99155	\$ 25.90 asst
6	67-46283-06 to 67-46283-30	\$ 2.80 pk		67-99158	\$ 126.00 asst
	67-46284-04 to 67-46284-30	\$ 2.80 pk	16	67-46301-06 to 67-46301-20	\$ 2.80 pk
	67-46285-06 to 67-46285-30	\$ 2.80 pk		67-46311-06 to 67-46311-24	\$ 2.50 pk
	67-46286-06 to 67-46286-30	\$ 2.80 pk		67-46321-08 to 67-46321-38	\$ 2.80 pk
	67-99150	\$ 20.90 asst		67-99031	\$ 23.70 asst
	67-99213	\$ 24.20 asst		67-99156	\$ 28.30 asst
7	67-99048	\$ 14.90 asst	17	67-46300-06 to 67-46300-20	\$ 12.70 pk
	67-99137	\$ 15.40 asst		67-46310-06 to 67-46310-24	\$ 12.70 pk
	67-99145	\$ 17.20 asst		67-46315-18 to 67-46315-24	\$ 16.40 pk
	67-99146	\$ 17.70 asst		67-46320-08 to 67-46320-38	\$ 13.20 pk
	67-99223	\$ 15.60 asst	18	67-99099	\$ 44.00 asst
	67-99224	\$ 12.70 asst		67-99103	\$ 48.80 asst
8	67-45205	\$ 39.80 asst		67-99142	\$ 94.50 asst
	67-45205BIG	\$ 31.60 asst		67-99197	\$ 109.20 asst
	67-99049	\$ 14.90 asst		67-99198	\$ 96.00 asst
	67-99081	\$ 20.20 asst	19	67-99101	\$ 54.70 asst
	67-99147	\$ 17.70 asst		67-99125	\$ 48.90 asst
	67-99148	\$ 14.90 asst		67-99126	\$ 54.00 asst
9	67-45205-01 to 67-45205-36	\$ 3.50 pk		67-99141	\$ 50.70 asst
	67-45205BIG-1 to 67-45205BIG-9	\$ 7.60 pk		67-99196	\$ 63.60 asst
	67-46288-04 to 67-46288-30	\$ 2.50 pk	20	67-46200-06 to 67-46200-24	\$ 9.20 pk
	67-46289-04 to 67-46289-30	\$ 2.50 pk		67-46211-06 to 67-46211-38	\$ 12.80 pk
	67-46290-04 to 67-46290-30	\$ 2.50 pk		67-46220-09 to 67-46220-38	\$ 14.90 pk
	67-46291-04 to 67-46291-30	\$ 2.50 pk		67-46221-10 to 67-46221-4042	\$ 15.80 pk
	67-46292-04 to 67-46292-30	\$ 2.50 pk		67-46271-10 to 67-46271-22	\$ 9.70 pk
10	67-32032-070 to 67-32032-180	\$ 12.80 pk	21	67-400	\$ 34.30 asst
	67-32035	\$ 40.30 asst		67-400-130A to 67-400-130J	\$ 6.60 pk
	67-32065	\$ 44.80 asst		67-400-58A to 67-400-58L	\$ 8.50 pk
	67-32065-01 to 67-32065-10	\$ 13.20 pk	22	67-99093	\$ 40.20 asst
11	67-56065	\$ 75.40 asst		67-99095	\$ 41.90 asst
	67-99251	\$ 27.60 asst		67-99096	\$ 41.90 asst
	67-99252	\$ 27.40 asst		67-99194	\$ 70.50 asst
	67-99253	\$ 27.50 asst	23	67-46000-05 to 67-46000-24	\$ 9.00 pk
12	67-32032-070 to 67-32032-140	\$ 12.80 pk		67-46005-05 to 67-46005-24	\$ 9.10 pk
	67-46815-10 to 67-46815-18	\$ 11.40 pk		67-46010-05 to 67-46010-23	\$ 8.90 pk

Page #	Product #	Price	Page #	Product #	Price
23	67-46020-09 to 67-46020-24	\$ 8.40 pk	33	67-59025-1 to 67-59025-5	\$ 21.50 pk
	67-46020-36	\$ 14.60 pk		67-99109	\$ 152.80 asst
	67-46022-10 to 67-46022-24	\$ 13.70 pk	34	67-6090-01 to 67-6090-18	\$ 8.90 pk
24	67-46050	\$ 1.30 ea		67-39781	\$ 25.00 ea
	67-46051	\$ 1.20 ea		67-39782	\$ 45.00 ea
	67-46052-13 to 67-46052-22	\$ 2.70 ea		67-39783	\$ 32.00 ea
	67-46053-13 to 67-46053-20	\$ 1.70 ea		67-46391	\$ 13.30 pk
	67-46054	\$ 1.20 ea		67-46392	\$ 15.30 pk
	67-46055	\$ 2.60 ea		67-46393	\$ 13.30 pk
	67-46056	\$ 3.80 ea		67-46394	\$ 15.30 pk
	67-99120	\$ 72.50 asst		67-46395	\$ 13.30 pk
25	67-46400-07 to 67-46400-24	\$ 12.20 pk		67-46396	\$ 13.30 pk
	67-99105	\$ 55.60 asst		67-99195	\$ 69.30 asst
	68-935	\$ 23.30 asst		67-463971	\$ 12.30 ea
26	67-46600-0710 to 67-46600-3238	\$ 14.80 pk		67-463972	\$ 12.30 ea
	67-99199	\$ 17.70 asst		67-463973	\$ 12.30 ea
	68-935-14 to 68-935-22	\$ 13.20 pk		67-463974	\$ 12.30 ea
27	67-46100-09 to 67-46100-12	\$ 2.90 pk		67-463975	\$ 12.30 ea
	67-46110-13 to 67-46110-35	\$ 2.70 pk		67-463976	\$ 12.30 ea
	67-99002	\$ 51.80 asst		67-463977	\$ 12.30 ea
	67-99108	\$ 55.50 asst		67-463978	\$ 12.30 ea
28	67-99055	\$ 57.70 asst	35	BR-CART02	\$ 22.50 ea
	67-99056	\$ 71.20 asst		BR-CART03	\$ 22.50 ea
	67-99216	\$ 59.90 asst		BR-CART04	\$ 22.50 ea
	67-99217	\$ 52.60 asst		BR-CART05	\$ 22.50 ea
29	67-46800-10 to 67-46800-20	\$ 11.50 pk		BR-CART06	\$ 22.50 ea
	67-46801-12 to 67-46801-20	\$ 11.50 pk		BR-CART07	\$ 44.90 ea
	67-46802-12 to 67-46802-20	\$ 12.50 pk		BR-CART08	\$ 22.50 ea
	67-46803-12 to 67-46803-20	\$ 12.50 pk		BR-CART09	\$ 22.50 ea
	67-46810-10 to 67-46810-20	\$ 3.00 ea		BR-CART50	\$ 56.10 ea
	67-46811	\$ 1.50 ea		BR-CHOP01	\$ 24.20 ea
	67-46812	\$ 1.70 ea		BR-CHOP02	\$ 24.20 ea
	67-46813	\$ 1.50 ea	36	BR-HERM01	\$ 14.10 ea
	67-46814	\$ 1.70 ea		BR-HERM02	\$ 14.10 ea
	67-46820-09 to 67-46820-24	\$ 2.10 ea		BR-OM068ST2105	\$ 5.70 ea
	67-46821	\$ 1.60 ea		BR-OM128ST9074	\$ 3.10 ea
	67-46822	\$ 1.60 ea		BR-OM128ST9075	\$ 3.10 ea
	67-46823	\$ 3.90 ea		BR-OM128ST9076	\$ 3.10 ea
	67-46824	\$ 1.60 ea		BR-OM128ST9077	\$ 3.10 ea
30	67-9052	\$ 19.40 asst	37	BR-OM128ST2012	\$ 3.10 ea
	67-99053	\$ 55.10 asst		BR-OM128ST9078	\$ 3.10 ea
	67-99054	\$ 54.80 asst		BR-OM128ST9090	\$ 3.10 ea
	67-99057	\$ 12.70 asst		BR-OM128ST9091	\$ 3.10 ea
31	67-9052-10 to 67-9052-18	\$ 13.90 pk		BR-OM128ST9452	\$ 3.10 ea
	67-9053-10 to 67-9053-20	\$ 12.30 pk		BR-OM128ST9456	\$ 3.10 ea
	67-46805-12 to 67-46805-20	\$ 31.00 pk		OM-128ST9073	\$ 2.00 ea
	67-46910-10 to 67-46910-21	\$ 1.70 ea		OM-128ST9207	\$ 2.00 ea
	67-46911	\$ 2.30 ea		OM-128ST9208	\$ 2.00 ea
	67-46912	\$ 2.30 ea		OM-128ST9731	\$ 2.00 ea
	67-46913	\$ 1.20 ea	38	OM-128ST9054	\$ 2.00 ea
	67-46914	\$ 2.30 ea		OM-128ST9062	\$ 2.00 ea
	67-46920-10 to 67-46920-20	\$ 1.30 ea		OM-128ST9068	\$ 2.00 ea
	67-46921	\$ 2.60 ea		OM-128ST9069	\$ 2.00 ea
	67-46922	\$ 1.60 ea		OM-128ST9070	\$ 2.00 ea
	67-46923	\$ 2.60 ea		OM-128ST9072	\$ 2.00 ea
	67-46924	\$ 1.60 ea		OM-128ST9083	\$ 2.00 ea
32	68-1177	\$ 51.60 asst		OM-128ST9084	\$ 2.00 ea
	68-1177-251830 to 68-1177-502236	\$ 15.80 pk		OM-128ST9091	\$ 2.00 ea
	68-1178	\$ 49.10 asst		OM-128ST9215	\$ 2.00 ea
	68-1178-151030 to 68-1178-351530	\$ 14.00 pk		OM-128ST9434	\$ 2.00 ea
33	67-6090	\$ 41.00 asst		OM-128ST9611	\$ 2.00 ea
	67-9257	\$ 62.80 asst	39	OM-128ST9051	\$ 2.00 ea
	67-9258	\$ 54.00 asst		OM-128ST9060	\$ 2.00 ea
	67-59025	\$ 106.50 asst		OM-128ST9061	\$ 2.00 ea

Page #	Product #	Price	Page #	Product #	Price
39	OM-128ST9066	\$ 2.00 ea	43	OM-201ST0079	\$ 2.00 ea
	OM-128ST9071	\$ 2.00 ea		OM-201ST0081	\$ 2.00 ea
	OM-128ST9078	\$ 2.00 ea		OM-201ST0084	\$ 2.00 ea
	OM-128ST9085	\$ 2.00 ea		OM-201ST0085	\$ 2.00 ea
	OM-128ST9088	\$ 2.00 ea		OM-201ST0088	\$ 2.00 ea
	OM-128ST9089	\$ 2.00 ea		OM-201ST0098	\$ 2.00 ea
	OM-128ST9217	\$ 2.00 ea		OM-201ST0217	\$ 2.00 ea
	OM-128ST9218	\$ 2.00 ea		OM-201ST0221	\$ 2.00 ea
	OM-128ST9433	\$ 2.00 ea		OM-201ST0252	\$ 2.00 ea
	OM-128ST9435	\$ 2.00 ea		OM-201ST0505	\$ 2.00 ea
	OM-128ST9439	\$ 2.00 ea	44	OM-201ST0049	\$ 2.00 ea
40	OM-128ST9053	\$ 2.00 ea		OM-201ST0053	\$ 2.00 ea
	OM-128ST9056	\$ 2.00 ea		OM-201ST0055	\$ 2.00 ea
	OM-128ST9074	\$ 2.00 ea		OM-201ST0068	\$ 2.00 ea
	OM-128ST9075	\$ 2.00 ea		OM-201ST0508	\$ 2.00 ea
	OM-128ST9101	\$ 2.00 ea		OM-201ST0509	\$ 2.00 ea
	OM-128ST9224	\$ 2.00 ea		OM-201ST0613	\$ 2.00 ea
	OM-128ST9901	\$ 2.00 ea		OM-201ST1000	\$ 2.00 ea
	OM-128ST9902	\$ 2.00 ea	45	OM-128ST0029	\$ 2.00 ea
	OM-128ST9903	\$ 2.00 ea		OM-201ST0110	\$ 2.00 ea
	OM-128ST9906	\$ 2.00 ea		OM-128ST0113	\$ 2.00 ea
	OM-128ST9919	\$ 2.00 ea		OM-128ST0116	\$ 2.00 ea
	OM-128ST9968	\$ 2.00 ea		OM-128ST0117	\$ 2.00 ea
	OM-128ST9973	\$ 2.00 ea		OM-201ST1001	\$ 2.00 ea
41	OM-128ST2001	\$ 2.00 ea		OM-128ST9785	\$ 2.00 ea
	OM-128ST9059	\$ 2.00 ea		OM-128ST9808	\$ 2.00 ea
	OM-128ST9065	\$ 2.00 ea		OM-128ST9809	\$ 2.00 ea
	OM-128ST9318	\$ 2.00 ea		OM-128ST9810	\$ 2.00 ea
	OM-201ST0031	\$ 2.00 ea		OM-128ST9811	\$ 2.00 ea
	OM-201ST0032	\$ 2.00 ea		OM-128ST9812	\$ 2.00 ea
	OM-201ST0033	\$ 2.00 ea	46	BR-RADO04	\$ 1.80 ea
	OM-201ST0034	\$ 2.00 ea		BR-RADO05	\$ 1.80 ea
	OM-201ST0035	\$ 2.00 ea		BR-RADO06	\$ 1.80 ea
	OM-201ST0080	\$ 2.00 ea		BR-RADO08	\$ 1.80 ea
	OM-201ST0082	\$ 2.00 ea		OM-128ST0110	\$ 2.00 ea
42	OM-201ST0069	\$ 2.00 ea		OM-128ST0111	\$ 2.00 ea
	OM-201ST0074	\$ 2.00 ea		OM-128ST0112	\$ 2.00 ea
	OM-201ST0083	\$ 2.00 ea		OM-128ST0114	\$ 2.00 ea
	OM-201ST0094	\$ 2.00 ea		OM-128ST9760	\$ 2.00 ea
	OM-201ST0099	\$ 2.00 ea		OM-128ST9763	\$ 2.00 ea
	OM-201ST0204	\$ 2.00 ea		OM-128ST9766	\$ 2.00 ea
	OM-201ST0210	\$ 2.00 ea		OM-128ST9780	\$ 2.00 ea
	OM-201ST0211	\$ 2.00 ea	47	BR-RADO07	\$ 1.80 ea
	OM-201ST0247	\$ 2.00 ea		BR-RADO09	\$ 1.80 ea
	OM-201ST0253	\$ 2.00 ea		BR-RADO10	\$ 1.80 ea
	OM-201ST0255	\$ 2.00 ea		BR-RADO11	\$ 1.80 ea
43	OM-201ST0066	\$ 2.00 ea		BR-RADO12	\$ 1.80 ea
	OM-201ST0070	\$ 2.00 ea		BR-RADO13	12.20 ea

PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139



SPRING BAR CLEARANCE

When they are gone, they are gone.....

\$2.00 / package

Limited Quantity

Double Shoulder Thin – Body Diameter 1.50 mm



Inches	MM
¼	6.5
5/16	8
3/8	10
7/16	11
½	12

Telescopic



Size
1/4"
13 to 15 mm

Straight Thin – Body Diameter 1.50 mm



Inches	MM
3/16	5
¼	6.5
5/16	8
3/8	10
7/16	11
½	12
9/16	14
5/8	16
13/16	20
7/8	22
15/16	24
1	25

Curved Thin – Body Diameter 1.50 mm



Inches	MM
7/16	11
1/2	12
9/16	14
11/16	18
3/4	19
13/16	20
7/8	22
1	25

Curved Double Shoulder – Body Diameter 1.80 mm



Inches	MM
9/16	14
5/8	16
11/16	18
¾	19

PERRIN
H. & W. PERRIN CO LTD

90 Thorncliffe Park Drive
Toronto On
M4H 1N5

Website: Perrinwatchparts.com
Email: sales@perrin.ca

Phone: 416 422 4600
Toll free phone: 1 800 387 5117
Fax: 416 422 0290
Toll free fax: 1 800 741 6139

