



Orofacial Myofunctional and Tethered Oral Tissue(s) References

Robyn Merkel-Walsh MA, CCC-SLP/COM®

With Contributions from:

Lori L. Overland, MS, CCC-SLP, C/NDT, CLC, FOM, Kristie Gatto, MA, CCC-SLP/COM®, & Ashley Larson, PT, C/NDT, COM®

January 2024

Note: Some of the references are from the book and course *Functional Assessment and Remediation of Tethered Oral Tissue* by Merkel-Walsh and Overland. These references are in conjunction with the courses Functional Assessment and Remediation of Tethered Oral Tissues, MYOTools 101, MYOTools 102, and MYOTools series webinars by Robyn Merkel-Walsh.

Aguiar, L. S., Juliano, G. R., Silveira, L., Oliveira, M. S., Torquato, B., Juliano, G. R., Araújo, M. F., Pereira, S., Teixeira, V., & Ferraz, M. (2018). Tongue development in stillborns autopsied at different gestational ages. *Jornal de pediatria*, 94(6), 616–623. <https://doi.org/10.1016/j.jped.2017.08.009>

Ahmed, A., Fida, M., Javed, F., Maaz, M., & Ali, U. S. (2023). Soft tissue lasers: An innovative tool enhancing treatment outcomes in orthodontics - A narrative review. *JPMA. The Journal of the Pakistan Medical Association*, 73(2), 346–351. <https://doi.org/10.47391/JPMA.6454>

Alhazmi WA. Mouth Breathing and Speech Disorders: A Multidisciplinary Evaluation Based on The Etiology. *J Pharm Bioallied Sci*. 2022 Jul;14(Suppl 1):S911-S916. doi: 10.4103/jpbs.jpbs_235_22. Epub 2022 Jul 13. PMID: 36110622; PMCID: PMC9469305.

Aldulaijan, H. A., Alsharif, S. B., Cohen, R. E., & Yerke, L. M. (2022). Familial Presentation of Ankyloglossia and Localized Periodontitis. *Compendium of continuing education in dentistry (Jamesburg, N.J. : 1995)*, 43(5), 288–291.

Akbari, D., Bogaardt, H., & Docking, K. (2023). Ankyloglossia in Central Australia: Prevalence, identification and management in infants. *International journal of pediatric otorhinolaryngology*, 170, 111604. <https://doi.org/10.1016/j.ijporl.2023.111604>

Alexander, N., Boota, A., Hooks, K., & White, J. R. (2019). Rapid maxillary expansion and adenotonsillectomy in 9-year-old twins with pediatric obstructive sleep apnea syndrome: an interdisciplinary effort. *The Journal of the American Osteopathic Association*, 119(2), 126–134. <https://doi.org/10.7556/jaoa.2019.019>

Amat, P., & Tran Lu Y, E. (2023). Rééducation myofonctionnelle orofaciale assistée par gouttière de rééducation préfabriquée : une revue systématique de la littérature [Orofacial myofunctional reeducation assisted by a prefabricated reeducation appliance: a systematic review of the literature]. *L'Orthodontie française*, 94(1), 131–161.
<https://doi.org/10.1684/orthodfr.2023.126>

American Academy of Breastfeeding Medicine (AABM). (2016). Protocol # 11: Guidelines for the evaluation and management of neonatal ankyloglossia and its complications in the breastfeeding dyad. Retrieved from:
<http://www.bfmed.org/Media/Files/Protocols/ankyloglossia.pdf>

American Academy of Head and Otolaryngology: Head and Neck Surgery (AAO-HNS). (2015) Clinical Indicators. Retrieved from: <http://www.entnet.org/content/clinical-indicators>.

American Academy of Pediatric Dentistry (AAPD) Council on Clinical Affairs (2015). Guidelines on management considerations for pediatric oral surgery and oral pathology. *Clinical Practice Guidelines*, 279-288.

Amir, L.H., James, J.P. & Donath, S.M. (2006). Reliability of the Hazelbaker assessment tool for lingual frenulum function. *International Breastfeeding Journal*, 1(3).

Andréia Fernandes Graziani, Giédre Berretin-Felix, & Katia, F. G. (2019). Orofacial myofunctional evaluation in cleft lip and palate: an integrative literature review. *Revista Cefac*, 21(1). <https://doi.org/10.1590/1982-0216/20192116418>

Araújo, B. C. L., Simões, S. M., Moreira, M. G. S., Mendes, A. L. F., & Martins-Filho, P. R. S. (2019). Evidence of orofacial myofunctional therapy patients with asthma and rhinitis: a systematic review. *CoDAS*, 31(4), e20190009. <https://doi.org/10.1590/2317-1782/20192019009>

Attali, V., Weber, M., Rivals, I., Similowski, T., Arnulf, I., & Gatignol, P. (2023). Moderate-to-severe obstructive sleep apnea syndrome is associated with altered tongue motion during wakefulness. *European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery*, 10.1007/s00405-023-07854-9. Advance online publication.
<https://doi.org/10.1007/s00405-023-07854-9>

Atanelov, Z., Aina, T., Amin, B., & Rebstock, S. E. (2022). Nasopharyngeal Airway. In *StatPearls*. StatPearls Publishing

Araújo Brenda Carla Lima, Lima, T. R. C. de M., de Gois-Santos, V. T., Nascimento, G.

K. B. O., Martins-Filho, P. R., & Simões Silvia de Magalhães. (2021). Association between nasal patency and orofacial myofunctional changes in patients with asthma and rhinitis. *European Archives of Oto-Rhino-Laryngology: And Head & Neck*, 278(7), 2371–2377. <https://doi.org/10.1007/s00405-020-06518-2>

Arias-Guillen, C. J., Prado, D. A., Tuon, R., Scudine, K. G. O., Gavião, M. B. D., Lamy, E., Marquezin, M. C. S., & Castelo, P. M. (2020). Impact of asthma on children's gustatory sensitivity, masticatory and feeding behaviors. *Physiology & Behavior*, 223. <https://doi.org/10.1016/j.physbeh.2020.112961>

Arena, M. , Micarelli, A., Guzzo, F., Misici, I., Jamsher, D., Micarelli, B., Castaldo, A., DiBenedetto, A. & Alessandri, M., (2022). Outcomes of tongue-tie release by means of tongue and frenulum assessment tools: a scoping review on non-infants. *Acta otorhinolaringologia Italica*, 42(6): 492-501. DOI: 10.14639/0392-100X-N2211.

Assaf, D. D. C., Knorst, J. K., Busanello-Stella, A. R., Ferrazzo, V. A., Berwig, L. C., Ardenghi, T. M., & Marquezan, M. (2021). Association between malocclusion, tongue position and speech distortion in mixed-dentition schoolchildren: an epidemiological study. *Journal of Applied Oral Science: Revista Fob*, 29, 20201005. <https://doi.org/10.1590/1678-7757-2020-1005>

Auychai, P., Neff, A., & Pitak-Arnlop, P. (2022). Tongue-Tie children with a severe Hazelbaker score or difficult breastfeeding greatly benefit from frenotomy or frenuloplasty with/without anaesthesia - First do or do no harm? *Journal of stomatology, oral and maxillofacial surgery*, 123(3), e76–e81. <https://doi.org/10.1016/j.jormas.2021.09.007>

Azevedo, N. D., Lima, J. C., Furlan, R. M. M. M., & Motta, A. R. (2018). Tongue pressure measurement in children with mouth-breathing behaviour. *Journal of Oral Rehabilitation*, 45(8), 612–617. <https://doi.org/10.1111/joor.12653>

Bagarollo, M. F., & Batista, D. P. F. (2020). Surface electromyography in orofacial and cervical musculature in mouth breathing children: an integrative literature review. *Revista Cefac*, 22(1). <https://doi.org/10.1590/1982-0216/202022119318>

Bahr, D., & Banford, R. J. (2012). The oral motor debate part III: Exploring research and training needs/ideas. *Oral Motor Institute*, 4(1). Available from www.oralmotorinstitute.org.

Bahr, D. (2011a). The Oral Motor Debate Part I: Understanding the Problem. *Oral Motor Institute*, 3(1). Available from www.oralmotorinstitute.org.

Bahr, D. (2011b). The Oral Motor Debate Part II: Exploring Terminology and Practice Patterns. *Oral Motor Institute*, 3(2). Available from www.oralmotorinstitute.org.

Bahr, D. (2010). *Nobody ever told me (or my mother) that! Everything from bottles and breathing to healthy speech development!* Arlington, TX: Sensory World.

Bahr, D., Rosenfeld-Johnson, S. (2010). Treatment of children with speech oral placement disorders (OPDs): a paradigm emerges. *Communication Disorders Quarterly*, XX(X), 108.

Bahr, D. (2001). *Oral motor assessment and treatment: Ages and stages*. Boson, MA: Allyn& Bacon.

Baldrihi Sílvia Elaine Zuim de Moraes, César Carla Patrícia Hernandez Alves Ribeiro, Guedes-Granzotti, R. B., Oliveira, A. C. de, Santos, I. D. dos, & Santos, J. C. dos. (2019). Stomatognathic system screening in preschoolers and its importance for the elaboration of an intervention program in health. *Revista Cefac*, 21(1). <https://doi.org/10.1590/1982-0216/20192116218>

Bandyopadhyay, A., Kaneshiro, K., & Camacho, M. (2020). Effect of myofunctional therapy on children with obstructive sleep apnea: a meta-analysis. *Sleep Medicine*, 75, 210–217. <https://doi.org/10.1016/j.sleep.2020.08.003>

Barbosa, M. D. G., Castelo, P. M., Ferreira, C. L. P., Haddad, D. S., Chiari, B. M., Santana, M. V., & Bommarito, S. (2020). Congenital heart disease in children: orofacial myofunctional aspects, eating behavior and facial temperature. *International Journal of Pediatric Otorhinolaryngology*, 131. <https://doi.org/10.1016/j.ijporl.2020.109883>

Bargiel, J., Gontarz, M., Gąsiorowski, K., Marecik, T., Szczurowski, P., Zapała, J., & Wyszyńska-Pawelec, G. (2021). Miofrenuloplasty for Full Functional Tongue Release in Ankyloglossia in Adults and Adolescents-Preliminary Report and Step by Step Technique Showcase. *Medicina (Kaunas, Lithuania)*, 57(8), 848. <https://doi.org/10.3390/medicina57080848>

Barton, C., Bickell, M., & Fucile, S., (2018). Pediatric Oral Motor Feeding Assessments: A Systematic Review, *Physical & Occupational Therapy in Pediatrics*, 38:2, 190-209, DOI: [10.1080/01942638.2017.1290734](https://doi.org/10.1080/01942638.2017.1290734)

Batista Borges Pereirs, M. (2022) Tongue-and lip-tie beyond breastfeeding difficulties. *Jaw Functional Orthopedics and Craniofacial Growth*. 2(2). DOI <https://doi.org/10.21595/jfocg.2022.22790>

Batista, C., & Pereira, A. (2022). Does neonatal ankyloglossia interfere in the growth of

infants during the first 6 months of life? A case series nested in a cohort study. *Journal of medical case reports*, 16(1), 394. <https://doi.org/10.1186/s13256-022-03578-2>

Baxter, R., Merkel-Walsh, R., Lahey, L., Knutsen, C., Zaghi, S. The buccal frenum: Trends in diagnosis and indications for treatment of buccal-ties among 466 healthcare professionals. *J Oral Rehabil.* 2023; 00: 1-11. doi:[10.1111/joor.13609](https://doi.org/10.1111/joor.13609)

Baxter, R., Lashley, A. & Rendell, N.R. (2021). Tongue restriction questionnaire: a new screening tool to identify tongue-tied patients. *Compendium of Continuing Education in Dentistry*, 42(3).

Baxter, R., Merkel-Walsh, R., Baxter, B. S., Lashley, A., & Rendell, N. R. (2020). Functional improvements of speech, feeding, and sleep after lingual frenectomy tongue-tie release: A prospective cohort study. *Clinical Pediatrics*, 000992282092805.

Baxter, R. (2018). Tongue Tied: *How a tiny string under the tongue impacts nursing, speech, feeding, and more*. Alabama, GA: Alabama Tongue-Tie Center.

Baxter, R., & Hughes, L. (2018). Speech and Feeding Improvements in Children After Posterior Tongue-Tie Release: A Case Series. *International Journal Of Clinical Pediatrics*, 7(3), 29-35.

Becker, S., & Mendez, M. D. (2022). Ankyloglossia. In *StatPearls*. StatPearls Publishing.

Bengtsson, L., Dotevall, H., Sjögren, L., Ragnemalm, L., & Tuomi, L. (2022). Effects of oral screen exercise on orofacial and pharyngeal activity: An exploratory study using videofluoroscopy and surface electromyography in healthy adults. *Clinical and experimental dental research*, 8(2), 519–528. <https://doi.org/10.1002/cre2.538>

Begnoni, G., Dellavia, C., Pellegrini, G., Scarponi, L., Schindler, A., & Pizzorni, N. (2020). The efficacy of myofunctional therapy in patients with atypical swallowing. European Archives of Oto-Rhino-Laryngology: Official Journal of the European Federation of Oto-Rhino-Laryngological Societies (Eufos): Affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery, 277(9), 2501–2511. <https://doi.org/10.1007/s00405-020-05994-w>

Bellon, M., Boutin, F., Haddad, R., & Frapier, L. (2023). Effectiveness of orthopaedic treatments on the enlargement of the upper airways: Overview of systematic reviews. *International orthodontics*, 21(2), 100745. Advance online publication. <https://doi.org/10.1016/j.ortho.2023.100745>

Benoitou, L., Morgan, M., & Baguley, K. (2016). Management of posterior ankyloglossia and upper lip ties in a tertiary otolaryngology outpatient clinic. *International journal of pediatric otorhinolaryngology*, 88, 13–16. <https://doi.org/10.1016/j.ijporl.2016.06.037>

Berretin-Felix Giédre, Bueno, M. da R. S., Gavião Maria Beatriz Duarte, Migliorucci, R. R., Polizel, M., Prado Daniela Galvão de Almeida, Rosa, R. R., & Teixeira, I. F. (2018). Effects of orofacial myofunctional therapy on masticatory function in individuals submitted to orthognathic surgery: a randomized trial. *Journal of Applied Oral Science*, 26. <https://doi.org/10.1590/1678-7757-2017-0164>

Berwig, L. C., Corrêa Eliane Castilhos Rodrigues, Milanesi, J. de M., Ritzel, R. A., Schuch, L. H., & Silva, A. M. T. da. (2019). Nasal patency and otorhinolaryngologic-orofacial features in children. *Brazilian Journal of Otorhinolaryngology*, 85(1), 83–91. <https://doi.org/10.1016/j.bjorl.2017.10.014>

Bhandarkar, K. P., Dar, T., Karia, L., & Upadhyaya, M. (2022). Post Frenotomy Massage for Ankyloglossia in Infants—Does It Improve Breastfeeding and Reduce Recurrence?. *Maternal and child health journal*, 26(8), 1727–1731. <https://doi.org/10.1007/s10995-022-03454-x>

Bianchini Esther Mandelbaum Gonçalves, & Kayamori, F. (2017). Effects of orofacial myofunctional therapy on the symptoms and physiological parameters of sleep breathing disorders in adults: a systematic review. *Revista Cefac*, 19(6), 868–878. <https://doi.org/10.1590/1982-0216201719613317>

Boshart, C. (2015). *Demystifying tongue tie, methods to confidently analyze and treat a tethered tongue*. Ellijay, GA: Speech Dynamics Inc.

Boshart, C. (1999) Oral-facial illustrations and reference guide. Retrieved from: <http://www.charboshart.com/products/oral-facial-illustrations-and-reference-guide>. Arlington, TX: Sensory World.

Boyd, K., Saccomanno, S., Lewis, C. J., Coceani, P. L., Quinzi, V., & Marzo, G. (2021). Myofunctional therapy. part 1: culture, industrialization, and the shrinking human face. *European Journal of Paediatric Dentistry*, 22(1), 80–81. <https://doi.org/10.23804/ejpd.2021.22.01.15>

Brandão RAES, Mendes, C. M. C., Brandão Filho RA, & De, S. E. P. (2020). Isotonic exercises and relaxing techniques in individuals with temporomandibular dysfunction. *Cranio : The Journal of Craniomandibular Practice*, 1-8, 1–8. <https://doi.org/10.1080/08869634.2019.1708607>

Braybrook, C., Warry, G., Howell, G., Arnason, A., Bjornsson, A., Moore, G. E., Ross, M.

T. and Stanier, P. (2001). Identification and characterization of KLHL4, a novel human homologue of the *Drosophila* Kelch gene that maps within the Xlinked cleft palate and ankyloglossia (CPX) critical region, *Genomics*, vol. 72, no.2, pp. 128–136 [Online]. DOI: 10.1006/geno.2000.6478.

Breastfeeding Symptoms with Tongue- and Lip-Tie. (2023). MCN. *The American journal of maternal child nursing*, 48(1), E2. <https://doi.org/10.1097/NMC.0000000000000885>

Briddell, J.W., Vandjelovic, N.D., Fromen, C.A., Peterman, E.L. & Reilly, J.S. (2020). Geometric model to predict improvement after lingual frenulectomy for ankyloglossia. *International Journal of Pediatric Otorhinolaryngology*, 134. DOI: <https://doi.org/10.1016/j.ijporl.2020.110063>

Brooks, L., Landry, A., Deshpande, A., Marchica, C., Cooley, A., & Raol, N. (2019). Posterior tongue, base of movement, and pharyngeal dysphagia: what is the connection? *Dysphagia*, 1-4.

Browne, D. (1959). Tongue-Tie. *BR, Med. J.*, 2:1181-1182.

Brussel, C. (2001). Considering craniosacral therapy in difficult situations. *Leaven*, 37(4): 82-83.

Bruno, F. de F., Sheila, T. de A., Márcia Grassi Santana, & Mauriceia, C. (n.d.). Efficacy of myofunctional therapy associated with voice therapy in the rehabilitation of neurogenic oropharyngeal dysphagia: a pilot study. *International Archives of Otorhinolaryngology*, 22(03), 225–230. <https://doi.org/10.1055/s-0037-1605597>

Bucci, R., Rongo, R., Zunino, B., Michelotti, A., Bucci, P., Alessandri-Bonetti, G., Incerti-Parenti, S., & D'Antò, V. (2022). Effect of orthopedic and functional orthodontic treatment in children with obstructive sleep apnea: A systematic review and meta-analysis. *Sleep medicine reviews*, 67, 101730. Advance online publication. <https://doi.org/10.1016/j.smrv.2022.101730>

Buck, L. S., Frey, H., Davis, M., Robbins, M., Spankovich, C., Narisetty, V., & Carron, J. D. (2020). Characteristics and considerations for children with ankyloglossia undergoing frenulectomy for dysphagia and aspiration. *American Journal of Otolaryngology*, 102393. doi: 10.1016/j.amjoto.2020.102393

Burkhart, N.W. (2015). Ankyloglossia: are you paying attention. Retrieved from : <http://www.rdhmag.com/articles/print/volume- 33/issue-12/columns/ankyloglossia-are-you-paying-attention.html>

Cabral, A. S., Magalhães, R. G., Viana, G. R., Araújo, N. S., Silva, S. R., & Picinato-

Pirola, M. (2023). Telehealth and Speech Therapy: usability assessment of an orientation and prevention program of orofacial myofunctional changes, during the COVID-19 pandemic. *CoDAS*, 35(3), e20220057. <https://doi.org/10.1590/2317-1782/20232022057en>

Cadwell, K., & Turner-Maffei, C. (2016). The Lactation Counselor Certificate Course Notebook, 2016-2017 Ed. East Sandwich, Massachusetts, Healthy Children Project, Inc.

Caloway C, Hersh CJ, Baars R, Sally S., Diercks, G., Hartnick CJ. (2019). Association of feeding evaluation with frenectomy in infants with breastfeeding difficulties. *JAMA Otolaryngol Head Neck Surg*. doi:10.1001/jamaoto.2019.1696

Camacho, M., Guilleminault, C., Wei, J. M., Song, S. A., Noller, M. W., Reckley, L. K., Fernandez-Salvador, C., & Zaghi, S. (2017). Oropharyngeal and tongue exercises (myofunctional therapy) for snoring: a systematic review and meta-analysis. *European Archives of Oto-Rhino-Laryngology*, 275(4), 849–855.

Camacho, M., Noller, M. W., Zaghi, S., Reckley, L. K., Fernandez-Salvador, C., Ho, E., Dunn, B., & Chan, D. (2017). Tongue surgeries for pediatric obstructive sleep apnea: a systematic review and meta-analysis. *European Archives of Oto-Rhino-Laryngology: And Head & Neck*, 274(8), 2981–2990. <https://doi.org/10.1007/s00405-017-4545-4>

Caloway, C. L., Diercks, G. R., Keamy, D., de Guzman, V., Soose, R., Raol, N., Shott, S. R., Ishman, S. L., & Hartnick, C. J. (2020). Update on hypoglossal nerve stimulation in children with down syndrome and obstructive sleep apnea. *The Laryngoscope*, 130(4), E263–E267. <https://doi.org/10.1002/lary.28138>

Calvo-Henríquez, C., Neves, S. M., Branco, A. M., Lechien, J. R., Reinoso, F. B., Rojas, X. M., O'Connor-Reina, C., González-Guijarro, I., & Martínez Capoccioni, G. (2022). Relationship between short lingual frenulum and malocclusion. A multicentre study. *Acta otorrinolaringologica espanola*, 73(3), 177–183.
<https://doi.org/10.1016/j.otoeng.2021.01.003>

Camacho, M., Guilleminault, C., Wei, J. M., Song, S. A., Noller, M. W., Reckley, L. K., Fernandez-Salvador, C., & Zaghi, S. (2018). Oropharyngeal and tongue exercises (myofunctional therapy) for snoring: a systematic review and meta-analysis. *European Archives of Oto-Rhino-Laryngology: And Head & Neck*, 275(4), 849–855.
<https://doi.org/10.1007/s00405-017-4848-5>

Campanha, Silvia & Martinelli, Roberta & Palhares, Durval. (2021). Position of lips and tongue in rest in newborns with and without ankyloglossia. *CoDAS*. 33. 10.1590/2317-1782/20202020069.

Carminatti, M., Nicoloso, G. F., Miranda, P. P., Gomes, E., & de Araujo, F. B. (2022). The Effectiveness of Lingual Frenectomy and Myofunctional Therapy for Children: A Randomized Controlled Clinical Trial. *Journal of dentistry for children (Chicago, Ill.)*, 89(1), 3–10.

Carrasco-Llatas, M., O'Connor-Reina, C., & Calvo-Henríquez Christian. (2021). The role of myofunctional therapy in treating sleep-disordered breathing: a state-of-the-art review. *International Journal of Environmental Research and Public Health*, 18(14), 7291–7291. <https://doi.org/10.3390/ijerph18147291>

Castro, D., & Freeman, L. A. (2022). Oropharyngeal Airway. In *StatPearls*. StatPearls Publishing.

Cenzato, N., Iannotti, L., & Maspero, C. (2021). Open bite and atypical swallowing: orthodontic treatment, speech therapy or both? A literature review. *European journal of paediatric dentistry*, 22(4), 286–290. <https://doi.org/10.23804/ejpd.2021.22.04.5>

Cervera-Mérida JF, Villa-García I, & Ygual-Fernández A. (2020). Speech treatment in nemaline myopathy: a single-subject experimental study. *Journal of Communication Disorders*, 88, 106051–106051. <https://doi.org/10.1016/j.jcomdis.2020.106051>

César, C., Torres, G., Andrade, N. S., Vanderlei, K., Nascimento, K., Barroso, B., & Santos, E. S. (2021). Assessment of the tongue frenulum in Beckwith-Wiedemann syndrome: Pre- and post-frenectomy findings. *Special care in dentistry: official publication of the American Association of Hospital Dentists, the Academy of Dentistry for the Handicapped, and the American Society for Geriatric Dentistry*, 41(4), 526–531. <https://doi.org/10.1111/scd.12600>

Chaubey, K.K., Arora, V.K., Thakur, R. & Narula, I.S. (2011). Perio-esthetic surgery: Using LPF with frenectomy for prevention of scar. *Journal of Indian Soc Periodontics*, 15(3): 265-269.

Checklin, M., Bain, J., Bath, L., & Lethbridge, K. (2020). Patients' perspectives on what makes a better care experience while undergoing treatment for oropharyngeal dysphagia secondary to head and neck cancer. *Dysphagia*, 35(4), 702–716. <https://doi.org/10.1007/s00455-019-10077-y>

Choi, J.H., Kim, E.J., Choi, J., Kim, T.H., Kwon, S.Y., Lee, S.H., Shin, C., & Lee, S.H. (2009). The effect of adenotonsillectomy on changes of position during sleep in pediatric obstructive sleep apnea syndrome. *Am J Rhinol Allergy*, 23, E56-58. <https://doi.org/10.2500/ajra.w009.23.3363>

Choi, J. S., Park, J. H., Kim, M. C., Lim, J. S., & Shim, H. S. (2022). Evaluation of tongue mobility following release operation of ankyloglossia with genioglossus

myotomy. *Medicine*, 101(32), e29648. <https://doi.org/10.1097/MD.00000000000029648>

Chu, M.W. & Bloom, D.C. (2009). Posterior ankyloglossia: a case report. *International Journal of Pediatric Otorhinolaryngology*, 73(6):881-3.

Chuang, L. C., Hwang, Y. J., Lian, Y. C., Hervy-Auboisson, M., Pirelli, P., Huang, Y. S., & Guilleminault, C. (2019). Changes in craniofacial and airway morphology as well as quality of life after passive myofunctional therapy in children with obstructive sleep apnea: a comparative cohort study. *Sleep & Breathing = Schlaf & Atmung*, 23(4), 1359–1369. <https://doi.org/10.1007/s11325-019-01929-w>

Cioffi Izu, S., Harumi Itamoto, C., Pradella Hallinan, M., Ulson Pizarro, G., Tufik, S., Pignatori, S. & Raimundo Fujita, R. (2010). Obstructive sleep apnea syndrome (OSAS) in mouth breathing in children. *Brazil Journal of Otorhinolaryngology*, 75(5). Retrieved from: http://www.scielo.br/scielo.php?pid=S1808-86942010000500003&script=sci_arttext&tlang=en

Cordray, H., Mahendran, G. N., Tey, C. S., Nemeth, J., Sutcliffe, A., Ingram, J., & Raol, N. (2022). Severity and prevalence of ankyloglossia-associated breastfeeding symptoms: A systematic review and meta-analysis. *Acta paediatrica (Oslo, Norway : 1992)*, 10.1111/apa.16609. Advance online publication.
<https://doi.org/10.1111/apa.16609>

Cordray, H., Mahendran, G. N., Tey, C. S., Nemeth, J., & Raol, N. (2023). The Impact of Ankyloglossia Beyond Breastfeeding: A Scoping Review of Potential Symptoms. *American journal of speech-language pathology*, 32(6), 3048–3063.
https://doi.org/10.1044/2023_AJSLP-23-00169

Corrêa, C.de C, José, M. R., Andrade, E. C., Feniman, M. R., Fukushiro, A. P., Berretin-Cruz, P. V., Souza-Oliveira, A. C., Notaro, S. Q., Occhi-Alexandre, I., Maia, R. M., De Luca Canto, G., Bendo, C. B., & Martins, C. C. (2022). Prevalence of ankyloglossia according to different assessment tools: A meta-analysis. *Journal of the American Dental Association (1939)*, 153(11), 1026–1040.e31.
<https://doi.org/10.1016/j.adaj.2022.07.011>

Corrêa Camila de Castro, Weber, S. A. T., Evangelisti, M., & Villa, M. P. (2020). The short evaluation of orofacial myofunctional protocol (shom) and the sleep clinical record in pediatric obstructive sleep apnea. *International Journal of Pediatric Otorhinolaryngology*, 137. <https://doi.org/10.1016/j.ijporl.2020.110240>

Coryllos, E., Genna, C.W. & Salloum, A.C. (2004). Congenital tongue-tie and its impact on breastfeeding. *American Academy of Pediatrics*. Retrieved from:

<https://www2.aap.org/breastfeeding/files/pdf/BBM-8- 27%20Newsletter.pdf>

Cruz, P. V., Souza-Oliveira, A. C., Notaro, S. Q., Occhi-Alexandre, I. G. P., Maia, R. M., De Luca Canto, G., Bendo, C. B., & Martins, C. C. (2022). Prevalence of ankyloglossia according to different assessment tools: A meta-analysis. *Journal of the American Dental Association* (1939), 153(11), 1026–1040.e31.
<https://doi.org/10.1016/j.adaj.2022.07.011>

Daggumati, S., Cohn, J. E., Brennan, M. J., Evarts, M., McKinnon, B. J., & Terk, A. R. (2019). Caregiver perception of speech quality in patients with ankyloglossia: Comparison between surgery and non-treatment. *International journal of pediatric otorhinolaryngology*, 119, 70–74. <https://doi.org/10.1016/j.ijporl.2019.01.019>

Daggumati, S., Cohn, J. E., Brennan, M. J., Evarts, M., McKinnon, B. J., & Terk, A. R. (2019). Speech and language outcomes in patients with ankyloglossia undergoing frenulectomy: A Retrospective Pilot Study. *OTO Open*, 3(1). doi: 10.1177/2473974X19826943.

Daniella, P. F. B., & Maria, F. B. (2020). Surface electromyography in orofacial and cervical musculature in mouth breathing children: an integrative literature review. *Revista Cefac*, 22(1). <https://doi.org/10.1590/1982-0216/202022119318>

Dasgupta, P., Kamath, G., Hs, S., Babshet, M., & Doddamani, L. (2017). Morphological variations of median maxillary labial frenum: A clinical study. *Journal of stomatology, oral and maxillofacial surgery*, 118(6), 337–341.
<https://doi.org/10.1016/j.jormas.2017.06.018>

de Araújo, S., Castelo, P. M., Said, A. V., Fernandes, J., Neves, C. R., Diafária, G., & Bommarito, S. (2022). Orofacial myofunctional assessment and quality of life of individuals with Parkinson's disease. *Special care in dentistry : official publication of the American Association of Hospital Dentists, the Academy of Dentistry for the Handicapped, and the American Society for Geriatric Dentistry*, 10.1111/scd.12787. Advance online publication. <https://doi.org/10.1111/scd.12787>

de Castro Martinelli, R.L., Marchesan, I.Q., & Berretin-Felix, G. (2020). Tongue position for lingual frenulum assessment. *Revista CEFAC*, 22(1), e0120. Epub February 17, 2020. <https://doi.org/10.1590/1982-0216/20202210120>

de Castro Martinelli, R.L., Marchesan, I.Q., & Berretin-Felix, G. (2019). Compensatory strategies for the alveolar flap [r] production in the presence of ankyloglossia

de Castro Rodrigues, R.L., Marchesan, I.Q., Gusmao, R.J. de Castro Rodriguez, A. &

Berretin-Felix, G. (2014). Characteristics of altered human frenulum. *International Journal of Pediatrics and Child Health Care*, 2, 5-9.

de Castro Martinelli, R. L., Marchesan, I. Q., Honorio, H.M. & Berretin-Felix, G. Tendency of tongue positioning during crying in infants with and without lingual frenulum alteration. (2018). *International Journal of Development Research*, 08, (11): 24310-24312.

de Castro Martinelli, R.L., Marchesan, I.Q., & Berretin-Felix, G. (2012). Lingual Frenulum Protocol with Scores for Infants. *International Journal of Orofacial Myology*, 38, 104-113.

de Felício CM, da, S. D. F. V., & Trawitzki, L. V. V. (n.d.). Obstructive sleep apnea: focus on myofunctional therapy. *Nature and Science of Sleep*, 10, 271–286. INSERT-MISSING-URL.

Devishree, Kumar-Gujjari, S. & Shubhashini, P.V. (2012) Frenectomy: a review with the reports of surgical techniques. *Journal of Clinical Diagnosis and Research*, 6(9):1587-1592.

Dezio M, Piras A, Gallottini L, Denotti G. Tongue-tie, from embryology to treatment: a literature review. *J Pediatr Neonat Individual Med*. 2015;4(1): e040101. doi: 10.7363/040101.

Di, V. S., Manzini, P., Candida, E., & Gargari, M. (2019). Froggy mouth: a new myofunctional approach to atypical swallowing. *European Journal of Paediatric Dentistry*, 20(1), 33–37. <https://doi.org/10.23804/ejpd.2019.20.01.07>

Diafáeria G, Santos-Silva, R., Truksinas, E., Haddad, F. L. M., Santos, R., Bommarito, S., Gregório LC, Tufik, S., & Bittencourt, L. (2017). Myofunctional therapy improves adherence to continuous positive airway pressure treatment. *Sleep & Breathing = Schlaf & Atmung*, 21(2), 387–395. <https://doi.org/10.1007/s11325-016-1429-6>

Dhir, S., Landau, B. P., Edemobi, S., Meyer, A. K., & Durr, M. L. (2022). Survey of Pediatric Otolaryngology Frenotomy Practice Patterns. *The Laryngoscope*, 10.1002/lary.30102. Advance online publication. <https://doi.org/10.1002/lary.30102>

D'Onofrio, L. (2019). Oral Dysfunction as a cause of malocclusion. *Orthod Craniofac Res. Suppl* 1:43-48. doi: 10.1111/ocr.12277.

Dokovova, M., Sugden, E., Cartney G., Schaeffler, S. & Cleland, J. (2023). Tongue Shape Complexity in Children With and Without Speech Sound Disorders. *JSHR*, 66 (7). https://doi.org/10.1044/2023_JSLHR-22-00472

Du, M., Zhu, Y., Wang, C., & Xu, J. (2022). Investigation of Parental Acceptance of General Anesthesia With Mask Induction in Children Undergoing Frenulectomy. *Journal of perianesthesia nursing : official journal of the American Society of PeriAnesthesia Nurses*, 37(3), 339–343. <https://doi.org/10.1016/j.jopan.2021.06.006>

Dydyk, A., Milona, M., Janiszewska-Olszowska, J., Wyganowska, M., & Grochowicz, K. (2023). Influence of Shortened Tongue Frenulum on Tongue Mobility, Speech and Occlusion. *Journal of clinical medicine*, 12(23), 7415.

<https://doi.org/10.3390/jcm12237415>

Elad, D., Kozlovsky, P., Blum, O., Laine, A. F., Po, M.J., Botzer, E.& Sira, L. B. (2014). Biomechanics of milk extraction during breast-feeding. *Proceedings of the National Academy of Sciences*, 111(14), 5230-5235.

Eliassen, M., Hjortsjö Carl, Olsen-Bergem, H., & Bjørnland, T. (2019). Self-exercise programmes and occlusal splints in the treatment of tmd-related myalgia—evidence-based medicine? *Journal of Oral Rehabilitation*, 46(11), 1088–1094.
<https://doi.org/10.1111/joor.12856>

Ellehauge, E., Jensen, J. S., Grønhøj, C., & Hjuler, T. (2020). Trends of ankyloglossia and lingual frenotomy in hospital settings among children in Denmark. *Danish medical journal*, 67(5), A01200051.

Emanuel, M. (2017). Developing considerations with TOTs: tummy time. Presented at: Connecting the Dots in TOTs. New York, N.Y.

Emanuel, M. (2016). Oral restrictions. Retrieved from:
<http://www.tummytimemethod.com/oral-restrictions.html>.

ERRATUM: MMBGR Protocol - infants and preschoolers: myofunctional orofacial clinic examination. ERRATA: Protocolo MMBGR – lactentes e pré-escolares: exame clínico miofuncional orofacial. (2023). *CoDAS*, 35(1), e20220190. <https://doi.org/10.1590/2317-1782/20212022190pt>

Fabiane, K., & Bianchini, E. (2017). Effects of orofacial myofunctional therapy on the symptoms and physiological parameters of sleep breathing disorders in adults: a systematic review. *Revista Cefac*, 19(6), 868–878. <https://doi.org/10.1590/1982-0216201719613317>

Fabíola Maria Gonçalves Félix de Mattos. (2018). Orofacial myofunctional characteristics of oral and oronasal breathers. *Revista Cefac*, 20(4), 459–467.
<https://doi.org/10.1590/1982-021620182042818>

Fassicollo, C. E., Machado, B. C. Z., Garcia, D. M., & de Felício CM. (2019). Swallowing changes related to chronic temporomandibular disorders. *Clinical Oral Investigations*, 23(8), 3287–3296. <https://doi.org/10.1007/s00784-018-2760-z>

Feitosa, A. L. F., da Silva, G. R. N., Moya, M. P., Martinelli, R. L. C., & da Silva, M. G. P. (2023). Ankyloglossia in Monochorionic Diamniotic and Dichorionic Diamniotic Twins: A Cross-Sectional Study. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, 18(7), 528–533. <https://doi.org/10.1089/bfm.2022.0239>

Felix, G.; Maximino, L. P. (2017). Sleep quality and communication aspects in children. *International Journal of Pediatric Otorhinolaryngology*, 100, 57–61. <https://doi.org/10.1016/j.ijporl.2017.06.028>

Fernando, C. (1998). *Tongue tie - from confusion to clarity: a guide to the diagnosis and treatment of ankyloglossia*. Sydney, Australia: Tandem Publications.

Ferrara, P., Saitta, D., Pulcino, M., Ruscio, F. D., Franceschini, G., Autuori, R., Lucia, A. D., Dosa, F., Zona, M., Sandullo, F., Ianni, A., & Pettoello-Mantovani, M. (2019). Gp288 the role of myofunctional therapy in treatment of enuretic children with sleep-disordered breathing. *Archives of Disease in Childhood*, 104(Suppl 3), 151. <https://doi.org/10.1136/archdischild-2019-epa.347>

Ferreira, M. C., Porto de Toledo, I., Dutra, K. L., Stefani, F. M., Porporatti, A. L., Flores-Mir, C., & De Luca Canto, G. (2018). Association between chewing dysfunctions and temporomandibular disorders: a systematic review. *Journal of Oral Rehabilitation*, 45(10), 819–835. <https://doi.org/10.1111/joor.12681>

Ferret-Amat, E., Pastor-Vera, T., Ferres-Amat, E., Mareque-Bueno, J., Prats-Armengol, J. & Ferres-Padro, E. (2016). Multidisciplinary management of ankyloglossia in childhood. Treatment of 101 cases. A protocol. *Journal of Oral Medicine and Pathology*, 1:21 (1):39-47.

Fioravanti, M., Zara, F., Vozza, I., Polimeni, A., & Sfasciotti, G. L. (2021). The efficacy of lingual laser frenectomy in pediatric osas: a randomized double-blinded and controlled clinical study. *International Journal of Environmental Research and Public Health*, 18(11). <https://doi.org/10.3390/ijerph18116112>

Fleming, P. S. (2017). Timing orthodontic treatment: early or late? *Australian Dental Journal*, 62, 11–19. <https://doi.org/10.1111/adj.12474>

Forienza, G., Paradise-Black, N.M., McNamara, E.G, & Sullivan, S.E. (2010). Ankyloglossia: exclusive breastfeeding and failure to thrive. *Pediatrics*, 125 (6); e1500-

e1504.

Fraga, B. F., Almeida, S. T., Santana, M. G., & Cassol, M. (2018). Efficacy of Myofunctional Therapy Associated with Voice Therapy in the Rehabilitation of Neurogenic Oropharyngeal Dysphagia: a pilot study. *International archives of otorhinolaryngology*, 22(3), 225–230. <https://doi.org/10.1055/s-0037-1605597>

Francis, D.O., Chinnadurai, S., Morad, A., Epstein, R.A., Kohanim, S., Krishnaswami, S., Sathe, N. & McPhetters, M. (2015). Treatments for ankyloglossia and ankyloglossia with concomitant lip tie. *Effective Healthcare Program: Comparative Effectiveness Review*, US Department of Health and Human Services, NO.149 AHRQ Publication No. 15-EHC011.-EF.

Frezza, A., Ezedine, F., Zuccon, A., Gracco, A., Bruno, G., & De Stefani, A. (2023). Treatment of Ankyloglossia: A Review. *Children (Basel, Switzerland)*, 10(11), 1808. <https://doi.org/10.3390/children10111808>

Galeotti, A., De Rosa, S., Uomo, R., Dionisi-Vici, C., Deodato, F., Taurisano, R., Olivieri, G., & Festa, P. (2020). Orofacial features and pediatric dentistry in the long-term management of infantile pompe disease children. *Orphanet Journal of Rare Diseases*, 15(1). <https://doi.org/10.1186/s13023-020-01615-1>

Gatto, K. (2016). *Understanding the orofacial complex*. Denver, CO: Outskirts Press.

Gaudiano, N., Bergstrom, B., Dralle, A. & Throneburg, R. (2019). Tongue-Tie and Speech Articulation. Poster presentation at the 60th Annual Illinois Speech-Language Hearing Association Convention, Rosemont, IL.

Geddes, D.T., Kent, J.C., Mitoulas, L.R. & Hartmann, P.E. (2008). Tongue movement and intra-oral vacuum in breastfeeding infants. *Early Human Development*, 84(7): 471-7.

Gelb, M., Montrose, J., Paglia, L., Saccomanno, S., Quinzi, V., & Marzo, G. (2021). Myofunctional therapy Part 2: Prevention of dentofacial disorders. *European journal of paediatric dentistry*, 22(2), 163–167. <https://doi.org/10.23804/ejpd.2021.22.02.15>

Genna, W. C., Saperstein, Y., Siegel, S.A., Laine, A. F., Elad, D. (2021). Quantitative imaging of tongue kinematics during infant feeding and adult swallowing reveals highly conserved patterns. *Physiological Reports*. Vol. 9 (3). 1-16

Genna, C.W. (2016). Supporting sucking in infant breast-feeding infants. (2nd ed.) Burlington, MA: Jones and Bartlett Learning.

Genna, C.W. (2002). Tongue tie and breastfeeding. *Leaven*, 38(2): 27-29.

Genna, C.W. & Coryllos, E.V. (2009) Retrieved From:
http://www.brianpalmerdds.com/pdf/cwatson_tongue_presentation.pdf

Genthaler, D. J., Skinner, M. L., Bailey, P. J., Capone, R. B., & Byrne, P. J. (2015). Airway obstruction after lingual frenectomy in two infants with Pierre-Robin Sequence. *International journal of pediatric otorhinolaryngology*, 79(9), 1592-1594.

Ghaheri, B. A., Cole, M., Fausel, S. C., Chuop, M., & Mace, J. C. (2017). Breastfeeding improvement following tongue-tie and lip-tie release: A prospective cohort study. *The Laryngoscope*, 127(5), 1217–1223. doi:10.1002/lary.26306

Ghaheri, B. A., Lincoln, D., Mai, T., & Mace, J. C. (2021). Objective Improvement After Frenotomy for Posterior Tongue-Tie: A Prospective Randomized Trial. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery*, 1945998211039784. Advance online publication.
<https://doi.org/10.1177/01945998211039784>

Ghaheri, B. (2017). Aftercare. Retrieved from: <http://www.drghaheri.com/aftercare/>

Ghaheri, B, (2015). The importance of active wound management following frenectomy. Retrieved From: <http://www.drghaheri.com/blog/2015/6/21/the-importance-of-active-wound-management-following-frenotomy>

Ghaheri, B. (2014a). Diagnosing tongue-tie in baby is not a fad. Retrieved from: <http://www.drghaheri.com/blog/2014/2/17/diagnosing-tongue-tie-in-a-baby-is-not-a-fad>

Ghaheri, (2014b). Rethinking tongue-tie: anterior vs. posterior is irrelevant. Retrieved from:

<http://www.drghaheri.com/blog/2014/3/22/rethinking-tongue-tie-anatomy-anterior-vs-posterior-is-irrelevant>

Ghaheri, B. (2014c). How to assess a baby for tongue-tie or lip- tie. Retrieved from: <http://www.drghaheri.com/blog/2014/2/15/how-to-examine-a-baby-for-tongue-tie-or-lip-tie>

Ginini, J. G., Rachmiel, A., Bilder, A., Botzer, E., Capucha, T., Nseir, S., Ohayon, C., Shilo, D., & Emodi, O. (2023). Evaluation of parental perceptions of lingual and labial frenectomy on their child: a comparison of CO₂ laser and conventional scalpel. *The Journal of Clinical Pediatric Dentistry*, 47(6), 30–37.

<https://doi.org/10.22514/jocpd.2023.079>

González Garrido MDP, García-Munoz C, Rodríguez-Huguet M, Martín-Vega FJ, Gonzalez-Medina G, Vinolo-Gil MJ. Effectiveness of Myofunctional Therapy in Ankyloglossia: A Systematic Review. *Int J Environ Res Public Health*. 2022 Sep 28;19(19):12347. doi: 10.3390/ijerph191912347. PMID: 36231647; PMCID: PMC9566693.

Graham M. E. (2022). What Is a Tongue Tie?. *JAMA otolaryngology-- head & neck surgery*, 148(5), 496. <https://doi.org/10.1001/jamaoto.2022.0181>

Graziani, A. F., Berretin-Felix, G., & Genaro, K. F. (2019). Orofacial myofunctional evaluation in cleft lip and palate: an integrative literature review. *Revista Cefac*, 21(1). <https://doi.org/10.1590/1982-0216/20192116418>

Groot, R. J., Wetzels, J.-W., Merkx, M. A. W., Rosenberg, A. J. W. P., Haan, A. F. J., Bilt, A., Abbink, J. H., & Speksnijder, C. M. (2019). Masticatory function and related factors after oral oncological treatment: a 5-year prospective study. *Head & Neck*, 41(1), 216–224. <https://doi.org/10.1002/hed.25445>

Grudziąż-Sękowska, J., Olczak-Kowalczyk, D., & Zadurska, M. (2018). Correlation between functional disorders of the masticatory system and speech sound disorders in children aged 7-10 years. *Dental and medical problems*, 55(2), 161–165. <https://doi.org/10.17219/dmp/86006>

Gupta, S. R., Rajiv, B., Yadav, A., & Sharma, S. (2022). Binder's phenotype with ankyloglossia: Report of a rare inherited association in an Indian female. *Journal of oral and maxillofacial pathology : JOMFP*, 26(Suppl 1), S5–S11. https://doi.org/10.4103/jomfp.jomfp_143_21

Guo, J., & Xiao, Y. (2023). New Metrics from Polysomnography: Precision Medicine for OSA Interventions. *Nature and science of sleep*, 15, 69–77. <https://doi.org/10.2147/NSS.S400048>

Gutiérrez, D., Garzón, J. S., Franco, J. Q., & Botero-Mariaca, P. (2021). Anterior open bite and its relationship with dental arch dimensions and tongue position during swallowing and phonation in individuals aged 8-16 years: A retrospective case-control study. *International orthodontics*, 19(1), 107–116. <https://doi.org/10.1016/j.ortho.2020.12.005>

Habumugisha, J., Cheng, B., Ma, S. Y., Zhao, M. Y., Bu, W. Q., Wang, G. L., Liu, Q., Zou, R., & Wang, F. (2022). A non-randomized concurrent controlled trial of myofunctional treatment in the mixed dentition children with functional mouth breathing assessed by cephalometric radiographs and study models. *BMC pediatrics*, 22(1), 506. <https://doi.org/10.1186/s12887-022-03559-w>

Hägglund P, Hägg M, Wester, P., & Levring Jäghagen E. (2019). Effects of oral neuromuscular training on swallowing dysfunction among older people in intermediate care-a cluster randomised, controlled trial. *Age and Ageing*, 48(4), 533–540. <https://doi.org/10.1093/ageing/afz042>

Hale, M., Mills, N., Edmonds, L., Dawes, P., Dickson, N., Barker, D., & Wheeler, B. J. (2020). Complications following frenotomy for ankyloglossia: A 24-month prospective New Zealand Paediatric Surveillance Unit study. *Journal of paediatrics and child health*, 56(4), 557–562. <https://doi.org/10.1111/jpc.14682>

Hatami, A., Dreyer, C. W., Meade, M. J., & Kaur, S. (2022). Effectiveness of tongue-tie assessment tools in diagnosing and fulfilling lingual frenectomy criteria: a systematic review. *Australian dental journal*, 67(3), 212–219. <https://doi.org/10.1111/adj.12921>

Hand, P., Olivi, G., Lajolo, C., Gioco, G., Marigo, L., Castagnola, R., & Cordaro, M. (2020). Short lingual frenum in infants, children and adolescents. Part 1: Breastfeeding and gastroesophageal reflux disease improvement after tethered oral tissues release. *European journal of paediatric dentistry*, 21(4), 309–317. <https://doi.org/10.23804/ejpd.2020.21.04.10>

Hari Iyer, V. & Sudarson, S. (2015). A comprehensive treatment protocol for lingual frenectomy with combination of laser and speech therapy. *International Journal of Laser Dentistry*, 5(1): 12-21.

Hazelbaker, A. (2010). *Tongue-tie: Morphogenesis, Impact, Assessment and Treatment*. Columbus, OH: Aidan and Eva Press.

Heit, T., Tablizo, B. J., Salud, M., Mo, F., Kang, M., Tablizo, M. A., & Witmans, M. (2022). Craniofacial Sleep Medicine: The Important Role of Dental Providers in Detecting and Treating Sleep Disordered Breathing in Children. *Children (Basel, Switzerland)*, 9(7), 1057. <https://doi.org/10.3390/children9071057>

Hill, R. R., Lee, C. S., & Pados, B. F. (2020). The prevalence of ankyloglossia in children aged <1 year: a systematic review and meta-analysis. *Pediatric research*, 10.1038/s41390-020-01239-y. Advance online publication. <https://doi.org/10.1038/s41390-020-01239-y>

Hill, R. R., & Pados, B. F. (2022). Gastrointestinal Symptom Improvement for Infants Following Tongue-Tie Correction. *Clinical pediatrics*, 99228221117459. Advance online publication. <https://doi.org/10.1177/00099228221117459>

Hogan, M., Westcott, C., & Griffiths, M. (2005). Randomized, controlled trial of division of tongue-tie in infants with feeding problems. *Journal of paediatrics and child health*, 41(5-6), 246–250. <https://doi.org/10.1111/j.1440-1754.2005.00604.x>

Homem, M. A., Vieira-Andrade, R. G., Falci, S. G., Ramos-Jorge, M. L., & Marques, L. S. (2014). Effectiveness of orofacial myofunctional therapy in orthodontic patients: a systematic review. *Dental press journal of orthodontics*, 19(4), 94–99.
<https://doi.org/10.1590/2176-9451.19.4.094-099.oar>

Hong, S. J., Cha, B. G., Kim, Y. S., Lee, S. K., & Chi, J. G. (2015). Tongue Growth during Prenatal Development in Korean Fetuses and Embryos. *Journal of pathology and translational medicine*, 49(6), 497–510. <https://doi.org/10.4132/jptm.2015.09.17>

Hong, H., Zeng, Y., Chen, X., Peng, C., Deng, J., Zhang, X., Deng, L., Xie, Y., & Wu, L. (2021). Electromyographic features and efficacy of orofacial myofunctional treatment for skeletal anterior open bite in adolescents: an exploratory study. *Bmc Oral Health*, 21(1).
<https://doi.org/10.1186/s12903-021-01605-0>

Horton C.E., Crawford H.H., Adamson J.E., Ashbell T.S. (1969). Tongue-tie. *The Cleft Palate Journal*, 6: 8–23. [PMID 5251442](#).

Huang, Y., Quo, S., Berkowski, J.A. & Guilleminault, C.S. (2015). Short lingual frenulum and obstructive sleep apnea in children *International Journal of Pediatric Research*, 1:1, ISSN:2469- 5769.

Huang, Y. S., Chuang, L. C., Hervy-Auboiron, M., Paiva, T., Lin, C. H., & Guilleminault, C. (2019). Neutral supporting mandibular advancement device with tongue bead for passive myofunctional therapy: a long-term follow-up study. *Sleep Medicine*, 60, 69–74. <https://doi.org/10.1016/j.sleep.2018.09.013>

Hwang, Y. J., Huang, Y. S., Lian, Y. C., Lee, Y. H., Hervy-Auboiron, M., Li, C. H., Lin, C. H., & Chuang, L. C. (2022). Craniofacial Morphologic Predictors for Passive Myofunctional Therapy of Pediatric Obstructive Sleep Apnea Using an Oral Appliance with a Tongue Bead. *Children (Basel, Switzerland)*, 9(7), 1073.
<https://doi.org/10.3390/children9071073>

Ingram, J., Johnson, D., Copeland, M., Churchill, C., Taylor, H., & Emond, A. (2015). The development of a tongue assessment tool to assist with tongue-tie identification. *Archives of disease in childhood. Fetal and neonatal edition*, 100(4), F344–F348. <https://doi.org/10.1136/archdischild-2014-307503>

International Association of Orofacial Myology. (2022). Proceedings of the 2022 IAOM Convention. *International Journal of Orofacial Myology and Myofunctional Therapy*, 48(1), 1-15.

DOI: <https://doi.org/10.52010/ijom.2022.48.1.5>

International Affiliation of Tongue-Tie Professionals (2011). Classification. Retrieved from: <http://tonguetieprofessionals.org/about/assessment/classification/>

International Consortium of Ankylofrenula Professionals. (2022). Proceedings of the 2022 ICAP Conference. *International Journal of Orofacial Myology and Myofunctional Therapy*, 48(1), 1-13.

DOI: <https://doi.org/10.52010/ijom.2022.48.1.6>

International Lactation Consultant Association (ILCA). (2011). Position paper on the role of IBCLC. Morrisville, NC: ILCA.

Ito, Y., Shimizu, T., Nakamura, T., & Takatama, C. (2015). Effectiveness of tongue-tie division for speech disorder in children. *Pediatrics international: official journal of the Japan Pediatric Society*, 57(2), 222–226. <https://doi.org/10.1111/ped.12474>

Jaikumar, S., Srinivasan, L., Kennedy Babu, S., Gandhimadhi, D., & Margabandhu, M. (2022). Laser-Assisted Frenectomy Followed by Post-Operative Tongue Exercises in Ankyloglossia: A Report of Two Cases. *Cureus*, 14(3), e23274. <https://doi.org/10.7759/cureus.23274>

Jones Oguh, S., Elden, L., Swanson, J., Tapia, I., & Subramanyam, R. (2020). New treatments for obstructive sleep apnea in children. *Pediatric Anesthesia*, 30(3), 232–240. <https://doi.org/10.1111/pan.13775>

Joseph, K. S., Kinniburgh, B., Metcalfe, A., Razaz, N., Sabr, Y., & Lisonkova, S. (2016). Temporal trends in ankyloglossia and frenotomy in British Columbia, Canada, 2004–2013: a population-based study. *CMAJ open*, 4(1), E33–E40. <https://doi.org/10.9778/cmajo.20150063>

Kapoor, V., Douglas, P. S., Hill, P. S., Walsh, L. J., & Tennant, M. (2018). Frenotomy for tongue-tie in Australian children, 2006–2016: an increasing problem. *The Medical journal of Australia*, 208(2), 88–89. <https://doi.org/10.5694/mja17.00438>

Kassing, (2008). Breastfeeding and craniosacral therapy: when it can help. Low Milk Supply. Retrieved from: <http://www.lowmilksupply.org/craniosacral.shtml>.

Katz, R. V., Dearing, B. A., Ryan, J. M., Ryan, L. K., Zubi, M. K., & Sokhal, G. K. (2020). Development of a tongue-tie case definition in newborns using a Delphi survey: The NYU–Tongue-Tie Case Definition. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*, 129(1), 21–26. doi: 10.1016/j.oooo.2019.01.012

Kayamori, F., & Bianchini, E. (2017). Effects of orofacial myofunctional therapy on the

symptoms and physiological parameters of sleep breathing disorders in adults: a systematic review. Revista Cefac, 19(6), 868–878. <https://doi.org/10.1590/1982-0216201719613317>

Kayamori, F., Rabelo, F., Nazario, D., Thuller, E. R., & Bianchini, E. (2022). Myofunctional assessment for obstructive sleep apnea and the association with patterns of upper airway collapse: a preliminary study. *Sleep science (Sao Paulo, Brazil)*, 15(1), 95–104. <https://doi.org/10.5935/1984-0063.20220030>

Kelly, Z., & Yang, C. J. (2022). Ankyloglossia. *Pediatrics in review*, 43(8), 473–475. <https://doi.org/10.1542/pir.2020-005108>

Khaimar, M., Pawar, B. & Khaimar, D. (2014). A novel pre- surgical technique for the management of ankyloglossia. *Journal of Surgical Technique Case Reports*, 6(2): 49-54.

Kilinc, D. D., & Mansiz, D. (2023). Myofunctional orofacial examination tests: a literature review. *BMC oral health*, 23(1), 350. <https://doi.org/10.1186/s12903-023-03056-1>

Kim, T., Lee, Y., Yoo, S., Lee, S. Yun, E. Comparison of simple frenotomy with 4-flap Z-frenuloplasty in treatment for ankyloglossia with articulation difficulty: A prospective randomized study. *International Journal of Pediatric Otorhinolaryngology* 136. DOI: 10.1016/j.ijporl.2020.110146

Kim, J., Oh, E. G., Choi, M., Choi, S. J., Joo, E. Y., Lee, H., & Kim, H. Y. (2020). Development and evaluation of myofunctional therapy support program (mtsp) based on self-efficacy theory for patients with obstructive sleep apnea. *Sleep & Breathing = Schlaf & Atmung*, 24(3), 1051–1058. <https://doi.org/10.1007/s11325-019-01957-6>

Koka, V., De, V. A., Roisman, G., Petitjean, M., Filograna, P. G. R., Padovani, D., & Randerath, W. (2021). Orofacial myofunctional therapy in obstructive sleep apnea syndrome: a pathophysiological perspective. *Medicina (Kaunas, Lithuania)*, 57(4). <https://doi.org/10.3390/medicina57040323>

Koletsi, D., Makou, M., & Pandis, N. (2018). Effect of orthodontic management and orofacial muscle training protocols on the correction of myofunctional and myoskeletal problems in developing dentition. a systematic review and meta-analysis. *Orthodontics & Craniofacial Research*, 21(4), 202–215. <https://doi.org/10.1111/ocr.12240>

Koletsi, D., Makou, M., & Pandis, N. (2018). Effect of orthodontic management and orofacial muscle training protocols on the correction of myofunctional and myoskeletal

problems in developing dentition. A systematic review and meta-analysis. *Orthodontics & craniofacial research*, 21(4), 202–215. <https://doi.org/10.1111/ocr.12240>

Kotlow, L. (2001). Infant reflux and aerophagia associated with maxillary lip-tie and ankyloglossia. *Clinical Lactation*, Vol. 2- 4, 25-29.

Kotlow L. A. (2013). Diagnosing and understanding the maxillary lip-tie (superior labial, the maxillary labial frenum) as it relates to breastfeeding. *Journal of human lactation: official journal of International Lactation Consultant Association*, 29(4), 458–464. <https://doi.org/10.1177/0890334413491325>

Kotlow, L. (2014). *Lasers in Pediatric Dentistry*. Dental Clinics of North America. 48:4.

Kotlow,L. (2015). TOTS-tethered oral tissues: the assessment and diagnosis of the tongue and upper lip ties in breastfeeding. *Oral Health*. Retrieved from: <http://www.oralhealthgroup.com/features/tots-tethered-oral- tissues-the-assessment-and-diagnosis-of-the-tongue-and-upper- lip-ties-in/>

Kotlow, L. (2018). The Breastfeeding Dilemma: Misdiagnosed TOTS or Just Ignoring their Existence? *Med Case Rep J.*, 1 (1):1-5

Kramer, P. F., de Amorim, L. M., de Moura Alves, N., Ruschel, H. C., Bervian, J., & Feldens, C. A. (2022). Maxillary Labial Frenum in Preschool Children: Variations, Anomalies and Associated Factors. *The Journal of clinical pediatric dentistry*, 46(1), 51–57. <https://doi.org/10.17796/1053-4625-46.1.9>

Kummer A. W. (2023). Ankyloglossia: Typical Characteristics, Effects on Function, and Clinical Implications. *Seminars in speech and language*, 44(4), 217–229. <https://doi.org/10.1055/s-0043-1772598>

Kummer, A. (2016). To clip or not to clip? That's the question. Presented at the annual convention of The American Speech and Hearing Association, Philadelphia, PA.

Kummer, A. (2005). To clip or not to clip? That's the question. *The ASHA Leader*, 10:6-30.

Kupietzky, A. & Botzer, E. (2005) Ankyloglossia in the infant and young child: clinical suggestions for diagnosis and management. *Pediatric Dentistry*, 27:1, 40-46.

Larjava, H. (2012) *Oral wound healing: cell biology and clinical management*. Wiley-Blackwell: Vancouver BC, Canada.

Larrain, M., & Stevenson, E. (2022). Controversy Over Tongue-Tie: Divisions in the Community of Healthcare Professionals. *Medical anthropology*, 41(4), 446–459. <https://doi.org/10.1080/01459740.2022.2056843>

Lee, N. (2016) *Complementary and alternative medicine in breastfeeding therapy*. Amarillo, TX: Praeclarus Press LLC.

Lee, S. Y., Guilleminault, C., Chiu, H. Y., & Sullivan, S. S. (2015). Mouth breathing, "nasal disuse," and pediatric sleep-disordered breathing. *Sleep & Breathing = Schlaf & Atmung*, 19(4), 1257–64. <https://doi.org/10.1007/s11325-015-1154-6>

Letran, V., Osterbaum, B., Buen, B. Yalamanchili, L. & Gomez, G. (2019). Ankyloglossia: Last three-years of outpatient care at a tertiary referral center. *International Journal of Pediatric Otorhinolaryngology*, 126. DOI: <https://doi.org/10.1016/j.ijporl.2019.109599>

Levine, R. Vitruk, P. (2015b). Enhanced hemostasis and improved healing in CO₂ laser assisted soft tissue oral surgeries. *Implant Practice US* 8(3). 34-37.

Li, X., Wang, H., Li, S., & Bai, Y. (2019). Treatment of a class ii division 1 malocclusion with the combination of a myofunctional trainer and fixed appliances. *American Journal of Orthodontics and Dentofacial Orthopedics: Official Publication of the American Association of Orthodontists, Its Constituent Societies, and the American Board of Orthodontics*, 156(4), 545–554. <https://doi.org/10.1016/j.ajodo.2018.04.032>

Lim, L. I., Choo, H., Eto, L. F., Chung, K. R., & Kim, S. H. (2022). Bio-Exercise (BioEx) - A biocreative orofacial myofunctional therapy: preliminary cephalometric study and clinical application. *Dental press journal of orthodontics*, 27(2), e2220367. <https://doi.org/10.1590/2177-6709.27.2.e2220367.oar>

Lisonek, M., Liu, S., Dzakpasu, S., Moore, A. M., Joseph, K. S., & Canadian Perinatal Surveillance System (Public Health Agency of Canada) (2017). Changes in the incidence and surgical treatment of ankyloglossia in Canada. *Paediatrics & child health*, 22(7), 382–386. <https://doi.org/10.1093/pch/pxx112>

Liu, Y., Zhou, J. R., Xie, S. Q., Yang, X., & Chen, J. L. (2023). The Effects of Orofacial Myofunctional Therapy on Children with OSAHS's Craniomaxillofacial Growth: A Systematic Review. *Children (Basel, Switzerland)*, 10(4), 670. <https://doi.org/10.3390/children10040670>

Lopes de Castro Martinelli, R., Jordão Gusmão, R., Moya Daza, M. P., Queiroz Marchesan, I., & Berretin-Felix, G.. (2020). Profile of Scientific Production on

Ankyloglossia. *International Journal of Medical and Surgical Sciences*, 8(1), 1-13.
<https://doi.org/10.32457/ijmss.v8i1.592>

Lorenzi-Filho, G., Almeida, F. R., & Strollo, P. J. (2017). Treating osa: current and emerging therapies beyond cpap. *Respirology*, 22(8), 1500–1507.
<https://doi.org/10.1111/resp.13144>

Manipon C. (2016). Ankyloglossia and the Breastfeeding Infant: Assessment and Intervention. *Advances in neonatal care : official journal of the National Association of Neonatal Nurses*, 16(2), 108–113. <https://doi.org/10.1097/ANC.0000000000000252>

Marchesan, I.Q. (2004). Lingual frenulum: classification and speech interference. *IJOM*, XXX:31-38.

Marchesan, I.Q, Canton, P. & deCastro Martinelli, R.L. (2018). Understanding the Lingual Frenulum Literature. Cefac Soude e Educacao. Poster session at *The International Association of Orofacial Myology*, Charlotte, N.C.

Mariana Do Rêgo Barros De Andrade Fraga, Barreto, K. A., Lira, T. C. B., & Menezes, V. A. D. (2020). Is the Occurrence of Ankyloglossia in Newborns Associated with Breastfeeding Difficulties? *Breastfeeding Medicine*. doi: 10.1089/bfm.2019.0199

Marques, M., Genta, P. R., Sands, S. A., Azarbazin, A., de Melo, C., Taranto-Montemurro, L., White, D. P., & Wellman, A. (2017). Effect of Sleeping Position on Upper Airway Patency in Obstructive Sleep Apnea Is Determined by the Pharyngeal Structure Causing Collapse. *Sleep*, 40(3), zsx005. <https://doi.org/10.1093/sleep/zsx005>

Mayo Clinic (2016). Diseases and conditions: tongue-tie (Ankyloglossia). Retrieved from: <http://www.mayoclinic.org/diseases-conditions/tongue- tie/basics/definition/CON-20035410>

Marchesan, I.Q. (2012). Lingual Frenulum Protocol. *International Journal of Orofacial Myology*, 38, 89-104.

Marshalla, P. (2008). Oral Motor Treatment vs. Non-speech Oral Motor Exercises. *Oral Motor Institute*, 2(2). Available from www.oralmotorinstitute.org.

Marshalla, P. (2007). Oral Motor Techniques Are Not New. *Oral Motor Institute*, 1(1). Available from: www.oralmotorinstitute.org.

Marchesan, I. Q. (2005). Lingual frenulum: quantitative evaluation proposal. *The International Journal of Orofacial Myology*, 31: 39-4.

Marchesan, I. Q. (2004). Lingual frenulum: classification and speech interference. *International Journal of Orofacial Myology*, 30(1), 32-39.
DOI: <https://doi.org/10.52010/ijom.2004.30.1.3>

Martinelli, Roberta Lopes de Castro, Marchesan, Irene Queiroz, & Berretin-Felix, Giédre. (2014). Longitudinal study of the anatomical characteristics of the lingual frenulum and comparison to literature. *Revista CEFAC*, 16(4), 1202-1207.
<https://dx.doi.org/10.1590/1982-021620149913>

Martinelli, R., Marchesan, I. Q., Gusmão, R. J., & Berretin-Felix, G. (2021). Effect of Lingual Frenotomy on Tongue and Lip Rest Position: A Nonrandomized Clinical Trial. *International archives of otorhinolaryngology*, 26(1), e069–e074.
<https://doi.org/10.1055/s-0041-1726050>

Martinelli, R. L., Marchesan, I. Q., & Berretin-Felix, G. (2018). Posterior lingual frenulum in infants: occurrence and maneuver for visual inspection. *Revista CEFAC*, 20(4), 478-483. <https://dx.doi.org/10.1590/1982-0216201820410918>

Meaux, A., Savage, M., & Gonsoulin, C. (2016). Tongue ties and speech sound disorders: what are we overlooking? Presented poster at the Annual ASHA Convention, Philadelphia, PA.

Medeiros, A., Marchesan, I. Q., Genaro, K. F., Barreto, I., & Berretin-Felix, G. (2022). MMBRG Protocol - Infants and Preschoolers: Myofunctional Orofacial Clinic Examination. Protocolo MMBRG – Lactentes e Pré-Escolares: Exame Clínico Miofuncional Orofacial. *CoDAS*, 34(5), e20200325. <https://doi.org/10.1590/2317-1782/20212020325>

Meghpara, S., Chohan, M., Bandyopadhyay, A., Kozlowski, C., Casinas, J., Kushida, C., & Camacho, M. (2022). Myofunctional therapy for OSA: a meta-analysis. *Expert review of respiratory medicine*, 16(3), 285–291.
<https://doi.org/10.1080/17476348.2021.2001332>

Melchior, M. O., Valencise, M. L., Da, S. A. M. B. R., Cazal, M. S., & Da, S. M. A. M. R. (2021). Influence of tongue exercise and orofacial myofunctional status on the electromyographic activity and pain of chronic painful tmd. *Cranio: The Journal of Craniomandibular Practice*, 39(5), 445–451.
<https://doi.org/10.1080/08869634.2019.1656918>

Melis, M., Di, G. M., & Zawawi, K. H. (2019). Oral myofunctional therapy for the treatment of temporomandibular disorders: a systematic review. *Cranio: The Journal of Craniomandibular Practice*, 1-7, 1–7. <https://doi.org/10.1080/08869634.2019.1668996>

Merdad H. & Mascarenhas, A. K. (2020). Ankyloglossia may cause breastfeeding, tongue mobility, and speech difficulties, with inconclusive results on treatment choices. *Journal of Evidence Based Dental Practice*, 10 (3); 152-153.

Merkel-Walsh, R. (2022). Review of A Trip to The Land of Funny Animals: Oral Motor and Myofunctional Exercises for Toddlers by Hilit Brown. *International Journal of Orofacial Myology and Myofunctional Therapy*, 48(1), 1-2.
DOI: [10.52010/ijom.2022.48.1.3](https://doi.org/10.52010/ijom.2022.48.1.3)

Merkel-Walsh, R. (2020). Orofacial myofunctional therapy with children ages 0-4 and individuals with special needs, *International Journal of Orofacial Myology and Myofunctional Therapy*, 46 (1), 22-36.

Merkel-Walsh, R. (2019). Tongue-tie and speech clarity: what we think we know. Presented at: The Annual Convention of the International Association of Orofacial Myology. New Orleans, LA.

Merkel-Walsh, R. & Gatto, K. (2021). The Team approach in treating oral sensory-motor dysfunction in newborns, infants, and babies with a diagnosis of tethered oral tissue. *Journal of the American Laser Study Club*.

Merkel-Walsh, R. & Overland, L.L. (2019). The speech pathologist's role in tethered oral tissues. Presented at: The Annual Convention of the American Speech-Language-Hearing Association. Orlando, FL.

Merkel-Walsh, R. & Overland, L.L. (2018). TOTs: A hot topic! Presented at: The Annual Convention of the American Speech- Language-Hearing Association. Boston, MA.

Merkel-Walsh, R. & Overland, L.L. (2018). SLP'S Role in Post- Frenectomy Care for Children Who Present with Feeding Challenges. Poster Presentation at: The Annual Convention of the American Speech-Language-Hearing Association. Boston, MA.

Merkel-Walsh & Overland, L.L. (2017). TOTs: the functional impact on feeding and speech (joint lecture).Presented at: Connecting the Dots in TOTs. New York, N.Y.

Merkel-Walsh, R. (2016). A modern look at Van Riper's phonetic placement approach. Poster session. ASHA Connect Convention. Minneapolis, MN.

Merkel-Walsh, R. & Jahn, A. (2014). Teaming up to correct tongue-tie. *The ASHA Leader*, 19. Retrieved from: <http://leader.pubs.asha.org/article.aspx?articleid=1814871>

Merkel-Walsh, R. (2018) *Systematic Intervention for Lingual Elevation (SMILE)*. Charleston, SC: TalkTools.

Maspero, C., Prevedello, C., Giannini, L., Galbiati, G., & Farronato, G. (2014). Atypical swallowing: a review. *Minerva stomatologica*, 63(6), 217–227.

Messner, A. H., Walsh, J., Rosenfeld, R. M., Schwartz, S. R., Ishman, S. L., Baldassari, C., Satterfield, L. (2020). Clinical Consensus Statement: Ankyloglossia in Children. *Otolaryngology—Head and Neck Surgery*, 019459982091545. doi: 10.1177/0194599820915457

Messner, A.H. & Lalakea, M.L. (2000). Ankyloglossia: controversies in management. *International Journal of Pediatric Otorhinolaryngology*, 54(2):123-31.

Milanesi, J. M., Berwig, L. C., Schuch, L. H., Ritzel, R. A., Silva, A. M. T. D., & Corrêa ECR. (2019). Nasal patency and otorhinolaryngologic-orofacial features in children. *Brazilian Journal of Otorhinolaryngology*, 85(1), 83–91.
<https://doi.org/10.1016/j.bjorl.2017.10.014>

Milazzo, M., Panepinto, A., Sabatini, A. M., & Danti, S. (2019). Tongue rehabilitation device for dysphagic patients. *Sensors* (Basel, Switzerland), 19(21).
<https://doi.org/10.3390/s19214657>

Mills, N., Pransky, S. M., Geddes, D. T., & Mirjalili, S. A. (2019). What is a tongue tie? Defining the anatomy of the in-situ lingual frenulum. *Clinical anatomy* (New York, N.Y.), 32(6), 749–761. <https://doi.org/10.1002/ca.23343>

Mills, N., Geddes, D.T., Amirapu, S. & Ali Mirjalil, S. (2020). Understanding the lingual frenulum: histological structure, tissue composition, and implications for tongue tie surgery. *International Journal of Otolaryngology* 2020(12):1-12.

Mir, M. A., Maurya, R., Parkash, O., Kaushal, G., & Rakesh, N. R. (2022). Harmonic Lingual Frenotomy for Ankyloglossia: A Newer Novel Technique. *Cureus*, 14(3), e23223. <https://doi.org/10.7759/cureus.23223>

Moeller, J., 2017. Orofacial myofunctional therapy: a creative way to make a difference in patient's lives. RDH. Retrieved from: <http://www.rdhmag.com/articles/print/volume-29/issue- 11/feature/orofacial-myofunctional-therapy.html>

Moore, J. D., Kleinfeld, D., & Wang, F. (2014). How the brainstem controls orofacial behaviors comprised of rhythmic actions. *Trends in neurosciences*, 37(7), 370–380. <https://doi.org/10.1016/j.tins.2014.05.001>

Morgado Dias, J., Baptista, A., Alegrete, N., Areias, C., & Soares, H. (2023). Ankyloglossia, Syndactyly and Polydactyly in the Pediatric Patient. *Cureus*, 15(2),

e35443. <https://doi.org/10.7759/cureus.35443>

Morita, K., Tsuka, H., Kuremoto, K. I., Kimura, H., Kawano, H., Yokoi, M., Yasuda, K., Yoshida, M., & Tsuga, K. (2021). Association between buccal mucosa ridging and oral feature/symptom and its effects on occlusal function among dentate young adults in a cross-sectional study of Japan. *Cranio : the journal of craniomandibular practice*, 39(1), 24–28. <https://doi.org/10.1080/08869634.2019.1581471>

Morris, S. & Klein, M. (2000). *Pre-feeding skills (2nd ed)*. San Antonio TX: Therapy Skill Builders.

Moura, A. P. A., de Lima, J. A. S. de, Amarante, E. de L., Almeida, L. N. A., de Figueirêdo, P.L.S., de Araújo, P.L., & Ånderson dos Santos, A.V., (2021). Orofacial myofunctional changes and electromyographic activity of the orbicularis oris muscle in trombonists. *Revista Cefac*, 23(1). <https://doi.org/10.1590/1982-0216/20212313920>

Mozzanica, F., Pizzorni, N., Scarponi, L., Crimi, G., & Schindler, A. (2020). Impact of oral myofunctional therapy on orofacial myofunctional status and tongue strength in patients with tongue thrust. *Folia Phoniatrica Et Logopaedica: Official Organ of the International Association of Logopedics and Phoniatrics (Ialp)*, 1-9, 1–9. <https://doi.org/10.1159/000510908>

Murias, I., Grzech-Leśniak, K., Murias, A., Walicka-Cupryś, K., Dominiak, M., Golob Deeb, J., & Matys, J. (2022). Efficacy of Various Laser Wavelengths in the Surgical Treatment of Ankyloglossia: A Systematic Review. *Life (Basel, Switzerland)*, 12(4), 558. <https://doi.org/10.3390/life12040558>

Neiva, P. D., Franco, L. P., Kirkwood, R. N., & Becker, H. G. (2018). The effect of adenotonsillectomy on the position of head, cervical and thoracic spine and scapular girdle of mouth breathing children. *International Journal of Pediatric Otorhinolaryngology*, 107, 101–106. <https://doi.org/10.1016/j.ijporl.2018.01.033>

Nelson, L., Prasad, N., Lally, M. M., & Harley, E. H. (2021). Frenotomy Revision Rate in Breastfeeding Infants: The Impact of Early Versus Late Follow-Up. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, 16(8), 624–628. <https://doi.org/10.1089/bfm.2020.0225>

Nogami, Y., Saitoh, I., Inada, E., Murakami, D., Iwase, Y., Kubota, N., Nakamura, Y., Nakakura-Ohshima, K., Suzuki, A., Yamasaki, Y., Hayasaki, H., & Kaihara, Y. (2022). Lip-closing strength in children is enhanced by lip and facial muscle training. *Clinical and experimental dental research*, 8(1), 209–216. <https://doi.org/10.1002/cre2.490>

Noor, N., Zubair, A., & Ijaz, W. (2021). A Study Correlating Breathing Pattern With Different Malocclusions Among Patients Reporting At Department Of Orthodontics Ayub

Medical College, Abbottabad, Pakistan. *Journal of Ayub Medical College, Abbottabad : JAMC*, 33(4), 664–667.

Northcutt, M. (2009). The lingual frenum. *The Journal of Clinical Orthodontics*, 43(9):557-565.

O' Callahan, C., Macary, S., & Clemente, S. (2013). The effects of office-based frenotomy for anterior and posterior ankyloglossia on breastfeeding. *International journal of pediatric otorhinolaryngology*, 77(5), 827-832.

O'Connor, M. E., Gilliland, A. M., & LeFort, Y. (2022). Complications and misdiagnoses associated with infant frenotomy: results of a healthcare professional survey. *International breastfeeding journal*, 17(1), 39. <https://doi.org/10.1186/s13006-022-00481-w>

Oliven, R., Cohen, G., Somri, M., Schwartz, A. R., & Oliven, A. (2019). Peri-pharyngeal muscle response to inspiratory loading: comparison of patients with osa and healthy subjects. *Journal of Sleep Research*, 28(5). <https://doi.org/10.1111/jsr.12756>

Opara, P., Gabriel-Job, N. & Opara, K.O. (2012). Neonates presenting with severe complications of frenotomy: a case series. *Journal of Case Reports*, 6, 77.

Ostapiuk, B. (2006). Tongue mobility in ankyloglossia with regards to articulation. *Ann Acad Med Stetin*. 2006;52 Suppl 3:37-47

O'Shea, J. E., Foster, J. P., O'Donnell, C. P., Breathnach, D., Jacobs, S. E., Todd, D. A., & Davis, P. G. (2017). Frenotomy for tongue-tie in newborn infants. *The Cochrane database of systematic reviews*, 3(3), CD011065. <https://doi.org/10.1002/14651858.CD011065.pub2>

O'Sullivan, S. (2007). Examination of motor function: Motor control and motor learning. In S.B. O'Sullivan, & T.J. Scmit (Eds). *Physical Rehabilitation* (5th ed.). Philadelphia, PA: F.A. Davis Company.

Overland, L. & Merkel-Walsh, R. (2013). *A sensory-motor approach to feeding*. Charleston, SC: TalkTools.

Paladino, L. (2017). IBCLC as a team leader for the assessment and management of the nursing infant with lip and tongue tie. Presented at: Connecting the Dots in TOTs. New York, N.Y.

Paolucci, T., Ferrillo, M., Pezzi, L., Agostini, F., Di Matteo, A., Prosperi, P., Mangone,

M., Bernetti, A., Spacone, A., & de Sire, A. (2023). Efficacy of orofacial myofunctional therapy combined with myofascial release in patients with mild obstructive sleep apnoea: a randomized controlled trial. *Journal of oral rehabilitation*, 10.1111/joor.13456. Advance online publication. <https://doi.org/10.1111/joor.13456>

Papageorgiou, S. N., Koletsi, D., & Eliades, T. (2019). What evidence exists for myofunctional therapy with prefabricated appliances? a systematic review with meta-analyses of randomised trials. *Journal of Orthodontics*, 46(4), 297–310. <https://doi.org/10.1177/1465312519880558>

Patini, R., Gallenzi, P., Cordaro, M., Lione, R., & Cozza, P. (2019). Ultrasonographic evaluation of the effects of orthodontic or functional orthopaedic treatment on masseter muscles: a systematic review and meta-analysis. *Medicina (Lithuania)*, 55(6). <https://doi.org/10.3390/medicina55060256>

Pereira, T.C., Furlan, R.M.M.M, & Motta, A.R. (2019). Relationship between mouth breathing etiology and maximum tongue pressure. *CoDAS*, 31(2), e20180099. <https://doi.org/10.1590/2317-1782/20182018099>

Pimenta Ferreira, C. L., Zago, M., de Felício, C. M., & Sforza, C. (2017). An index for the evaluation of 3d masticatory cycles stability. *Archives of Oral Biology*, 83, 124–129. <https://doi.org/10.1016/j.archoralbio.2017.07.016>

Palomares-Aguilera, M., Inostroza-Allende, F., Álvarez Carvajal, D., Villena Balcázar, C., Goldschmied Aljaro, K., Castellón Zirpel, L., Mayorga Maldonado, J., & Fuenzalida Kakarieka, C. (2023). Surgical and Speech Therapy Evaluation of Lingual Frenulum. *The Journal of craniofacial surgery*, 34(6), 1752–1755. <https://doi.org/10.1097/SCS.00000000000009523>

Poncin, W., Correvon, N., Tam, J., Borel, J. C., Berger, M., Liistro, G., Mwenge, B., Heinzer, R., & Contal, O. (2022). The effect of tongue elevation muscle training in patients with obstructive sleep apnea: A randomised controlled trial. *Journal of oral rehabilitation*, 49(11), 1049–1059. <https://doi.org/10.1111/joor.13369>

Pransky, S. M., Lago, D., & Hong, P. (2015). Breastfeeding difficulties and oral cavity anomalies: The influence of posterior ankyloglossia and upper-lip ties. *International journal of pediatric otorhinolaryngology*, 79(10), 1714–1717. <https://doi.org/10.1016/j.ijporl.2015.07.033>

Priede, D., Roze, B., Parshutin, S., Arkliņa D, Pircher, J., Vaska, I., Folkmanis, V., Tzivian, L., & Henkuzena, I. (2020). Association between malocclusion and orofacial myofunctional disorders of pre-school children in Latvia. *Orthodontics; Craniofacial Research*, 23(3), 277–283. <https://doi.org/10.1111/ocr.12367>

Priyanka, M., Sruthi, R., Ramakrishnan, T., Emmadi, P., & Ambalavanan, N. (2013). An overview of frenal attachments. *Journal of Indian Society of Periodontology*, 17(1), 12–15. <http://doi.org/10.4103/0972-124X.107467>

Queiroz, I., Leal, S. C., Alves, W., Damasceno, I., Da Silva Figueiredo Sé, M. J., & Costa, V. (2022). Comparison Between Two Protocols for Ankyloglossia Diagnosis in Newborn Babies. *Pediatric dentistry*, 44(1), 52–57.

Raghavendra-Reddy, N., Marudhappan, Y., Devi, R. & Narang, S. (2014). Clipping the (tongue) tie. *Journal of Indian Soc Periodontal*, 18 (3); 395-398.

Raatz, M. K., Ward, E. C., & Marshall, J. (2020). Telepractice for the delivery of pediatric feeding services: a survey of practice investigating clinician perceptions and current service models in Australia. *Dysphagia*, 35(2), 378–388.
<https://doi.org/10.1007/s00455-019-10042-9>

Razdan, R., Callaham, S., Saggio, R., Chafin, M., & Carr, M. M. (2020). Maxillary Frenulum in Newborns: Association with Breastfeeding. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery*, 162(6), 954–958. <https://doi.org/10.1177/0194599820913605>

Reckley, L. K., Fernandez-Salvador, C., & Camacho, M. (2018). The effect of tonsillectomy on obstructive sleep apnea: an overview of systematic reviews. *Nature and science of sleep*, 10, 105–110. <https://doi.org/10.2147/NSS.S127816>

Redline, S., Cook, K., Chervin, R. D., Ishman, S., Baldassari, C. M., Mitchell, R. B., Tapia, I. E., Amin, R., Hassan, F., Ibrahim, S., Ross, K., Elden, L. M., Kirkham, E. M., Zopf, D., Shah, J., Otteson, T., Naqvi, K., Owens, J., Young, L., Furth, S., ... Pediatric Adenotonsillectomy Trial for Snoring (PATS) Study Team (2023). Adenotonsillectomy for Snoring and Mild Sleep Apnea in Children: A Randomized Clinical Trial. *JAMA*, 330(21), 2084–2095. <https://doi.org/10.1001/jama.2023.22114>

Renata, R. M., Dannyelle, C. B. de O. F. P., & Giédre Berretin-Felix. (2017). Orofacial myofunctional therapy program for individuals undergoing orthognathic surgery. *Revista Cefac*, 19(2), 277–288. <https://doi.org/10.1590/1982-021620171921317>

Ricke, L.A., Baker, N.J., Madlon-Kay, D.J. & DeFor, T.A. (2005). Newborn tongue-tie: Prevalence and effect on breast feeding. *Journal of American Board of Family Practice*, 18(1), 1-7

Riski, J. E. (1988). Nasal airway interference: considerations for evaluation.. *International Journal of Orofacial Myology*, 14(1), 11-21.
DOI: <https://doi.org/10.52010/ijom.1988.14.1.4>

Roberta, L. de C. M., Irene, Q. M., & Giédre Berretin-Felix. (2019). Compensatory strategies for the alveolar flap [r] production in the presence of ankyloglossia. *Revista Cefac*, 21(3). <https://doi.org/10.1590/1982-0216/201921310419>

Rohrbach, S., Buettner, F., Pollex, D., Mathmann, P., Weinhold, L., Schubert, R., & Reilmann, R. (2018). Quantitative examination of isometric tongue protrusion forces in children with oro-facial dysfunctions or myofunctional disorders. *Journal of Oral Rehabilitation*, 45(3), 228–234. <https://doi.org/10.1111/joor.12598>

Rosa, R. R., Bueno, M. D. R. S., Migliorucci, R. R., Brasolotto, A. G., Genaro, K. F., & Berretin-Felix, G. (2020). Tongue function and swallowing in individuals with temporomandibular disorders. *Journal of Applied Oral Science: Revista Fob*, 28, 20190355. <https://doi.org/10.1590/1678-7757-2019-0355>

Roche, W., Eicher, P., Martorana, P., Berkowitz, M., Petronchak, J., Dzioba, J. & Virtello, L. (2011). An oral, motor, medical and behavioral approach to pediatric feeding and swallowing disorders: An interdisciplinary model. *Perspectives on Swallowing and Swallowing Disorders (Dysphagia)*, 20, 65-74.

Rosenfeld-Johnson (2009). *Oral placement therapy for speech clarity and feeding*. Charleston, SC: TalkTools.

Rubin, G., Stewart, C., McGowan, L., Woodside, J. V., Barrett, G., Godfrey, K. M., & Hall, J. (2023). Maternal folic acid supplementation and the risk of ankyloglossia (tongue-tie) in infants; a systematic review. *PLoS one*, 18(11), e0294042. <https://doi.org/10.1371/journal.pone.0294042>

Saccomanno, S., Di, T. A., D'Alatri, L., & Grippaudo, C. (2019). Proposal for a myofunctional therapy protocol in case of altered lingual frenulum. a pilot study. *European Journal of Paediatric Dentistry*, 20(1), 67–72. <https://doi.org/10.23804/ejpd.2019.20.01.13>

Saint-Denis, L., Simon, E., & Brix, M. (2022). Sequential Treatment of Extreme Maxillary Hypoplasia: A Historical Patient Report of an Edentulous Adult Patient With Ankyloglossia. *The Journal of craniofacial surgery*, 33(3), 855–858. <https://doi.org/10.1097/SCS.0000000000008152>

Şahan, A. K., Öztürk, N., Demir, N., Karaduman, A. A., & Serel Arslan, S. (2021). A Comparative Analysis of Chewing Function and Feeding Behaviors in Children with Autism. *Dysphagia*, 36(6), 993–998. <https://doi.org/10.1007/s00455-020-10228-6>

Salt, H. Claessen, M., Johnston, T., Smart, S. (2020). Speech production in young children in tongue-tie. *International Journal of Pediatric Otorhinolaryngology*, 134:1-5.

Santos, H. K. M. P. S., Cunha, D. A. D., Andrade, R. A., Silva, M. G. D., Araújo, A. C. D. S., Martinelli, R. L. C., & Silva, H. J. D. (2023). Effects of lingual frenotomy on breastfeeding and electrical activity of the masseter and suprathyroid muscles. *CoDAS*, 35(2), e20210262. <https://doi.org/10.1590/2317-1782/20232021262>

Sarmadi, R., Gabre, P., & Thor, A. (2021). Evaluation of upper labial frenectomy: A randomized, controlled comparative study of conventional scalpel technique and Er:YAG laser technique. *Clinical and experimental dental research*, 7(4), 522–530. <https://doi.org/10.1002/cre2.374>

Sawisch, T. (2011). *Oral Surgery for the general practitioner. Principles and Practice of Laser Dentistry*. St. Louis: Mosby Elsevier.

Scaroni, L., de, F. C. M., Sforza, C., Pimenta, F. C. L., Ginocchio, D., Pizzorni, N., Barozzi, S., Mozzanica, F., & Schindler, A. (2018). Reliability and validity of the italian version of the protocol of orofacial myofunctional evaluation with scores (i-omes). *Folia Phoniatrica Et Logopaedica: Official Organ of the International Association of Logopedics and Phoniatrics* (Ialp), 70(1), 8–12. <https://doi.org/10.1159/000488027>

Schuster, J.L. (2014). ‘Just a snip,’ I was told, but that was just the start of my troubles. *Health Affairs: Washington Post*. Retrieved From: https://www.washingtonpost.com/national/health-science/just-a-snip-i-was-told-but-that-was-just-the-beginning-of-my-troubles/2014/07/21/270b4d78-f569-11e3-a606-946fd632f9f1_story.html?utm_term=.b8e2685048da#comments

Scudine, K. G. O., de Moraes, K. N., Miyagui, S. A., Lamy, E., Lopes, M. F., Mamani, M. H., & Castelo, P. M. (2023). Understanding the relationship between orofacial structures and feeding habits of preschoolers: A multivariate analysis. *Journal of texture studies*, 10.1111/jtxs.12748. Advance online publication. <https://doi.org/10.1111/jtxs.12748>

Segal, L. M., Stephenson, R., Dawes, M., & Feldman, P. (2007). Prevalence, diagnosis, and treatment of ankyloglossia: Methodologic review. *Canadian Family Physician*, 53(6), 1027– 1033.

Sethi N., Smith D., Kortequee S., Ward V.M. & Clarke S. (2013). Benefits of frenulotomy in infants with ankyloglossia. *Int J Pediatr Otorhinolaryngol*, 77(5): 762-5.

Siggaard, L. D., Tingsgaard, P., Lüscher, M., Holm, J. P., Nielsen, J. K., & Berrett, T. Q. (2022). Parent-reported infant and maternal symptom relief following frenotomy in infants with tongue-tie. *Danish medical journal*, 69(5), A12210934.

Silva, M., & Manton, D. (2014). Oral habits--part 2: beyond nutritive and non-nutritive sucking. *Journal of dentistry for children (Chicago, Ill.)*, 81(3), 140–146.

Sfasciotti, G. L., Zara, F., Fioravanti, M., Guaragna, M., Palaia, G., & Polimeni, A. (2020). Frenulectomy with Diode Laser Technology in Paediatric Patients: Quantitative and Qualitative Evaluations. Randomized Double- Blind Clinical Trial. *Applied Sciences*, 10(12), 4114. doi:10.3390/app10124114

Shah, S., Allen, P., Walker, R., Rosen-Carole, C., & McKenna Benoit, M. K. (2021). Upper Lip Tie: Anatomy, Effect on Breastfeeding, and Correlation With Ankyloglossia. *The Laryngoscope*, 131(5), E1701–E1706.
<https://doi.org/10.1002/lary.29140>

Shah, S. S., Nankar, M. Y., Bendgude, V. D., & Shetty, B. R. (2021). Orofacial Myofunctional Therapy in Tongue Thrust Habit: A Narrative Review. *International journal of clinical pediatric dentistry*, 14(2), 298–303. <https://doi.org/10.5005/jp-journals-10005-1926>

Shah, N. R., McGoldrick, D. M., & Sharp, I. (2022). Presentation and surgical management of a patient with a true cleft mandible. *Journal of oral biology and craniofacial research*, 12(1), 161–164. <https://doi.org/10.1016/j.jobcr.2021.11.002>

Shortland, H.L., Hewat, S., Vetigan, A. & Webb. G. (2020). Orofacial myofunctional therapy and myofunctional devices used in speech pathology treatment: a systematic quantitative review of the literature. *AJSP*. Retrieved from:
https://doi.org/10.1044/2020_AJSLP-20-00245

Siegel, S.A. (2017) Advancements in diagnosis and laser surgery of ankyloglossia from infancy to adulthood: impacts on breast feeding, feeding, speech and airway. Presented at Connecting the Dots in TOTs. New York, N.Y.

Siegel, S.A., (2016). Aerophagia induced reflux in breastfeeding infants with ankyloglossia and shortened maxillary labial frenulu (Tongue and Lip Tie). *International Journal of Clinical Pediatrics*, 5(1):6-8.

Slagter, K. W., Raghoebar, G. M., Hamming, I., Meijer, J., & Vissink, A. (2021). Effect of frenotomy on breastfeeding and reflux: results from the BRIEF prospective longitudinal cohort study. *Clinical oral investigations*, 10.1007/s00784-020-03665-y. Advance online publication. <https://doi.org/10.1007/s00784-020-03665-y>

Srinivasan, A., Al Khoury, A., Puzhko, S., Dobrich, C., Stern, M., Mitnick, H., & Goldfarb, L. (2018). Frenotomy in Infants with Tongue-Tie and Breastfeeding Problems. *Journal of Human Lactation*. <https://doi.org/10.1177/0890334418816973>

Stahl, F., Pollex, D., Mathmann, P., Weinhold, L., & Rohrbach, S. (2021). Digitomotography in children with oro-facial dysfunction (ofd, oro-facial myofunctional disorders) and childhood apraxia of speech (cas). *Journal of Oral Rehabilitation*, 48(8), 937–944. <https://doi.org/10.1111/joor.13174>

Strauss, R.A. & Coleman, M. (2011). Lasers in major oral and maxillofacial surgery". In Convissar, RA. *Principles and Practice of Laser Dentistry -Mosby*, pp. 234–250.

Summersgill, I., et al. (2023). Muscle Tension Dysphonia in Singers and Professional Speakers with Ankyloglossia: Impact of Treatment with Lingual Frenuloplasty and Orofacial Myofunctional Therapy. *International Journal of Orofacial Myology and Myofunctional Therapy*, 49(1), 1-8.

DOI: <https://doi.org/10.52010/ijom.2023.49.1.1>

Suzuki, M., Okamoto, T., Akagi, Y., Matsui, K., Sekiguchi, H., Satoya, N., Inoue, Y., Tatsuta, A., & Hagiwara, N. (2021). Efficacy of oral myofunctional therapy in middle-aged to elderly patients with obstructive sleep apnoea treated with continuous positive airway pressure. *Journal of Oral Rehabilitation*, 48(2), 176–182.
<https://doi.org/10.1111/joor.13119>

Tadros, S., Ben-Dov, T., Catháin, É. Ó., Anglin, C., & April, M. M. (2022). Association between superior labial frenum and maxillary midline diastema - a systematic review. *International journal of pediatric otorhinolaryngology*, 156, 111063.
<https://doi.org/10.1016/j.ijporl.2022.111063>

Talmor, G., & Caloway, C. L. (2022). Ankyloglossia and Tethered Oral Tissue: An Evidence-Based Review. *Pediatric clinics of North America*, 69(2), 235–245.
<https://doi.org/10.1016/j.pcl.2021.12.007>

Tancredi, S., De Angelis, P., Marra, M., Lopez, M. A., Manicone, P. F., Passarelli, P. C., Romeo, A., Grassi, R., & D'Addona, A. (2022). Clinical Comparison of Diode Laser Assisted "v-Shape Frenectomy" and Conventional Surgical Method as Treatment of Ankyloglossia. *Healthcare (Basel, Switzerland)*, 10(1), 89.
<https://doi.org/10.3390/healthcare10010089>

Taylor, P. (2011) Benefits and drawbacks of frenectomy. Retrieved From:
<http://www.speechpathology.com/ask-the-experts/benefits-and-drawbacks-frenectomy-1557>

The Breathing Clinic. (2016). Oral facial habits: habits of the mouth and face. Retrieved from: <http://www.thebreathingclinic.com/orofacial-habits>

Thijs, Z., Bruneel, L., De, P. G., & Van, L. K. M. (2021). Oral myofunctional and articulation disorders in children with malocclusions: a systematic review. *Folia Phoniatrica Et Logopaedica : Official Organ of the International Association of Logopedics and Phoniatrics* (Ialp), 1-16, 1–16. <https://doi.org/10.1159/000516414>

Tripodi, D., Cacciagrano, G., D Ercole, S., Piccari, F., Maiolo, A., & Tieri, M. (2021). Short lingual frenulum: From diagnosis to laser and speech-language therapy. *European journal of paediatric dentistry*, 22(1), 71–74. <https://doi.org/10.23804/ejpd.2021.22.01.13>

Unangst, M. (2015) Chiropractic care and the breastfed infant. Milk on Tap. Retrieved from : <https://milkontap.com/chiropractic-care-breastfed-infant/>.

Vallone, S. (2014). Chiropractic care for the breastfeeding dyad. *Leaven*, 39(6): 126-127.

Vanderwegen, J., Van Nuffelen, G., Elen, R., & De Bodt, M. (2019). The influence of age, sex, visual feedback, bulb position, and the order of testing on maximum anterior and posterior tongue strength in healthy Belgian children. *Dysphagia: Dedicated to Advancing the Art and Science of Deglutology*, 34(6), 834–851. <https://doi.org/10.1007/s00455-019-09976-x>

Van Riper, C. (1958, 1954, 1947) *Speech Correction: Principles and Methods*. Englewood Cliffs: Prentice-Hall.

Vaz, A. C., & Bai, P. M. (2015). Lingual frenulum and malocclusion: An overlooked tissue or a minor issue. *Indian journal of dental research : official publication of Indian Society for Dental Research*, 26(5), 488–492. <https://doi.org/10.4103/0970-9290.172044>

Vedeswari Chandrasekaran, P., Palaniappan, J., Rajendran, A., Venugopal, B. & Gnanamoorthy. P (2020). Prevalence of ankyloglossia among children reporting with speech pathology to District Early Intervention Centre (DEIC)- an observational study. *J. Evolution Med. Dent. Sci*, 9 (11), 860-862.

Verbraecken, J., Dieltjens, M., Op de Beeck, S., Vroegop, A., Braem, M., Vanderveken, O., & Randerath, W. (2022). Non-CPAP therapy for obstructive sleep apnoea. *Breathe (Sheffield, England)*, 18(3), 220164. <https://doi.org/10.1183/20734735.0164-2022>

Villa, M. P., Evangelisti, M., Martella, S., Barreto, M., & Del, P. M. (2017). Can myofunctional therapy increase tongue tone and reduce symptoms in children with sleep-disordered breathing? *Sleep & Breathing = Schlaf & Atmung*, 21(4), 1025–1032. <https://doi.org/10.1007/s11325-017-1489-2>

Villa, M.P., Evangelisti, M., Barreto, M., Cecili, M. & Kaditis, A. (2019). Short lingual frenulum as a risk factor for sleep-disordered breathing in school-aged children. *Science Direct*. Retrieved from: <https://doi.org/10.1016/j.sleep.2019.09.019>

Virji, S. A., Ng, E. T., Jayachandran, S., & Heit, T. C. (2023). A case study on myofunctional therapy and malocclusions created by oral habits. *Canadian journal of dental hygiene : CJDH = Journal canadien de l'hygiène dentaire : JCHD*, 57(1), 61–68.

Visconti, A. , Hayes, E., Ealy, K. & Scarborough, D.R. (2021). A systematic review: the effects of frenotomy on breastfeeding and speech in children with ankyloglossia. *International Journal of Speech-Language Pathology*, 23: 349-358.

Vitruk, P. et al. (2017). *Oral soft tissue laser ablation and coagulation physics*. Color Atlas of Infant Tongue-Tie and Lip- Tie Laser Frenectomy. PanSophia Press.

Von, L. M., Herzog, N., Ruthardt, S., Quante, M., Iven, G., & Poets, C. F. (2019). Effect of a 1-week intense myofunctional training on obstructive sleep apnoea in children with down syndrome. *Archives of Disease in Childhood*, 104(3), 275–279.
<https://doi.org/10.1136/archdischild-2018-315064>

Walsh, J., & McKenna Benoit, M. (2019). Ankyloglossia and Other Oral Ties. *Otolaryngologic clinics of North America*, 52(5), 795–811.
<https://doi.org/10.1016/j.otc.2019.06.008>

Walsh F. & Kelly D. (1995). Partial airway obstruction after lingual frenotomy. *Anesth Analg*, 80;1066-1067

Wang, J., Yang, X., Hao, S., & Wang, Y. (2022). The effect of ankyloglossia and tongue-tie division on speech articulation: A systematic review. *International journal of paediatric dentistry*, 32(2), 144–156. <https://doi.org/10.1111/ipd.12802>

Wongwattana P. (2022). The effect of frenotomy on long-term breastfeeding in infants with ankyloglossia. *International journal of pediatric otorhinolaryngology*, 152, 110983.
<https://doi.org/10.1016/j.ijporl.2021.110983>

Wei, E. X., Tunkel, D., Boss, E., & Walsh, J. (2020). Ankyloglossia: Update on Trends in Diagnosis and Management in the United States, 2012-2016. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery*, 163(5), 1029–1031. <https://doi.org/10.1177/0194599820925415>

Wen, Z., Walner, D. L., Popova, Y., & Walner, E. G. (2022). Tongue-tie and breastfeeding. *International journal of pediatric otorhinolaryngology*, 160, 111242.
<https://doi.org/10.1016/j.ijporl.2022.111242>

Wigdor, H., Walsh, J., Featherstone, J.D.B., et. al. (1995). *Lasers in dentistry*. Lasers Surg Med, 16, 103-133.

Wilson, J. M. (Ed.) (1978) *Oral-motor function and dysfunction in children*. Conference proceedings, May 25-28, 1977. Chapel Hill: University of North Carolina.

Wishney, M., Darendeliler, M. A., & Dalci, O. (2019). Myofunctional therapy and prefabricated functional appliances: an overview of the history and evidence. *Australian Dental Journal*, 64(2), 135–144. <https://doi.org/10.1111/adj.12690>

World Health Organization (WHO), & UNICEF. (1990). Innocent I declaration on the protection, promotion and support of breastfeeding. Retrieved from: <http://www.unicef.org/programme/breastfeeding/innocenti.htm>

World Health Organization (WHO). (2003). Global strategy for infant and young child feeding. Retrieved from: <http://whqlibdoc.who.int/publications/2003/9241562218.pdf>

Wright, J. (1995), Review article tongue-tie. *Journal of Pediatrics and Child Health*, 31: 276-278.

Yang, H.M., Woo, Y.J., Won, S.Y., Kim, D.H., Hu, K.S. & Kim, H.J. (2009) Course and distribution of the lingual nerve in the ventral tongue region: anatomical considerations for frenectomy. *Journal of Craniofacial Surgery*, 20(5):1359-63.

Yoo, H., & Mihaila, D. M. (2022). Rooting Reflex. In *StatPearls*. StatPearls Publishing.

Yoon, A., Zaghi, S., Weitzman, R., Ha, S., Law, C. S., Guilleminault, C., & Liu, S. (2017). Toward a functional definition of ankyloglossia: validating current grading scales for lingual frenulum length and tongue mobility in 1052 subjects. *Sleep & breathing = Schlaf & Atmung*, 21(3), 767–775. <https://doi.org/10.1007/s11325-016-1452-7>

Yoon, Y. Abdelwahab, M. Bockow, R. Vakili, A. Lovell, K. I, Chang, I. Ganguly, R. , Liu, S. Kushida, C. Hong, C. (2022). Impact of rapid palatal expansion on the size of adenoids and tonsils in children, *Sleep Medicine*, ISSN 1389- 9457, <https://doi.org/10.1016/j.sleep.2022.02.011>.

Yousefi, J., Tabrizian Namani, F., Raisolsadat, S.M.A., Gillies, R., Ashkesari, A. & Meara, J.G. (2015). Tongue-tie repair: z- plasty vs. simple release. *Iranian Journal of Otorhinolaryngology*, 27(79):127-135.

Yuen, H. M., Au, C. T., Chu, W., Li, A. M., & Chan, K. C. (2021). Reduced Tongue Mobility: An Unrecognised Risk Factor of Childhood Obstructive Sleep Apnoea. *Sleep*,

zsab217. Advance online publication. <https://doi.org/10.1093/sleep/zsab217>

Zaghi, S., Valcu-Pinkerton, S., Jabara, M., Norouz-Knutsen, L., Govardhan, C., Moeller, J., Sinkus, V., Thorsen, R. S., Downing, V., Camacho, M., Yoon, A., Hang, W. M., Hockel, B., Guilleminault, C., & Liu, S. Y. (2019). Lingual frenuloplasty with myofunctional therapy: Exploring safety and efficacy in 348 cases. *Laryngoscope investigative otolaryngology*, 4(5), 489–496. <https://doi.org/10.1002/lio2.297>.

Zaghi, S., Shamtoob, S., Peterson, C., Christianson, L., Valcu-Pinkerton, S., Peeran, Z., Fung, B., Kwok-Keung, N. D., Jagomagi, T., Archambault, N., O'Connor, B., Winslow, K., Lano, M., Murdock, J., Morrissey, L., & Yoon, A. (2021). Assessment of posterior tongue mobility using lingual-palatal suction: progress towards a functional definition of ankyloglossia. *Journal of Oral Rehabilitation*, 48(6), 692–700.
<https://doi.org/10.1111/joor.13144>

Zaghi, S., Shamtoob, S., Peterson, C., Yoon, (2021). Assessment of posterior tongue mobility using lingual palatal suction: Progress toward a functional definition of ankyloglossia. *Journal of Oral Rehabilitation*. <https://doi.org/10.1111/joor.13144>

Zhang, F., Tian, Z., Shu, Y., Zou, B., Yao, H., Li, S., & Li, Q. (2022). Efficiency of orofacial myofunctional therapy in treating obstructive sleep apnoea: A meta-analysis of observational studies. *Journal of oral rehabilitation*, 49(7), 734–745.
<https://doi.org/10.1111/joor.13325>

Zang, Y., Lou, Y., Li, J., Li, Q., Ma, L., Wan, B., & Wang, G. (2022). *Lin chuang er bi yan hou tou jing wai ke za zhi* (Clinical application of orofacial myofunctional therapy combined with muscle functionnal appliance in postoperative rehabilitation of children with OSA). *Journal of clinical otorhinolaryngology, head, and neck surgery*, 36(6), 457–462. <https://doi.org/10.13201/j.issn.2096-7993.2022.06.010>

Zimmerman-Pine, P. (2018). *Please release me: the tethered oral tissue (TOT) puzzle*. 2nd ed. Pheonix, AZ: MiniBuk.