# HP LaserJet Managed MFP E72535dn

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.<sup>1</sup>

PrintSpeed: Up to 35 ppm black; First Page Out: As fast as 7.3 sec black

PrintResolution: Black (best): Up to 1200 x 1200 dpi reduced speed

Standard Connectivity: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port **Standard Memory:** Standard: 6 GB; Maximum: 6 GB

#### MobilePrintingCapability: Yes

Paper Handling: 100-sheet input tray, 520-sheet input tray, 520-sheet input tray, 100 sheet ADF; 500 sheet face-down output bin

**Display:** 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)






'4' Mac











### High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

### Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft<sup>®</sup> SharePoint, plus email, USB, and network folders.<sup>2</sup>
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 35 ppm.<sup>3</sup>

### The world's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network—store data on the encrypted hard disk.<sup>4</sup>
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

## HP LaserJet Managed MFP E72535dn Specifications Table

Functions / Multitasking Supported	Print, Copy, Scan (fax and wireless optional) / Yes	Media Weight Supported	Tray 1: 16 to 46 lb bond; Tray 2, 3: 16 to 58 lb bond
Print Speed	Letter: Up to 35 ppm black; <sup>7</sup> FirstPageOut: As fast as 7.3 sec black; <sup>3</sup>	Media Sizes Supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15,
Print Resolution	Black (best): Up to 1200 x 1200 dpi reduced speed		8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 1
Print Technology	Laser		x 17, 12 x 18, 8k, 16k
Print Cartridges Number	1 (1 black cartridge)	Media Sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.6 x 17 in
Standard Print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible	Paper Handling	100-sheet input tray, 520-sheet input tray, 520-sheet input tray, 100 sheet ADF; 500 sheet face-dowi
Printer Smart Software Features	NBusinesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MPP9—to power productivity with a streemilined design that delivers professional quality, maximum uptime, and the strongest security. <sup>1</sup> Quality printing for a great value is a smart choice for any business.		rob afters input noisy to a meeting of they are been input noy. Notified here input noy, Notified here been input noy is a straight of the
	produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best. Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can court on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm <sup>10</sup> —and avoid extra steps with a Flow MFP designed for maximum productivity.	What's in the box	X3A66A Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER) <sup>1</sup>
		Replacement Cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 48,000) W9005MC <sup>8</sup>
		Product Dimensions	<b>W x D x H</b> : 22.3 x 28.5 x 32.6 in; <b>Maximum</b> : 47 x 50 x 30.5 in
		Product Weight	150.2 lb
		Warranty Features	90 day parts only. Extended Warranty and support options vary by product, country and local legal
Printer Management	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Model to Comments, AutoUggradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug and Play, Drivers); HP Web Jetadmin Software, Resource Kit for HP Web		requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.
		Energy Efficiency Compliance	Energy Star; Blue Angel; EPEAT silver
		Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display;
Scan Type / Technology	Jetadmin (HP SNMP Proxy Agent, HP WS Pro Proxy Agent); HP JetAdvantage Security Manager Flatbed, ADF / Flatbed; ADF		illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware
Scan Resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi	Display Description	Integration Pocket; Extended Keyboard
Scan File Format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF,	Software Included	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
	JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals
Scan Input Modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) applications	Fonts and Typefaces	84 scalable TrueType fonts
Scan Size	ADF: 11 x 17 in Maximum; 5.5 x 8.5 in Minimum; Flatbed: 11 x 17 in	Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3,
Scan Speed	Up to 80 ppm/160 ipm (b&w), up to 80 ppm/160 ipm (color) <sup>9</sup> Duplex: Up to 160 ipm (b&w), up to 160 ipm (color)		8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (60, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS (10.12 Sierra, OS X10.10 Vosemite, OS X 10.11 ECapitar, UNIX, Windows To al 132- 8 64-bit editions
Scanner Advanced Features	Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB		(excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit
Bit depth / Grayscale levels	24-bit / 256		editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Mucl Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighter; Auto Crop To Page	Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.04, S. Citrix XenApp 5.0 (P Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0(6.1)
Copy Speed	Black (letter): Up to 35 cpm		[for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows
Copy Resolution	Black (text and graphics): Up to 600 x 600 dpi; Up to 600 x 600 dpi		Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2006 R2 Terminal Services, 32- and 64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SF Terminal Services, 32- and 64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 X
Maximum Number Of Copies	Up to 999 copies		Terminal Services, 64-bit), Novell NetWare 6.5/SP8 Novell Clients www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Nov
Copier Resize	25 to 400%		Servers www.novell.com/iprint), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2)
Copier Settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collatior; booklet; ID Scari job build; job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview		Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 22-0 (SP1/SP2); Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1)
Fax Speed	Up to: 33.6 kbps; Letter: 3 sec per page <sup>2</sup>		R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Serve
Fax Resolution	Black (best): Up to 300 × 300 dpi (400 × 400 dpi for received faxes only); Black (standard): 203 × 98 dpi	Minimum System Requirements	2016/ 64-bit Standard/ Essential/Datacenter (+ Cluster & Terminal Services)
Fax Features	Fax Memory: Up to 500 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No: Distinctive Ring Detection Supported: No: Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes; (poll to receive only); Fax Telephone Mode Supported: No; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers		PC: 2 GB available hard disk space; 0S hardware requirements see microsoft.com; MAC: 1.3 GB availab hard drive space; Internet; 0S hardware requirements see Apple.com for more info
		Power	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 110 to 127Va (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%); <sup>6</sup>
Standard Connectivity	(each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No	Acoustics	Acoustic Power Emissions: 6.8 B(A), printing mono simplex, A4 at 35 ppm; Acoustic Pressure Emission 51 dB(A), printing mono simplex, A4 at 35 ppm
•	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	Operating Environment	Operating Temperature Range: 59 to 86%; Recommended Operating Temperature: 59 to 86%; Storag Temperature Range: 14 to 104%; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)		Range: 20 to 80% RH; Recommended Humidity Operating Range: 20 to 80% RH; Operating Humidity
Network Ready	Standard (built-in Gigabit 10/100/1000T Ethernet)	Security Management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP,
Wireless Capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the connectivity section, above.		EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Mobile Printing Capability	char support wireless. These are listed in the connectivity section, duove.	Accessories	Cabinet Workgroup Y1G17A, Dual Cassette Feeder (2x520) Workgroup Y1F97A, 2000 Sheet HCI WG
tooke i finang capability	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP,	ALLESSOIRS	
	EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in <sup>4</sup>	ACCESSORES	Y1F99A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 2/3 Y1G02A, Inner Finisher Hole Punch 2/4 Y1G03A, Inner Finisher Hole Punch Swedish Y1G04A, Stapler/Stacker Finisher Y1G18A, Booklet Finishe Y1G07A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher & Booklet Maker Staples Y1G13A, Dist Y1G07A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher & Booklet Maker Staples Y1G13A, Dist Y1G07A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher & Booklet Maker Staples Y1G13A, Dist Y1G07A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher & Booklet Maker Staples Y1G13A, Dist Y1G07A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher & Booklet Maker Staples Y1G13A, Dist Y1G07A, Stapler/Stacker Finisher Staples Y1G14A, Dist Y1G07A, Stapler Staples Y1G14A, Dist Y1G17A, Dist Y1G17A
Memory	EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos	ALCOSOTION	Y1F99A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 2/3 Y1G02A, Inner Finisher Hole Punch 2/4 Y1G03A, Inner Finisher Hole Punch Swedish Y1G04A, Stapler/Stacker Finisher Y1G18A, Bookler Finish Y1G07A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher & Booklet Maker Staples Y1G13A, José Separator WG Y1G15A, Tray Heater Y1G22A, 2nd exit Y1G23A, Spacer Y1G24A, Hole Punch 2/3
Memory Processor Speed	EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in <sup>4</sup>	ALLESSURES	Y1F99A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 2/3 Y1G02A, Inner Finisher Hole Punch 2/4 Y1G03A, Inner Finisher Hole Punch Svedish V1G0A, Stapler/Stacker Finisher V1G1AB, Bookdet Hinkin Y1G07A, Stapler/Stacker Finisher Staples Y1G1A, Inner Finisher Staples Y1G1AB, Inner Staples Y1G1AB, Inner Finisher Staples Y1G1AB, Inner Stap
Memory Processor Speed	EAP-TLS, IPP over TLS, IPSer/Firewall with Certificate. Pre-Shared Key Authentication, and Kerberos Authentication; Support for VIA-10 IPsec Configuration using IPsec Plug-in <sup>4</sup> Standard 6 GB; Maximum 6 GB 1.2 GHz/ Hand disc. One 320 GB Standard, embedded HP High-Performance Secure Hard Disk; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Jub Files, Secure Erase-tol bata, Secure ATA Erase-Disk). Note: U.S. government SKU uses StOG&FIPS 140-2		Y1F99A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 2/3 Y1G02A, Inner Finisher Hole Punch 2/4 Y1G03A, Inner Finisher Hole Punch Svedish V1G0A, Stapler/Stacker Finisher V1G18A, Bookder Finisher Y1G07A, Stapler/Stacker Finisher Y1G18A, Bookder Finisher Y1G17A, Stapler/Stacker Finisher Y1G17A, Stapler/Stacker Finisher Y1G17A, Stapler/Stacker Finisher Y1G17A, Stapler/Stacker Finisher Y1G17A, Stapler Y1G17A, Stapler/Stacker Finisher Y1G17A, Stapler/Staple
Memory Processor Speed Duty Cycle Recommended Monthly Page Volume Media Types Supported	EAP-TLS, IPP over TLS, IPSer/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-101 Psetc Configuration using IPsec Plug-in <sup>4</sup> Standard 6 GB; Washnum 6 GB 1.2 GHz / <b>Hard disc</b> One 320 GB Standard, embedded HP High-Performance Secure Hard Disk; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Temporary Job Files, Secure Erase-Temporary Job Files, Validated hard disk instead. Monthly, letter: Up to 300,000 pages	HP Service and Support Options	Y1F99A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 2/3 Y1G02A, Inner Finisher Hole Punch 2/4 Y1G03A, Inner Finisher Hole Punch Svedish V1G0A, Stapler/Stacker Finisher V1G1AB, Bookdet Hinkin Y1G07A, Stapler/Stacker Finisher Staples Y1G1A, Inner Finisher Staples Y1G1AB, Inner Staples Y1G1AB, Inner Finisher Staples Y1G1AB, Inner Stap

Learn more at

### hp.com

<sup>1</sup> No, please purchase USB cable separately (EMEA, Americas; AP) (Service Technician must install units)<sup>2</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17<sup>3</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, drive; and document complexity.<sup>4</sup> Optional Wireless <sup>5</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For other information, wish thtp://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.<sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.<sup>7</sup> Measured using ISO/IEC 19734, exclual yields set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, drive; and document complexity.<sup>6</sup> Average color composite black declared yields based and ISO/IEC 19734, exclual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, drive; and document complexity.<sup>6</sup> Average color composite black declared yields based and ISO/IEC 19734, exclual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.<sup>9</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application oftware.

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.



Datasheet

# HP LaserJet Managed Flow MFP E72535z



Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.<sup>1</sup>

PrintSpeed: Up to 35 ppm black; First Page Out: As fast as 7.3 sec black

PrintResolution: Black (best): Up to 1200 x 1200 dpi reduced speed

StandardConnectivity: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port StandardMemory:Standard: 7 GB; Maximum: 7 GB

MobilePrintingCapability: Yes

**PaperHandling:** 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; 500 sheet face-down output bin

**Display:** 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)











Mac





### High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

### Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft<sup>®</sup> Office 365 and SharePoint, plus email, USB, and network folders.<sup>2</sup>
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 35 ppm.<sup>3</sup>

### The world's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network—store data on the encrypted hard disk.<sup>4</sup>
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/printersThatProtect. For more information: http://www.hp.com/go/printerscurityclaims<sup>2</sup> Requires an Internet connection to the printer. Services may require registration. Ap availability varies by country, language, and agreements. For details, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.<sup>4</sup> Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printecurity.<sup>5</sup> Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

### HP LaserJet Managed Flow MFP E72535z Specifications Table

Functions / Multitasking Supported	Print, Copy, Scan (fax and wireless optional) / Yes	Media Weight Supported	Tray 1: 16 to 46 lb bond; Tray 2, 3: 16 to 58 lb bond
Print Speed	Letter: Up to 35 ppm black; <sup>7</sup> First Page Out: As fast as 7.3 sec black; <sup>3</sup>	Media Sizes Supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15,
Print Resolution	Black (best): Up to 1200 x 1200 dpi reduced speed	·	8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 × 6, 5 × 7, 5 × 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 1
Print Technology	Laser		x 17, 12 x 18, 8k, 16k
Print Cartridges Number	1 (1 black cartridge)	Media Sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.6 x 17 in
Standard Print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible	Paper Handling	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; 500
Printer Smart Software Features	NBusinesses that stay ahead don't slow down. It's why HP built the next generation of HP Laser Jet MFPs—to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security. <sup>1</sup> Quality printing for a great value is a smart choice for any business.		sheet face-down output bin; Duplex Options: Automatic (standard); Auto Document Feeder Capacity: Standard, 250 Steets; Envelope Feeder: No; Standard Paper Trays; 3; Input Capacities: Up to 503 observes; Up to 403 observes; Up to 403 observe Sup to 40 observe Sup t
	Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MP built to make your work—and your business—look its best. Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MPP designed for maximum uptime, so you can count on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm <sup>10</sup> —and avoid extra steps with a Flow MFP designed for maximum productivity.	What's in the box	X3A65A Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers (DOES NOT INCLUDE TONER) <sup>1</sup>
		Replacement Cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 48,000) W9005MC <sup>8</sup>
		Product Dimensions	<b>W x D x H</b> : 23 x 30.5 x 34.5 in; <b>Maximum</b> : 47 x 50 x 30.5 in
		Product Weight	150.2 lb
		Warranty Features	90 day parts only. Extended Warranty and support options vary by product, country and local legal
Printer Management	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Model to Comments, AutoUggradUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug and Play Drivers); HP Web Jetadmin Software, Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP W SP Drivov Agent); HP Jetadwintage Security Manager		requirements. Go to http://www.hp.com/support to learn about HP award winning service and suppo options in your region.
		Energy Efficiency Compliance	Energy Star; Blue Angel; EPEAT silver
		Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware
Scan Type / Technology	Flatbed, ADF / Flatbed; ADF		Integration Pocket; Extended Keyboard
Scan Resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi	Display Description	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
Scan File Format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print	Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals
	Ready files (.prn, .pcl, .cht)	Fonts and Typefaces	84 scalable TrueType fonts
Scan Input Modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) applications	Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17, 1, 172, 173, 18), Linux Ked Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 24.2), Linux Ubuntu (12.0, 4.14.0, 15.10), E0.64, 16.10), OS macOS 10.12
Scan Size	ADF: 11 x 17 in Maximum; 4.3 x 5.5 in Minimum; Flatbed: 11 x 17 in		Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions
Scan Speed	Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) <sup>9</sup> <b>Duplex</b> Up to 240 ipm (b&w), up to 240 ipm (color)		(excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (VP Home, XP Pro, etc.)
Scanner Advanced Features	Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB	Compatible Network Operating	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release
Bit depth / Grayscale levels	24-bit / 256	Systems	2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.04, S, Citrix XenApp 5.0 (PL Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32 - and 64-bit, Citrix XenApp 6.0/6.5.7 [for Windows Server 2008 R2 Terminal Services, 32 - and 64-bit), Citrix XenApp 6.0/6.5.7.5 [for Windows Server 2008 R2 Terminal Services, 32 - and 64-bit), Citrix XenApp 5.0 (PL Server 2012 and 2012 R2 Terminal Services, 32 - and 64-bit), Citrix XenApp 5.6 [for Windows Server 2012 and 2012 R2 Terminal Services, 32 - and 64-bit), Citrix XenApp 5.6 [for Windows Server 2008 R2 Terminal Services, 32 - and 64-bit), Citrix XenApp 5.6 [for Windows Server 2008 R2 SE R2 Terminal Services, 32 - and 64-bit), Citrix XenApp 5.6 [for Windows Server 2008 R2 SE
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Intermet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Corp To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page		
Copy Speed	Black (letter): Up to 35 cpm		R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2
Copy Resolution	Black (text and graphics): Up to 600 × 600 dpi; Up to 600 × 600 dpi		Terminal Services, 64-bit), Novell NetWare 6.5/SP8 Novell Clients www.novell.com/jprint, Novell Pirint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Nove Servers www.novell.com/jprint), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2)
Maximum Number Of Copies	Up to 999 copies		Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-b
Copier Resize	25 to 400%		(SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP). Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP) Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/20 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/ 64-bit Standard/Enterprise/Datacenter (+ Cluster & Terminal Services)
Copier Settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID Scar; job build; job Storage; watermark; stamps; book mode scars; erase edges; automatically detect color/mono; image Preview		
Fax Speed	Up to: 33.6 kbps; Letter: 3 sec per page <sup>2</sup>	Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available
Fax Resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi	Power	hard drive space; Internet; OS hardware requirements see Apple.com for more info
Fax Features	Fax Memory: Up to 500 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing; Yes; Fax Delayed Sending: No: Distinctive Ring Detection Supported: No: Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No: Fax Polling Supported: Yes (poli to receive only); Fax Telephone Mode Supported: No: Ink Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers		Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 110 to 127Va (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%); 6
		Acoustics	Acoustic Power Emissions: 6.7 B(A), printing mono simplex, A4 at 35 ppm; Acoustic Pressure Emission 51 dB(A), printing mono simplex, A4 at 35 ppm
Standard Connectivity	(each with 210 destinations). PC Interface Supported Yes; Remote Retrieval Capability Supported No; Telephone Handset Supported No 2Hi-Speed USB 2.0 Host; 1H-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1	Operating Environment	Operating Temperature Range: 59 to 86%; Recommended Operating Temperature: 59 to 86%; Storag Temperature Range: 14 to 104%; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 20 to 80% RH; Recommended Humidity Operating Range: 20 to 80% RH
-	Hardware Integration Pocket; 1 Fax modem port	Security Management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP,
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)		EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Pluq-in
Network Ready	Standard (built-in Gigabit 10/100/1000T Ethernet)	Accessories	Cabinet Workgroup Y1G17A, Dual Cassette Feeder (2x520) Workgroup Y1F97A, 2000 Sheet HCI W Y1F99A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 2/3 Y1G02A, Inner Finisher Hole Punch Y1G03A, Inner Finisher V1G04B, Inner Finisher Hole Punch Weiger Stacker Finisher Y1G1BA, Booldet Fi
Wireless Capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the connectivity section, above.		
Mobile Printing Capability	Management security: SNMPv3, SSI/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WIA-10 IPsec Configuration using IPsec Plug-in <sup>4</sup>		Y1G07A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher & Booklet Maker Staples Y1G13A, Job Separator WG Y1G15A, Tray Heater Y1G22A, 2nd exit Y1G23A, Spacer Y1G24A, Hole Punch 2/3 Y1G10A, Hole Punch 2/4 Y1G11A, Hole Punch Swedish Y1G12A, D0D CAC Card Reader CC543B, SJPRNe Classified Card Reader F8B30A, FHI USB Foreign Interface Harness B5L31A, Two internal USB ports fc
Memory	Standard: 7 GB; Maximum: 7 GB		solutions B5L28A, HDD HP Secure High Performance Hard Disk Drive B5L29A, HP JetDirect USB
Processor Speed	1.2 GHz / <b>Hard disk:</b> Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk,Total 640 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File		Wireless Print Server J8031A, HP JetDirect Wireless Print Server with NFC J8030A, HPAC Card Reader HIP1 CZ208A, HPAC Card Reader - HIP1 X3D03A, HPAC Card Reader - HIP2 X3D03A, Analog Fax Accessory CC487A
	Erase-Temporary Job Files, Secure Frase-Dob Data, Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.	HP Service and Support Options	USUB3- HO T year Next Business Day Service w/Defective Media Retention for Laser Jet E725xx MFP Managed; USUSE - HP 3 year Next Business Day Service w/Defective Media Retention for Laser Jet E725xx MFP Managed; USULGE - HP 4 year Next Business Day Service w/Defective Media Retention for Laser Jet 725xx MFP Managed; USULGE - HP 5 year Next Business Day Service w/Defective Media Retention for Laser Jet 725xx MFP Managed; USULE - HP 3 year A hour 9x5 Service w/Defective Media Retention for Laser Jet 725xx MFP Managed; USULE - HP 3 year 4 hour 9x5 Service w/Defective Media Retention for Laser Jet 725xx MFP Managed; USULE - HP 4 year 4 hour 9x5 Service w/Defective Media Retention for Laser Jet 725xx MFP Managed
Duty Cycle	Monthly, letter: Up to 300,000 pages		
Recommended Monthly Page Volume	Up to 50,000 pages		
Media Types Supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200g,		
	Cardstock 176-220g, Labels, Letterhead, Envelope, Preprinted, Prepunched, Colored	Learn more at	

Learn more at

hp.com

<sup>1</sup> No, please purchase USB cable separately (EMEA, Americas; AP) (Service Technician must install units)<sup>2</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17<sup>3</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, driver, and document complexity.<sup>4</sup> Optional Wireless <sup>5</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, wish http://www.hp.com/go/learnaboutsupplies<sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. <sup>7</sup> Measured using ISO/IEC 19759 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.<sup>4</sup> Optional Wireless <sup>5</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.<sup>4</sup> Average color composite black declared yield based on ISO/IEC 19799 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/printerclaims. Exact speed varies depending on scan resolution, network conditions, computer performance, and application software.

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

