SHARP

HIGH-SPEED COLOR DOCUMENT SYSTEMS



The MX-6580N/7580N encompass brilliant, consistent color quality with advanced workflow capabilities.

BRILLIANCE, SPEED AND INTUITIVE OPERATION

Inspired by the latest application and imaging technologies, these new models offer a rugged design and a user friendly experience, helping customers navigate document workflow with unmatched efficiency. Built for high-volume office environments, central reprographics departments and copy rooms, these new document systems are complemented by the robust paper handling and productive output capabilities once found only in commercial print facilities.

Sharp's next generation Color Consistency System helps ensure brilliant color output, page-after-page and job-after-job for repeatable, high-quality results. Businesses can rest assured that producing professional-looking color documents in house can be easier and more economical than ever before.

Key Features

- Ease of Use Sharp's customizable touchscreen display offers a user-friendly graphical interface with a clean design, simplified Easy Modes and integrated operation guides.
- Integration Equipped with the latest version of Sharp OSA® technology for easy integration with network applications and cloud services, these models can unlock advanced capabilities to help you better manage your workflow.
- Advanced Color Workflow The latest MX-PE12 Fiery® Print Server is available for environments such as corporate offices, CRDs and in-plant printing facilities that require precision color control and job management.

The MX-6580N and MX-7580N high-speed color document systems offer customers simplified integration with flexible options enabling them to quickly execute the ever-changing workflow tasks of today's busy high-volume office environments. And with Sharp's multi-layered Security Suite, these new models can help protect your data and personal information from the first day of operation to the time of trade-in.





"Outstanding 65 ppm Color Copier MFP" Awarded to MX-6580N



"Outstanding 75 ppm Color Copier MFP" Awarded to MX-7580N

DOMINATE RESULTS THROUGH COMPREHENSIVE FEATURES



HIGH RESOLUTION 10.1" (DIAGONALLY MEASURED) COLOR TOUCHSCREEN

PRODUCTIVITY PLUS
QUALITY AND EFFICIENCY

AVAILABLE FIERY®
PRINT SERVER



"PaceSetter Award in Ease of Use 2018–2019" A high-powered smart MFP that transforms office productivity and helps meet the demands of high volume office customers.

- Modular design provides a wide variety of configurations from basic high-speed copying and printing to professional folding and booklet making.
- Scan Preview feature offers on-the-fly page editing with easy fingertip navigation.
- 150-sheet Duplex Single Pass Feeder (DSPF) scans documents at up to 200 images per minute.
- Triple air-feed paper handling option offers high reliability and is virtually maintenance-free.



- PANTONE Licensing offers unprecedented levels of color fidelity to the PANTONE MATCHING SYSTEM®
- Offers 8,500-sheet maximum paper capacity and media support up to 110 lb. cover stock (300 gsm) with optional paper feed units.
- Standard high-performance print controller with included PCL®6 and Adobe® PostScript®3™.
- True 1200 x 1200 dpi printing provides beautiful images and enhanced clarity for fine details such as small text and graphics.
- Sharp's Color Consistency System with next generation image process control delivers high
 quality color output and maintains optimum color balance and toner density page after page.
- Easily access popular cloud applications, including Microsoft[®] OneDrive[®] for Business, SharePoint[®] Online, Box.com and Google Drive[™] with Sharp's Cloud Connect features.
- Standard Job Management features make it easy to print on-demand as well as view jobs, retain jobs, combine jobs, select print settings and more.
- Supports the Sharp OSA development platform, enabling businesses to easily integrate with network applications and cloud services.
- Compact PDF feature dramatically reduces the file size of scanned color documents, resulting in decreased network traffic and more efficient use of disk and cloud storage.
- Convenient End-of-Lease feature can erase all files on the hard disk drive, all user data, job status data and address book data at trade-in time.




INTELLIGENT FEATURES ENABLE ADVANCED FUNCTIONALITY



Built-in wireless network interface for convenient scanning and printing from mobile devices.



On-the-fly toner cartridge replacement while your job is running helps maximize your productivity.



Triple air-feed LCT paper trays maximize reliability and minimize downtime. Pneumatic sensors maintain consistent air flow.



With the MX-PE12 Fiery Print Server, achieve higher productivity and consistent color quality.

From intuitive navigation to unsurpassed productivity, these new models are equipped for optimum results.

Simple and Intuitive Operation

The new MX-6580N/7580N high-speed color document systems feature the latest 10.1" (diagonally measured) high-resolution LCD with signature **retractable keyboard** for unmatched ease-of-use. From the most basic of copy functions, to the most complex scan jobs, the high-speed color document systems will perform them with ease and efficiency. Use one of these **Easy Modes** for fast, simple operation, with basic functions displayed in **large, clearly-labeled tiles** and keys. And for more advanced features, just touch the "Details" button – it's that easy.

A "Well-connected" Device

Connecting a multifunction printer (MFP) to your wireless network and accessing it from mobile devices has never been so easy with the MX-6580N/7580N standard wireless networking features. Print from or scan to popular cloud services such as Microsoft OneDrive for Business, SharePoint Online, Box.com and Google Drive with Sharp's Cloud Connect feature. Single Sign-on (SSO) support for accessing these services makes scan-to-folder and scan-to-email operations simpler than ever. Even printing from your desktop is made easier with Sharp's Serverless Print Release function. Easily send a job to one device, and print it on another when and where it's most convenient for you.

Robust Paper Handling for Busy High-Volume Environments

Sharp understands the importance of productivity, that's why the new MX-6580N/7580N high-speed color document systems offer up to **8,500-sheet paper capacity** and support **media weights** up to **110 lb. cover** (300 gsm) with paper input options. Sharp's exclusive paper feed option uses **air-feed technology**, which maximizes reliability and minimizes down time. A feature typically found on production devices and printing presses, the triple air-feed system directs air flow with precision accuracy to ensure proper paper handling. A standard 150-sheet dual head document feeder can scan up to 200 images per minute.

The MX-PE12 Fiery® Print Server – a powerful integrated solution for managing high-volume office environments.

Improve Your Document Production – Best-in-class Processing and Timesaving Workflow

The optional MX-PE12 Fiery Print Server enables you to print large and/or complex Microsoft[®] Office[®] documents and color-critical PDFs accurately and quickly. Create booklets, sales guides, manuals, and much more with **Fiery VUE**, a free 3D visual print application.

- Print faster, smarter and seamlessly turn in-house printing into a professional operation
- Achieve unparalleled image and color quality ensure consistent reproduction of your brand
- Add value and impact customize your output with variable data printing capabilities

Automate job submission, make last-minute image edits and use advanced queue management to assign print priorities with features included in the optional MX-PE12 Fiery Productivity Package.

The MX-6580N/7580N high-speed color document systems provide high performance, high functionality and high efficiency to exceed your business needs.

innovative features

High Quality Printing

1200 x 1200 dpi resolution produces razor-sharp documents. Adobe[®] PostScript[®] 3™ drivers offer extensive job control.

Saddle Stitch

booklets up to

Make high quality

Finishers

Post Sheet Inserter

Produce professional looking documents with pre-printed covers and chapter inserts with the available post sheet inserter.

Duplexing Single Pass Feeder (DSPF)

Standard 150-sheet dual head document feeder scans both sides of a document in a single pass.

Advanced Network Scanning

Sharp's ImageSEND™ feature provides one-touch distribution to email, network folders, cloud applications and more.

Easy-to-Use Smart Touchscreen

Tablet-style menu provides quick access to features and functions.

Built-in Retractable Keyboard

Full-size QWERTY keyboard enables easy data entry.

Toner Hopper

Lets you change toner on-the-fly to help maximize productivity.







Optional MX-PE12 Fiery Server

Based on the latest Fiery FS200 Pro system software platform, the Fiery Server delivers performance-boosting features that shorten turnaround times.

Multi-Folding Unit

Provides a variety of folds, including Z-fold, C-fold, Accordion-fold, Double-fold and Half-fold.

Versatile GBC® SmartPunch Pro™

Professional punching system produces up to seven commonly used punch styles for creating professional bound booklets.

3,100-Sheet Standard **Paper Capacity**

Includes 2,000-sheet letter size tandem tray, two 500-sheet letter/ legal/ledger size trays and a 100-sheet bypass tray.

Enhanced Security Features

256-bit data encryption with up to 10-times data overwrite, as well as Sharp's convenient End-of-Lease feature.

Superior Media Handling

Sharp's 5,000-sheet large capacity paper tray option utilizes triple air-feed technology, which directs air flow with precision accuracy for proper paper handling and enhanced media support up to 300 gsm.



Sharp's Color Consistency System

Combines Micro-fine toner with Developer Refresh and advanced Image Process Control. These processes help ensure color output is always at peak performance

Convenient Job Management

1TB hard disk drive provides on-board document storage. An intuitive thumbnail view makes it easy to select, edit, reprint, repaginate and more



ENHANCED COLLABORATION TO STREAMLINE WORKFLOWS



Scan and convert documents to popular file formats seamlessly with Sharp's built-in OCR function.



Distribute, access and print documents more easily.



With Serverless Print Release technology you can securely print a job and release it from any of six supported models.¹

Versatile document workflow solutions provide you with extensive benefits to help your bottom line.

Simplify Managing Different File Types with Intelligent Image Processing

Easily and quickly scan and **convert documents** to popular file formats including **Microsoft Word, PowerPoint®** and **Excel®**, as well as a variety of **PDF formats** such as Searchable PDF, Encrypted
PDF, Compact PDF and others. You can also direct print these same file types from thumb drives,
cloud applications and mobile devices. This function is enabled via **DirectOfficeTM** technology. With
this much flexibility, you can speed through your workflow tasks faster than ever!

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to send documents to the destinations you need, and goes beyond traditional network scanning with standard **Email Connect** and **Cloud Connect** features. With Email Connect, scan-to-email is seamlessly integrated with Microsoft Exchange and GmailTM. With Cloud Connect, you can easily scan to and print from **Microsoft OneDrive for Business, SharePoint Online, Box.com** and **Google Drive** without additional middleware.

Scan and Print Files Easily from Mobile Devices

These high-speed color document systems also make it easy to scan and print files from tablets and smart phones using **Sharpdesk® Mobile**, a free downloadable app available for most common mobile devices. These high-speed color document systems also support popular mobile technologies such as **AirPrint®**, **Android™ printing framework** and **Google Cloud Print™**. You can print locally from your device or download files from supported cloud applications. Since the MX-6580N/7580N can connect to mobile devices through a **point-to-point wireless connection**, there is no interference with your corporate network.

Flexible Printing Solutions Help Speed Up Your Office Productivity

The MX-6580N/7580N come standard with **Adobe PostScript 3** and **PCL 6** printing systems to help you speed through all of your output needs with accuracy. To help streamline your jobs, these powerful performers include **Serverless Print Release technology**, enabling you to securely print a job and release it from up to six compatible models on your network. And with Google Cloud Print web printing service, you can print from Chromebook[™] notebook computers, PCs and more from virtually anywhere.

Simplify Complex Business Workflows

Sharp OSA technology can help your business leverage the power of your network applications, back-end systems and cloud services. Easily automate complex processes and help eliminate redundant tasks. Create your own custom integrations or take advantage of the growing portfolio of Sharp OSA applications available from Sharp Partner Program members.

¹ Go to www.sharpusa.com for a list of supported devices and operating systems.

² Some features require optional equipment and/or software/services.

TAKING CARE OF BUSINESS SAFELY AND SECURELY

Manage your device, help safeguard your data, help protect your business.

Businesses require that the devices on their networks are properly managed and closely monitored to ensure their data remains uncompromised. To help achieve this, the MX-6580N/7580N offer powerful device management utilities, web-based customer training and advanced, **multi-layered security features**.

With the **Sharp Remote Device Manager (SRDM)***, administrators can take control of system features and simplify installation and management. SRDM makes it easy to view service logs, click counts, history reports and more. Its event-driven service alerts help you monitor the device and maximize uptime. The **Remote Front Panel** feature allows administrators to view and control the machine's LCD panel from a PC to troubleshoot issues and train operators remotely. Sharp also offers both **built-in** and additional **auditing hardware and software to control, access and track usage** of each device on the network. And with **My SharpTM**, you get a dedicated training website customized to your model and configuration to help you understand and utilize all of the advanced features of your **SHARP**.



To help protect employees' privacy and intellectual property, the MX-6580N/7580N are armed with a variety of security measures, including features such as data encryption, data overwrite and data erase. Multiple security protocols help restrict access to the device while in operation, and a convenient End-of-Lease feature overwrites all data at time of trade-in. Authority Groups help manage and restrict specific copying, printing, scanning and fax features to safeguard data and control costs. The Admin Audit Log feature allows IT administrators to track activity on the device. Confidential Printing and Secure Fax Release help ensure that sensitive

documents are kept safe by requiring users to enter a PIN code in order to print them. For advanced security, these models support Active Directory user authentication and secure single sign-on to network folders and emails. For an optimized workflow experience, ID card authentication can also be activated.



These scalable security offerings aim to **protect your intellectual property**, preserve confidential information and help your business meet regulatory requirements including the Health Insurance Portability and Accountability Act (HIPAA) and the Family Educational Rights and Privacy Act (FERPA). For additional information visit: www.sharpusa.com/security.

*Available Summer 2017.



ENVIRONMENTAL COMMITMENT









An Environmentally Responsible Approach to Product Design

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. Sharp adheres to Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair and easy to take apart for recycling.

The MX-6580N/7580N document systems are ENERGY STAR® qualified and RoHS compliant to restrict the use of hazardous substances. Sharp MFPs are EPEAT® registered.



Toner Recycling Program

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid recycling kit for their return to our facility.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR annual Excellence in Energy Proficiency Product Design. Sharp is also a multi-year winner of the SmartWay[®] Excellence Award which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation.

For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharpusa.com/environment.

MX-6580N/7580N SPECIFICATIONS

Main Specifications (continued)

Main Specification MX-6580N/7580N	Base models include LCD, 150-sheet DSPF, 3,100-sheet paper
	capacity (2,000-sheet tandem tray/two 500-sheet trays),
	100-sheet bypass tray. 1-TB hard disk drive, PCL6/Adobe
	PostScript 3 network printing, color network scanning,
	retractable keyboard, MX-AMX2 application communication
_	module and MX-AMX3 external communication module
Type	Console, color multi-function digital document system
Display	10.1 (diagonally measured) color dot matrix high-resolution
Functions	touch panel tilting display. 1024 x 600 dots (W-SVGA) Copy, print, network print, network scan, document filing and fax
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic
oopy cyclom	brush development/OPC drums/Belt type fusing/white LED exposure
Originals	Sheets and bound documents
Max. Original Size	11" x 17"
Copy Size	Min. 5½" x 8½", Max. 13" x 19.2"
Copy Speed	65/75 ppm B&W/Color (8½" x 11")
Multiple Copy	Max. 9,999 copies
First Copy Time	MX-6580N MX-7580N B&W Color B&W Color
(in Seconds) ²	B&W Color B&W Color Platen Glass 4.0 5.6 3.7 5.1
	DSPF 6.5 9.2 6.3 8.8
Warm Up Time	55 seconds or less ²
Magnification	25% to 400% in 1% increments (with document feeder 25%-200%
Original Feed	150-sheet DSPF
Scan Speed	Up to 200 ipm² (Monochrome or Color)
Original Sizes	5½ x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17"
Paper Capacity	Standard: 3,100 Sheets/Maximum: 8,500 Sheets
Paper Feed	Standard: Tandem Tray 1 - 1,200 sheets (letter size), Tandem
System	Tray 2 - 800 sheets (letter size), Trays 3/4 - 500 sheets ea.
	(letter/legal/ledger/statement/12" x 18"). Multi-bypass Tray (for machine) - 100 sheets (letter/legal/ ledger/statement*/
	monarch or COM10 envelopes/13" x 19"), Multi-bypass (for
	LCT) - 500 sheets (letter/legal/ ledger/statement/13" x 19"), LCT
	(2-Drawer) - 2,500 sheets each drawer (letter/legal/ledger/
	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger).
Paper Weights	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000
Paper Weights and Types	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110
	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb.
	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandern Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC
	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC -16 lb. bond to 100 lb. bristol. Supported paper types
	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and
and Types	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy.
and Types Duplexing	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing
and Types Duplexing CPU	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandern Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller
and Types Duplexing CPU	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing
Duplexing CPU Interface	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports,
Duplexing CPU Interface Memory	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port)
Duplexing CPU Interface Memory Hard Disk Drive	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W)
Duplexing CPU Interface Memory Heard Disk Drive Copy Resolution Color Modes	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard at GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo,
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Map, Pale-Color. Settings: Auto or 9 step manual
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome)
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper typer include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper type: include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal,
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Upt to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-1), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase,
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper type: include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller BJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit,
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift image preview, insert pages, job build, job programs, margin shift image preview, insert pages, job build, job programs, margin shift
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Indem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, origina
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper type: include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethemet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradditions/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift imror image, mixed size original, multi-page enlargement, origina count, pamphlet style, proof copy, repeat layout, reserve copy,
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper type: include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethemet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradditions/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift imror image, mixed size original, multi-page enlargement, origina count, pamphlet style, proof copy, repeat layout, reserve copy,
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Print, Ext/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, origina count, pamphiet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode,
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Print, Ext/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, origina count, pamphiet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode,
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard a GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Marny, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, original, multi-page enlargement, original, multi-page enlargement, original, multi-page enlargement, print mirror image, mixed size original, multi-page enlargement, encount, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, tone save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot Up to 1,000 users. Supports user-number authentication (on
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCG - 16 lb. bond to 100 lb. bristol. Supported paper type: include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, origina count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAF server) for copy, print, scan and document management.
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, origina count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 4-in-1 / 8-in-1 multi shot Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password vio LDAP server) for copy, print, scan and document management.
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control Cloud Supported Services	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Mary, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, origina count, pamphet style, proor copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAF server) for copy, print, scan and document management. Google Cloud Print, Google Drive, OneDrive for Business, SharePoint Online, Box.com
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control Cloud Supported Services	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Indem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, origina count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot Up to 1,000 users. Supports user-number authentication (on device), login name/password (via LDAF server) for copy, print, scan and document management. Google Cloud Print, Google Drive, OneDrive for Business, SharePoint Online, Box.com
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control Cloud Supported Services	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, origina count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAP server) for copy, print, scan and document management.
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control Cloud Supported Services Network Protocols	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Inandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard and rear), USB 2.0 (1 device port) Standard and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Marry, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edif, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, originacount, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, tansparency injents, watermark, 2-in-1/4-in-1/8-in-1 multi shot Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAP-server) for copy, print, scan and document management. Goo
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control Cloud Supported Services Network Protocols	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC. Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Marny, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversa, blank page skip, book copy, book divide, card shot, center rease, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, origina count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 multi shot Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAP-sever) for copy, print, scan and document management. Google Cloud Print, Google Drive, OneDrive for
Duplexing CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control Cloud Supported Services Network Protocols	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ ledger). Inandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 100 lb. bristol, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb. bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard and rear), USB 2.0 (1 device port) Standard and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Marny, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift mirror image, mixed size original, multi-page enlargement, originacount, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAF server) for copy, print, scan and document management. Goo

* Statement size paper will not run through cassette number th	ree.
--	------

	retractable keyboard, MX-AMX2 application communication
	module and MX-AMX3 external communication module
Туре	Console, color multi-function digital document system
Display	10.1 (diagonally measured) color dot matrix high-resolution
	touch panel tilting display. 1024 x 600 dots (W-SVGA)
Functions	Copy, print, network print, network scan, document filing and fax ¹
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic
Originals	brush development/OPC drums/Belt type fusing/white LED exposure Sheets and bound documents
Max. Original Size	11" x 17"
Copy Size	Min. 5½" x 8½", Max. 13" x 19.2"
Copy Speed	65/75 ppm B&W/Color (8½" x 11")
Multiple Copy	Max. 9,999 copies
First Copy Time	MX-6580N MX-7580N
(in Seconds) ²	B&W Color B&W Color
	Platen Glass 4.0 5.6 3.7 5.1
	DSPF 6.5 9.2 6.3 8.8
Warm Up Time	55 seconds or less ²
Magnification	25% to 400% in 1% increments (with document feeder 25%-200%)
Original Feed	150-sheet DSPF
Scan Speed	Up to 200 ipm² (Monochrome or Color)
Original Sizes Paper Capacity	5½ x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17" Standard: 3,100 Sheets/Maximum: 8,500 Sheets
Paper Feed	Standard: Tandem Tray 1 - 1,200 sheets (letter size), Tandem
System	Tray 2 - 800 sheets (letter size), Trays 3/4 - 500 sheets ea.
Oyotom	(letter/legal/ledger/statement/12" x 18"). Multi-bypass Tray
	(for machine) - 100 sheets (letter/legal/ ledger/statement*/
	monarch or COM10 envelopes/13" x 19"), Multi-bypass (for
	LCT) - 500 sheets (letter/legal/ ledger/statement/13" x 19"), LCT
	(2-Drawer) - 2,500 sheets each drawer (letter/legal/ledger/
	13" x 19"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000
	sheets (letter/legal/ ledger).
Paper Weights	Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 100 lb.
and Types	bristol, Multi-bypass Tray (for machine) - 15 lb. bond to 110
	lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 100 lb.
	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/
	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types
	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC -16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and
Duplexing	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC -16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed
Duplexing CPU	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC -16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and
	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing
CPU	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller
CPU Interface Memory	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port)
CPU Interface Memory Hard Disk Drive	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB
CPU Interface Memory Hard Disk Drive Copy Resolution	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethermet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W)
CPU Interface Memory Hard Disk Drive Copy Resolution	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo,
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&Wcolor: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpl Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome)
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Marry, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Prhoto, Text/Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal,
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase,
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpl Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy,
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background,
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Prhoto, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stan-p, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode,
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpl Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Prietd-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner sawe mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot.
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot. Up to 1,000 users. Supports user-number authentication (on
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot. Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAP
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot. Up to 1,000 users. Supports user-number authentication on device), login name/password or login name/password (via LDAP server) for copy, print, scan and document management.
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control Cloud Supported	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1/4-in-1/8-in-1 multi shot. Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAP server) for copy, print, scan and document management. Google Cloud Print, Google Drive, OneDrive for Business,
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot. Up to 1,000 users. Supports user-number authentication on device), login name/password or login name/password (via LDAP server) for copy, print, scan and document management.
CPU Interface Memory Hard Disk Drive Copy Resolution Color Modes Exposure Control Halftone Copy Features Account Control Cloud Supported Services	bristol, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/ Ledger LCC - 16 lb. bond to 100 lb. bristol. Supported paper types include thin, plain, recycled, color, letter head, pre-printed and pre-punched, embossed and glossy. Standard automatic duplex copying and printing Up to 1.9 GHz Multi-Processor Controller RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port) Standard 6 GB 1 TB Scan: B&W/color: 600 x 600 dpi; Copy: B&W/color: 600 x 600 dpi Photo, Full Color Mode, Monochrome (B/W) Modes: Text, Text/Photo, Text/Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 9 step manual 256 gradations/2 levels (monochrome) Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot. Up to 1,000 users. Supports user-number authentication (on device), login name/password or login name/password (via LDAP server) for copy, print, scan and document management. Google Cloud Print, Google Drive, OneDrive for Business, SharePoint Online, Box.com

s (continueu)
Flash ROM with local (USB), network update capability
and firmware update 1 to N with SRDM (Sharp Remote
Device Management)
Web-based management with user/administrator level login,
cloning (1 to N) with SRDM and remote front panel access
Remote front panel, remote access to service logs and
click counts
Free stop tilting front panel, adjustment of key touch sound
and speed, concave key, document feeder free stop, job
programs, remote front panel, universal grip for paper trays,
and disable screen timeout
International ENERGY STAR Program Ver. 2.0, Law on
Promoting Green Purchasing. European RoHS (Restriction
of Hazardous Substances)
AC 208-240 VAC, 60 HZ, 20 A Receptacle
Maximum: 2,880 W or less
Approx. 467 lbs.
Approx. 331/4" (w) x 331/4" (d) x 481/6" (h)
System
PCL6 compatible, True Adobe PostScript 3
1200 x 1200 dpi
65/75 pages per minute (8½" x 11")
Windows Vista, Windows 7, Windows 8.1, Windows 10, Windows
Server® 2008, Windows Server 2008 R2, Windows Server 2012,
Windows Server 2012 R2, Windows Server 2016, Windows PPD,
macOS X® (including 10.6 to 10.12), all MAC PPD, Linux® PPD
AirPrint, Android printing framework (Sharp Print Service Plugin),
Sharpdesk Mobile
Auto configuration, serverless print release, bar code font
printing, carbon copy print, chapter inserts, color adjustment
settings, color mode, confidential print, continuous printing,
custom image registration, different cover page/last page/
other page, document control, document filing, duplex printing,
electronic sorting, folding, form overlay, hidden pattern print,
image rotation, image stamp, image type, job bypass print,
job retention, layout print, margin shift, multiple pamphlet,
network tandem print, N-up printing, offset stacking, page
interleave, pamphlet style, poster print, proof print, print and
send, punching, stapling, tab paper print, tab printing, toner
save mode, transparency inserts, tray status, user authentication
watermarks, zoom print
File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF,
Compressed PDF/A1, PostScript, DOCX, XLSX, PPTX, and PNG.
Methods: FTP, Web page, Email, Network Folder and USB
80 outline fonts (PCL), 139 fonts (PS)
RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0
Windows Vista, Windows 7, Windows 8.1, Windows 10,
Windows Server® 2008, Windows Server 2008 R2, Windows
Server 2012, Windows Server 2012 R2, macOS X 10.4-10.11,
UNIX®, Linux, Citrix® (XenApp 5.0-7.6), Windows Remote

	Citix , Linux, Citix (Acis pp 6.6 7.6), Williams Helliote
	Desktop Services, SAP device types ¹
Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP,
	Novell Pserver/Rprinter, LPD and LPR for Unix
Network Scanning	System
Scan Modes	Standard: Color, monochrome, grayscale
Max. Original Size	11" x 17"
Optical Resolution	600 dpi
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 100 dpi
Image Formats	Monochrome: TIFF, PDF, Encrypted PDF, Searchable PDF,
	DOCX, XLSX, PPTX, TXT and RTF.
	Color/Grayscale: Color TIFF, JPEG, PDF, Encrypted PDF1,
	PDF/A1, Compressed PDF1, Searchable PDF, DOCX, XLSX,
	PPTX, TXT and RTF.
Image	Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)
Compression	Color/Grayscale: JPEG (high, middle, low)
Scan Destinations	Email, Desktop, FTP, Folder (SMB), USB
One-touch	Up to 2,000 (combined scan destinations)
Destinations	
Group Destinations	Up to 500
Programs	48 (combined)
Max. Jobs	Up to 100

Max. Jobs	Up to 100
Enhanced Email	Standard Gmail connector, standard Exchange connector
Integration	(on-premise)
Sharp OSA	Application Communication Module (MX-AMX2) and External
Platform	Accounting Module (MX-AMX3) standard























SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com

Printed in U.S.A. 01/19 • CPD-3902

Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server, Excel, PowerPoint, OneDrive and SharePoint are registered trademarks of Microsoft Corporation, Android, Google Drive, Google Cloud Print and Chromebook are registered trademarks of Google Inc. AirPrint is a registered trademark of Apple Inc. Mopria is a trademark of Mopria Alliance, Inc. Adobe and PostScript are registered trademarks of Adobe Systems Inc. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. All other trademarks are the property of their respective owners.

4K 100-Sheet Stapler/Finisher (MX-FN21: option)

Power Consumption 220w/350w with MX-MF10

Power Consumption 220w/350w with MX-MF10 Approx.: 134.5 lbs.

Approx.: 134.5 lbs.

4K 100-Sheet Stapler/Saddle Stitch Finisher (MX-FN22: option)

Type Output Trays

Stapling Capacity

Stapling Positions

Stapling Media

Hole Punching

Power Source

Weight

Type

Dimensions

Output Trays

Stapling Capacity

Stapling Positions

Stapling Media

Saddle Stitch

Saddle Stitch

Hole Punching

Power Source

Optional Equipment MX-LC12

Max. Sets

Weight Dimensions

MX-LC13N

MX-LCX3N

MX-MF11

MX-FN19

MX-FN20 MX-FN21

MX-FN22

MX-GBCX2

MX-CF11

MX-FD10

MX-RB12

MX-RB13

MX-RB14

MX-RB15

MX-TM10

MX-PN12B MX-PN13B

AR-SC2

AR-SC3

MX-SCX1

MX-SCX2

MX-TR14

MX-TU14

AR-SU1 AR-SV1

MX-PF10

MX-FWX1

MX-FX15

MX-FR55U

MX-PE12

MX-PX12

Supplies MX-62NTBA

MX-62NTCA

MX-62NTMA

MX-62NTYA MX-62NVBA

MX-62NVSA

MX-62NRSA MX-700HB

4,000-sheet console stapler finisher (100-sheet stapling)

Approx.: 30 3/4" (w) x 30" (d) x 41" (h) (with tray extended)

4,000-sheet console stapler finisher (100-sheet stapling)

Upper tray: Moving offset tray (up to 1,500 letter size sheets) Middle tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray (up to 2,450 letter size sheets)

Center stitch/center fold (2 staples) letter/legal/ledger paper sizes

Approx.: 303/4" (w) x 30" (d) x 41" (h) (with tray extended)

5,000-sheet Large Capacity 2-Drawer Air Feed Tray (ledger)

Up to 5 sets (16-20 sheets)/10 sets (11-15 sheets per set)/15 sets

Up to 100 sheets (letter/statement)

1 front, 1 rear, or 2 point stitching

120 VAC, 60 HZ, 15 A Receptacle

Up to 100 sheets (letter/statement)

1 front, 1 rear, or 2 point stitching

120 VAC, 60 HZ, 15 A Receptacle

Plain paper, letter/legal/ledger size or mixed

(6-10 sheets per set)/25 sets (1-5 sheets per set)

Optional three-hole punch unit MX-PN13B

3,500-sheet Large Capacity Cassette (letter)

3,000-sheet Large Capacity Cassette (ledger)

500-sheet Multi-bypass Tray (for MX-LC13)1

4K Stacking 100-Sheet Staple/Saddle Stitch Finisher

4K Stacking 50-Sheet Staple Finisher 4K Stacking 50-Sheet Staple/Saddle Stitch Finisher¹

4K Stacking 100-Sheet Staple Finisher

GBC Smartpunch Pro

2-Tray Inserter Unit¹

Curl Correction Unit

Right Side Exit Tray

Center Exit Tray

Bar Code Font Kit

Fax Expansion Kit

Fiery Interface Kit

Fiery Color Print Server

Black Toner Cartridge

Cyan Toner Cartridge

Black Developer

Magenta Toner Cartridge Yellow Toner Cartridge

Cyan/Magenta/Yellow Developer

³ Go to www.sharpusa.com for a list of supported devices and operating systems

Toner Collection Container Some features require optional equipment. See your local dealer. ² May vary depending on product configuration, machine settings and operating and/or environmental conditions.

Internet Fax Expansion Kit

Paper Pass Unit (for machine)

Paper Pass Unit (for MX-LC13)

3-Hole Punch Unit (for MX-FN19/FN20)

3-Hole Punch Unit (for MX-FN21/FN22)

Staple Cartridge (for MX-FN19/FN20)

Staple Cartridge (for MX-FN21/FN22)

Stamp Cartridge (required for AR-SU1)

Stamp Unit (requires AR-SV1 Stamp Cartridge)

Data Security Kit (not available at time of launch)

Staple Cartridge (for MX-FN20)

Staple Cartridge (for MX-FN22)

Multi-folding Unit1

Relay Unit1

Trimmer Unit¹

Plain paper, letter/legal/ledger size or mixed

Optional three-hole punch unit MX-PN13B

Upper tray: Moving offset tray (up to 1,500 letter size sheets) Middle tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray (up to 2,450 letter size sheets)