TOSHIBALeading Innovation >>>

E-STUDIO 5518A
E-STUDIO 7518A
E-STUDIO 8518A

> Black & White Multifunction Printer

> 55, 65, 75 or 85 Pages Per Minute

> Large Workgroup

> Copy, Print, Scan, Fax

> Secure MFP

> Personalized User Interface







CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customizable MFPs to make your job easier. Intuitive and smartly integrated, these products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on their commitment to collaborate with end users to target needs and provide tailored, cost effective solutions that will meet your print, document management and content needs while helping to meet your green objectives.

- Speeds of 55, 65, 75 or 85 pages per minute
- Outstanding image quality
- High-volume black & white
- Advanced e-BRIDGE Next technology
- Fast dual-core processor

Sleeker, faster, and more versatile than ever.

Toshiba's sleek new lineup is as impressive on the inside as it is on the outside. Its ultra-modern look houses the latest innovative technology, like crisp, clean monochrome output delivered at up to 85 pages per minute from an impressive 6,020 sheet maximum paper capacity.

- precise 2,400 dpi x 600 dpi with smoothing for text
- up to 3,600 dpi x 1,200 dpi in PostScript mode (included!)
- new high-speed Dual-Scan Document Feeder holds 300 originals
- ideal for high-volume offices needing monochrome printing and colour scanning



Elevate streamlines multi-step processes into automated one-touch functions.

Be more productive by personalizing your Toshiba MFP interface around jobs and procedures you frequently do.

Elevate enables customers to conveniently turn multi-step jobs into a customized and efficient one-touch procedures. Save time, frustration and cost. Elevate your productivity.

- Customize and automate workflow
- Boost productivity. Reduce manual office processes
- Personalize the User Interface for better efficiency
- Save costs through improved workflow and productivity
- Create a clean Home Screen with often-used tasks



Simple, smart and stylish.

A new 10.1" tablet-style touch screen with an embedded web browser is easy to use and customizable to simplify and streamline your everyday jobs. It is part of the sleek, modern e-STUDIO series that will look great in your office.





INNOVATIVE FEATURES, VERSATILE CONNECTIVITY.

The Toshiba e-STUDIO8518A series helps workgroups connect, integrate and simplify while improving efficiency, with ultra-high volume productivity and quality output.

Higher Robust Speeds include 55/65/75/85 monochromatic pages per minute.

Fast Dual-Scan Document Feeder handles up to 300 sheets at a time and seamlessly scans both sides of each page in a single pass to produce a full 240 images per minute (IPM).

Fast First Copy Out Times at 5.2 / 5.2 / 4.5 / 4.1 seconds respectively.

10.1" Tablet-Style Touch Screen works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

Auto Skew Correction ensures your scanned documents are reproduced accurately.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or media type.

Limitless Job Reservation will queue up multiple copy or print jobs so users can send jobs when convenient.

Saddle/Fold Capabilities offer saddle-stitch finishing and the ability to fold without stapling.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

Scan Preview lets you review, change, rotate, reorder your scanned documents on the tablet before sending to a file or email.

Notifications Feature takes the hassle out of monitoring supplies and maintenance.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Help Button provides instant, thorough explanations from the touch screen manual.













HOW TOSHIBA IS RAISING THE STANDARD.

When it comes to seamless workflow and simplified integration, the e-STUDIO 8518A series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions.

AirPrint® and Mopria® support means mobile users can print to the MFP with ease. The e-BRIDGE Print & Capture application provides additional capabilities including the ability to scan from the MFP back to your mobile device.

PCL users can utilize Toshiba's V4 Driver with Toshiba Print Experience; a universal driver and XPS support adresses Windows® environments while PS3 support provides connectivity for Macintosh® users and beyond.

Cloud Support

Toshiba's new apps, including e-BRIDGE Plus for: OneDrive® for Business, SharePoint®Online and Exchange Online let users print from Microsoft's cloud-based services direct at the front panel of the MFP or mobile device. This includes Word™, Excel®and PowerPoint®(docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint®locations. When combined with the embedded OCR feature, documents can be scanned into Office formats, as well.

With Google Cloud Print™support, you can securely print over the web to an e-STUDIO MFP - including from your mobile device. e-BRIDGE Plus for: Google Drive™, OneDrive®, DropBox®, and box™are compatible and easily accessible mobility applications.*

*Your network settings and/or access control may vary depending on network environment when installing d-BRIDGE Plus applications.

Advanced Security

Important security advancements are offered on the e-STUDIO 8518A series, including:

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- Available FIPS 140-2 Validated SED exceeds government requirements
- IPsec is available to securely encrypt data sent to and from the MFP
- HCD-PP Certified ensures that rigorous security assurance requirements will safeguard digital documents.

Environmental Responsibility

Because Toshiba has been working to protect the environment as well as your security, you can rest assured you are protected both ways.

- RoHS compliance, the use of recycled plastics, and Low-Power (0.6W) Super Sleep Mode work to help the environment
- EPEAT Gold Registered in the global registry for greener electronics, designed to help purchasers choose products that reduce environmental impact
- Energy Star V2.0 certified
- TEC Value (Typical Electrical Consumption) is exceptionally low, equating to an environmentally friendly product with low operating cost
- e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use.





GO CONFIGURE! BUILD IT YOUR WAY.

1 Accessory Tray & Keyboard Options

GR-1330 Accessory Tray
GR-9000 Bluetooth Keyboard
GR-1340 10 Key Numeric Keypad

2 Finishing Options

MJ-1111B 50-Sheet Console Finisher
MJ-1112B 50-Sheet Saddle Stitch Finisher

MJ-6106N Hole Punch Unit KA-6551 Side Exit Tray

3 Connectivity Options

GD1370NA Fax Kit /2nd Line for Fax Kit GN-4020 Wireless LAN /Bluetooth Module GE-1230 FIPS 140-2 Validated SED

4 Additional Paper Options

MP-2502 2,500 Sheet Large Capacity Feeder

Additional Option Highlights

- IPsec Security Enabler
- Multi-Station Print Enabler
- Embedded OCR Enabler



Toshiba's e-STUDIO 8518A series offers the best of the best, enabling large workgroups to improve productivity and connectivity while simplifying the overall workflow.

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex.

Bluetooth/WiFi Option

Bluetooth feature provides support for a wireless keyboard to simplify workflow processes at the MFP, while the WiFi capability enables WiFi-Direct printing making it ideal for mobile users

Volumes and Volumes

A high monthly copy volume of 520K / 590K / 660K / 720K respectively. Impressive toner yield of 106,600 at 5% coverage.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any available MFP by simply swiping their badge and authenticating at that device.

Advanced e-BRIDGE Next Technology

Built on Linux® this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom™dual-core processor, 4GB RAM and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions and third-party applications.

TOSHIBA C:STUDIO 5518 A / 6518 A / 7518 A / 8518 A



Main Specifications

Copy System Indirect Electrostatic Photographic Method/OPC/Laser Printing/

Heat Roller Fusing

Display 10.1" Colour WVGA Touch Screen Tilting Display

Copy Speed First Copy Out 55 / 65 / 75 / 85 Pages Per Minute (LT) 5.2 / 5.2 / 4.5 / 4.1 Seconds

Approx. 24 / 24 / 20 / 20 Seconds Warm-Up Time

2400 (equivelent) x 600 dpi (with Smoothing) 3.9" x 5.8" to 13" x 19". 12" x 47" Banner, Envelope Copy Resolution Stack Feed Bypass

Multiple Copying Up to 9,999 Copies

Standard 3,520 Sheets / Max. 6,020 Sheets Paper Capacity Original Feed

Standard 300-Sheet DSDF DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Scan Speed & Weights

Colour), Simplex: 9.3-110 lb Index, Duplex: 9.3-110 lb Index

2x 540 Sheet Drawers-ST-R to 12" x 18" - 16 lb bond to 140 lb index Integral Tandem LCF 2320 sheets LT-only - 16lb bond to 140 lb index Paper Feed Size/Weight

Stack Feed Bypass: 120 Sheets-3.9" x 5.8" to 13" x 19", 12" x 47" Bannel

16 lb bond to 110lb Cover Opt. 2,500-Sheet Ext. LCF LT-Only - 16 lb bond to 140 lb index

Standard Automatic Duplex Unit (16 lb Bond-140 lb Index) Duplex

25% to 400% Reproduction Ratio

Max. Original Size

Max. 520K / 590K / 660K / 720K Monthly Max Duty Cycle

Approx.470 lb Weight

Approx. Dimensions 37.6" (W) x 27.5" (D) x 48.3" (H)

Toner Yield 106.600 @ 5%

120 Volts, 50/60 Hz, 16 Amps (20 Amp outlet reuired) Power Source

Power Consumption Maximum 2.0kW (120V) CPU Intel Atom™ 1.33 GHz (Dual-Core) Memory

Hard Disk Drive 320GB Self-Encrypting Drive

e-BRIDGE Next Print Specifications

PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG PDL

Print Speed 55 / 65 / 75 / 85 Pages Per Minute (LT)

Print Resolution $600\,x\,600$ dpi, 2400 (equivalent) x 600 dpi (with Smoothing), 1,200 x 1,200 dpi

(2 bit) or 3,600 x 1,200 dpi, PS Only

Operating Systems Windows Server® 2008/R2, R2 SP1, 2008/SP2, Windows®7, 8.1, 10, Windows Server® 2012/R2, 2016, Macintosh (Mac OS X 10.7.4, 10.8, 10.9,

10.10. 10.11, 10.12, 10.13), Unix® Linux®

TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for NoveII® Environments, Network Protocols EtherTalk® for Macintosh® Environments

SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk® PAP or EtherTalk, Printing Protocols (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP, Port 9100

Print Drivers Windows Server®2008 SP2 (32-bit, 64-bit), Windows Server®2008 R2 SP1

(64-bit), Windows® 7 SP1 (32 & 64-bit) Windows® 8.1 (32 & 64-bit), Windows Server® 2012/R2 (64-bit), Windows Server 2016,® Windows® 10 (32 & 64-bit)

Mac OS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13 Interface

RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional

802.11b/g/n, Wireless LAN, Optional Bluetooth

Wireless Device AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple App Store or Google Play)

TopAccess, EFMS 6.3 (e-BRIDGE Fleet Management Software) Device Management

Account Control Up to 10,000 users or 1,000 Departments Supports User Authentication

(on Device), Login Name/Password (via Windows domain) or Login Name/ Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function

Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Accessibility Features

Timeout and Audible Beep Message Alerts

Security Features

User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Password Policy, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check,

Image Log, Card Authentication, NFC Authentication

*Conformance with HCD-PPv1.0 in High Security Mode. Energy Star (V2.0), EPEAT Gold, RoHS Environmental Stds

Certification WHQL (Windows 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP,

AirPrint® Mopria®

Scan Specifications

File Formats

DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour) Scan Speed Standard: Full Colour, Auto Colour, Monochrome, Grayscale Scan Modes

600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Scan Resolution

Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Colour/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single PDF-Multi/Single PDF-Multi/Single PDF-Multi/S Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX

(Opt.), PPTX (Opt.)

Colour/Grayscale: JPEG (High, Middle, Low) Image Compression

Facsimile Specifications

Data Compression MH/MR/MMR/JBIG Approx. 3 Seconds Per Page Transmission Speed

Fax Modem Speed Up to 33.6 Kbps

100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job Memory Transmission

MP-2502

Scan Speed 0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method Colour Touch Screen Control Panel or Client PC

Number of Boxes 1 Public Box, 200 Private User Boxes

Capacity of Boxes 100 Folders/Box, 400 Documents per Folder/Box, 200 Pages /Document

Accessories (Options)

Additional Paper Options Large Capacity Feeder

Finishina Options 50-Sheet Staple Finisher MJ-1111B Saddle-Stitch Finisher MJ-1112B

Hole Punch Unit for MJ1111/MJ1112 MJ-6106N Side Fxit Trav KA-6551 Finisher Guide Rail KN-1103

Connectivity/Security Options

FAX Unit/2nd Line for FAX Unit GD-1370NA Wireless LAN/Bluetooth GN-4020

GR-9000 Bluetooth Keyboard GR-1330 Accessory Trav Panel 10-Key Option GR-1340 Card Reader Holder GR-1320 Meta Scan Enabler GS-1010 IPsec Enabler GP-1080 Unicode Font Enabler GS-1007

Embedded OCR Enabler per Seat License

Multi-Station Print Enabler Single License GS-1090 SharePoint Connector GB-1440 Exchange Connector GR-1450 GB-1540 Google Docs Connector

GS-1080

Miscellaneous Options

Accessible Arm KK-2550 Harness Kit for Coin Controller GQ-1280 Manual Pocket KK-5008























Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba Not all options and accessories may be available at the time of product launch. Please contact Steelhead for availability. Toner yields are estimates based on 5% coverage using letter-size page. Driver and connectivity features and support may vary based on the clients network operating system. Product names may be trademarks of their respective companies. This is a Class 1 laser product complying with IEC60825-1.

Steelhead Business Products Ltd address:

5589 Regent Street Burnaby, BC V5B 4R6

604.473.9100

604.473.9655 service: 604.473.9699 fax web site: www.steelhead.net

sales: