



FAST THROUGHPUT

that can save you money as it speeds your workflow.

GETTING THE JOB DONE FASTER AND MORE COST-EFFECTIVELY, IN A NETWORKED SOLUTION COMBINING COLOR SCANNING WITH ECONOMICAL EVERYDAY B&W PRINTING – THAT'S THE BENEFIT OF BIZHUB 652 AND 552. HIGH-SPEED B&W OUTPUT OF MORE THAN A PAGE PER SECOND. COLOR SCANNING AT UP TO 78 ORIGINALS PER MINUTE. ONE-STEP DOCUMENT DISTRIBUTION. POWERFUL FINISHING OPTIONS. AND ALL-IN-ONE PRODUCTIVITY THAT INCORPORATES MANY OF THE ADVANTAGES OF KONICA MINOLTA'S AWARD-WINNING C652 SERIES OF COLOR MFPS.


An essential component of a total document solution.


Konica Minolta has led the industry in high-speed digital output. With print/copy output up to 65 ppm for the bizhub 652, 55 ppm for the bizhub 552, and color scanning at up to 78 originals per minute for both models, these two bizhub MFPs are perfect B&W complements to your total document solution — integrating cost-effective B&W output, seamless networking, enhanced security and modular options for finishing and fax.

For high-volume document traffic in legal, healthcare, education, government and other applications, the bizhub 652 and 552 provide plenty of productivity advantages. Built-in color scanning lets you move information to multiple destinations: Email, FTP server, SMB. Twain scanning enables you to import information directly to desktop PCs. Scan-to-Me and Scan-to-Home provide one-touch convenience to bring documents directly into your workflow. And Scan-to-User Box lets you share information, perform routing functions and adjust document settings as you scan.

To speed network traffic, Gigabit Ethernet provides simple connections. IPv6 protocol increases IP addressing power in large networks. And IEEE 802.1x networking with Extensible Authentication Protocol (EAP) provides an authentication mechanism that allows integration into either LAN or WLAN environments.

The bizhub 652 and 552 also provide standard 250 GB Hard Disk Drives, for high-capacity on-board document storage at the hub of your business. And with all-in-one print, copy, scan and fax capabilities, you can use bizhub Send command to perform simultaneous scanning, Emailing, faxing and storage — a one-step solution to help co-workers, workgroups and outside partners stay ahead of tight deadlines.






Technology innovations for 21st-century workflow.

Leading the industry means finding new ways to get the job done better — and inside the bizhub 652 and 552, a host of Konica Minolta innovations help you work faster and smarter.

Our exclusive bizhub OP (Open Platform) design incorporates multiple benefits — including bizhub Architecture, consolidating major functions on uniform modules for fast internal processing with a consistent control interface. The unique Emperon® Print System adds built-in print control, PCL6/PS3 emulation and native XPS functionality to handle print files in any format. And the latest upgrade in bizhub Extended Solution Technology (bEST) gives you seamless interface with the specialized software your business needs for print management, variable printing, account tracking, cost recovery and more.

To improve your monochrome image, Simitri® HD toner utilizes smaller, more uniform particles that reproduce ultra-fine detail. Simitri was the industry's first polymerized toner, now in its 10th Anniversary year — and right from the start, Simitri toner used biomass plant-based materials to reduce environmental impact.

Your documents will also benefit from 1800 dpi equivalent x 600 dpi resolution — with outline PDF function that smoothes edges, so graphics and photos look more realistic, graphics have sharper accuracy and text is more legible.



High-resolution imaging in simple, hi-tech design.

Sleek dark styling and compact cabinetry will fit in and look great anywhere in your office, so you can place the productivity advantages of the bizhub 652/552 at the center of your workflow – where everyone can benefit from their fast output and quick-scan features.

A large 8.5" color touch-screen makes operation simple for first-time and walk-up users. Thumbnail preview lets you check documents before you print, saving time and cutting down on costly reprinting. Animated screens guide you and make menus more user-friendly. And our award-winning MyTab™ print utility lets each individual set up customized print settings for quick recall.

The InfoLine™ function displays operating status at a glance, even from across the room. For Section 508 compliance, a tilting control panel accommodates wheelchair-bound employees. Blue LED function key lights are easier to see. And paper drawers slide smoothly with just a light pull.



Clean Planet Recycling: our latest green innovation.

In addition to the cleaner biomass technology developed for Simitri HD toner, Konica Minolta has led the way in a wide range of environmental initiatives.

Our latest achievement is Clean Planet Recycling — the industry's first cost-free program to recycle consumables for all Konica Minolta models. With postage paid UPS labels ready to print from our website recycling consumables has never been easier.

In addition to saving the planet, Konica Minolta also saves you money — with higher toner yield to reduce total cost of ownership and energy-saving modes that minimize power consumption. In manufacturing, we've consistently reduced emissions and minimized pollutants. And our Eco Vision 2050 program is committed to reducing $\rm CO_2$ emissions by 80% over 2005 levels — helping cut down on greenhouse gases that may contribute to global warming.



Enhanced features for print/copy/scan productivity.

The extended feature set built into the bizhub 652 and 552 adds real value to your workflow. The latest Windows drivers handle your printing needs with ease. Universal Printer Drivers provide a common print control interface with standard commands, making print control quick and intuitive right from the start, including auto detection and configuration of networked devices for easy IT integration.

Maximum paper capacity of 6,650 sheets gives you more production power with less operator intervention. You can load up to 12" x 18" paper to print oversized graphics and spreadsheets, two-page spreads, even B&W proofs with crop marks and contrast scales in the margins. The bizhub 652 and 552 can also handle heavy stock, with 100% auto duplexing at rated engine speed, producing two-sided prints and copies without slowing down your output.

Proof copy/print lets you check output before making a full print run. You can even print and scan to and from USB thumb drives, with convenient front input connector — importing and exporting User Box files via USB memory. And you can print wirelessly with the EK-605 Bluetooth® option.

To manage all your document traffic from one convenient location, Internet Fax and IP Address Fax capabilities are built-in. You can also add an optional Super G3 Fax Kit with accelerated transmission and reception features and optional dual line to double your fax handling capacity.

to produce a wider range of superior documents in-house.

WITH THE BIZHUB 652 AND 552, YOU CAN PRINT AND FINISH CORPORATE COMMUNICATIONS, PRESENTATIONS, REPORTS, USER MANUALS, VARIABLE-DATA MAILINGS, BUSINESS FORMS AND MORE. YOU'LL GET THE JOB DONE FASTER, MAINTAIN CONTROL OF SENSITIVE INFORMATION, AND REVISE AND REPRINT MORE QUICKLY AND COST-EFFECTIVELY. IN HEALTHCARE, LEGAL AND EDUCATIONAL APPLICATIONS, GOVERNMENT OFFICES, CORPORATE CRDS, PRINT-FOR-PAY AND LIGHT PRODUCTION ENVIRONMENTS, THE BIZHUB 652 AND 552 CAN DO IT ALL.







AVAILABLE OPTIONS:

FK-502 Super G3 Fax Kit

FS-526 Finisher (100 sheets)

FS-527 Finisher (50 sheets)

JS-602 Job Separator for FS-526

JS-603 Job Separator for FS-527

LU-204 LCT (2,500 sheets)

LU-301 LCT (3,000 sheets)

MK-720 Fax Mount Kit for FK-502 or SA-502

OT-503 Output Tray Kit

PI-505 Post Inserter

PK-516 Punch Kit for FS-526

PK-517 Punch Kit for FS-527

SD-508 Saddle Stitcher Kit for FS-526

SD-509 Saddle Stitcher Kit for FS-527

WT-506 Working Table

ZU-606 Z-Folding Unit









Powerful options for producing more in-house.

Booklets, insurance reports, patient records, billing inserts, variable data mailings — what kind of documents does your business need most often? And can you produce them in-house, on-demand, to cut costs and save time?

The bizhub 652 and 552 can satisfy your in-house document needs with modular finishing options. Both models accept a powerful Staple Finisher (FS-526) with 100-sheet multi-position stapling and custom sorting and grouping. Using the FS-526, you can expand your finishing capabilities with a Saddle Stitcher Kit (SD-508) for creating 80-page (20-sheet) booklets, a Punch Kit (PK-516) for 2/3-hole punching at top or side, a Z-Fold Unit (ZU-606) for Z-Folding, and a Post-Inserter (PI-505) to add pre-printed covers or chapter dividers. There's even a Job Separator Tray (JS-602) option that adds a third tray to sort print, copy and fax output.

For greater versatility, both models also accept a slim and compact Floor Finisher option (FS-527), giving you a right-size choice of finishing solutions to suit specific in-house production needs. The FS-527 provides 50-sheet stapling and enables you to add a Hole-Punch Kit (PK-517) for 2/3-hole punching at side or top and a Saddle Stitcher Kit (SD-509) for booklets up to 60 pages (15 sheets). An optional Job Separator Tray (JS-603) acts as a third output tray to separate prints, copies and faxes. And with optional FS-527 Floor Finisher or optional OT-503 Output Tray installed, you can produce text signs and monochrome banners up to 11-3/4" x 47-1/4".



SEAMLESS NETWORKING

with enhanced security to safeguard valuable information.

DIGITAL DOCUMENT PRODUCTION HAS EVOLVED NEW WAYS OF CREATING AND DISTRIBUTING INFORMATION – AND DRIVEN NEW DEMANDS FOR NETWORKING, SOFTWARE AND SECURITY. THE BIZHUB 652 AND 552 ANSWER THESE DEMANDS WITH POWERFUL SOFTWARE CAPABILITIES AND SECURITY ENHANCEMENTS THAT GIVE YOU GREATER CONTROL AND SUPERIOR SAFEGUARDS. WITH BIZHUB, YOU CAN COUNT ON NETWORKED SOLUTIONS THAT GET THE JOB DONE – WITH WAYS TO MAKE YOU MORE COMPETITIVE IN THE 21ST CENTURY.

Comprehensive security to protect sensitive information.

Konica Minolta leads the industry in protecting sensitive information — and the bizhub 652 and 552 meet ISO 15408 Common Criteria classification with enhanced security features such as bizhub Secure Print with password security locks. Customized User Authentication for printing, scanning, faxing and User Box. Encrypted PDF workflow to protect information passing from PC to network. And with Audit log/Image log management to track usage and control access to your bizhub device.

IP Filtering lets you register the IP addresses of PCs on your network. SSL/TLS Encryption protects data during exchange between the MFP and network servers. And S/MIME Encryption safeguards your Email exchanges.

You can also add state-of-the-art security options for your documents and devices, including an HID Proximity Card Authentication Kit (AU-201H) for secure access to bizhub MFP functions and a Biometric Authentication Kit (AU-102) for quick "ID and print" operation using safe, secure finger-vein scans to identify users. A Copy Guard kit (SC-507) provides password-protected copy functionality. An HDD Lock function applies password protection to your hard disk drive. Job Erase function automatically overwrites your HDD up to three times — and HDD sanitizing overwrites data in 8 different modes, meeting strict government standards when devices are re-purposed or taken out of service.





i-Option kits to enhance workflow and simplify operation.

Konica Minolta's i-Option kits provide additional capabilities that make your in-house production system more powerful, flexible and secure.

The LK-101v.2 provides an Image Panel interface to manage User Box files, an enhanced AJAX-capable Web Browser for faster Internet Access, and Scan-to-Sharepoint convenience for quick document distribution. The LK-102 allows you to create PDF documents with government-level AES 128-bit encryption. And the LK-105 lets you quickly search PDF files to locate text and data.

IT power with interlocking PageScope® software solutions.

With networking, security and workflow advantages, PageScope software makes your bizhub 652 and 552 even more powerful.

PageScope Enterprise Suite v2.0 combines four software modules in a server-based solution for managed printing, account tracking, user authentication and customized user interface.

PageScope Web Connection and PageScope
Net Care Device Manager enable individual
users and IT administrators to manage multiple
devices more easily. PageScope Print Status
Notifier provides notification when your network
print job or network fax has been completed.
And PageScope Data Administrator™ handles
addresses, passwords, and accounts more quickly
and efficiently.





MyPrint Manager



PageScope Account Manager tracks device usage based on individual log-in – registering print/copy/scan/fax activity, creating reports, setting limits, allocating costs.

PageScope MyPrint Manager holds documents in a

secure print queue until users authenticate themselves at

any supported Konica Minolta MFP on the print network.



Authentication Manager



PageScope Authentication Manager provides passwordprotected log-in by user name, IC Card or Biometric authentication at each MFP, synchronizes to Active Directory, and automatically adds new users as they join your team.

PageScope MyPanel Manager allows individuals to customize an interface that appears at each MFP and disappears when users log out.



Konica Minolta: #1 in customer loyalty.

With all these features, functions and capabilities, the bizhub 652 and 552 have one advantage that's even more important: the satisfaction of our customers. Konica Minoita was recognized by Brand Keys for a third consecutive year as the #1 Brand for Customer Loyalty in the MFP Office Copier Market. We are at your service with over 37,000 worldwide employees, cutting-edge research programs in digital and optical technology, and the industry's most complete line of document imaging solutions from desktop to print shop. As long as you count on Konica Minoita, you've made the right decision.

COUNT UN KONICA MINOLTA

For more information, please visit: www.CountOnKonicaMinolta.com





SPECIFICATIONS Type/Process/Toner Type Print/Copy Speed		
Print/Copy Speed	Printer/Copier/Full-Color Scanner with Stationary F	Platen; Tandem Process; Simitri® HD Toner with Biomass
	B&W: 65 ppm (letter, portrait)	B&W: 55 ppm (letter, portrait)
Monthly Duty Cycle (Pages)	190.000	150.000
	130,000	100,000
COPY	1	1
Warm-up Time/First Copy Time	Less than 30 seconds/Less than 3.8 seconds	Less than 30 seconds/Less than 4.3 seconds
Copy Resolution/Quantity		ent x 600 dpi/1-9,999
Magnification	Zoom range: 25% - 400%, 0.1% increments, Preset reduction: 79	9%, 73%, 65%, 50%, Preset enlargement: 121%, 129%, 155%, 200%
Copy Exposure Modes	Text (legible text), Text/Photo (clear text and halftones), Photo (optimiz	ed for gradations). Dot Matrix (dot matrix or pencil originals). Copied Paper
PRINT – Emperon Print System with bizhub Extended So	(эт эт 3-шин (
		coniar mamon) (OEO CD (abared coniar LIDD)
Processor/Memory/Hard Disk Drive		copier memory)/250 GB (shared copier HDD)
Print Resolution/Gradation		00 dpi/256 shades per pixel
Interface	10 Base-T/100 Base-TX/1000	Base-T, USB 1.1 Host Port, USB 2.0
Page Description Language/Fonts	PCI 5e/c, PCI 6 (XI, v.3.0) Emulation, PS3 (v.3016) Emulation, XPS v.2.1.4	.0 (XML Paper Specification)/PCL: 80 fonts, PostScript 3 Emulation: 137 fonts
Print Drivers		Windows Vista (x32, x64), Windows 7 (x32, x64), Windows Server 2003 (x32, x64),
T THIC BINGIO		4), Windows Server 2008 R2; PS3: Windows 2000 Professional,
		dows 7 (x32, x64), Windows Server 2003 (x32, x64), Windows Server 2003 R2,
		Windows 2000, Windows XP, Windows Vista, Windows 7 (x32, x64), Windows Server 2003,
	Windows Server 2008 (x32, x64); XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), Windows Server 2008 (x32, x64), Windows Server 2008 R2;	
		0.4, Intel-based: 10.4 (print driver), 10.5, 10.6
Protocole		ter, NDPS, IPP 1.1, SMTP, POP3, LDAP, SSL/TLS, SNMP, HTTP/HTTPS, IPv4, IPv6, DPWS (WSD)
	TOP/IF, IF NOFA, Apple talk (Elliet talk), EFN, SIVID, EFD, Netware (4.x, 5, 0), FSEIVEL, NPHILL	(10) (11) (11) (11) (11) (11) (11) (11)
COPY / PRINT FUNCTIONS		
Copy/Print		ing, Auto Tray Switching, Bi-Directional Communication, Black Over Print, Card Shot,
	Copy Guard, Copy Modes (Simplex/Duplex, 2-in-1, 4-in-1, 8-in-1, Book, Booklet, F	Booklet + Bind), Cover Mode, Creative Functions (Mirror Image, XY Zoom, Image Center,
	Image Adjustment, Neg./Pos. Reverse, Image Repeat), Encrypted Network Password Printing, Energy Save Mode, Enlarge Display, Erase Mode (Border, Frame, Edge), Finishing (Group, Sort, Staple, Punch, Half-Fold, Center Staple and Fold, Tri-Fold), Form Overlay, Glossy Mode, HDD Encryption, HDD Job Overwrite, HDD Sanitizing, Image Adjustments (Contrast, Copy Density, Sharpness), Image Preview (Job Finishing, Image Display, Engine Configuration Display), Interrupt, Job List, Job Reserve, Job Skip, LDAP, Mixplex, Mix-Media, MyTab, Non-Image Area Erase, OHP Interleaving, Password Copy, Program/Recall Jobs, Paper Type Selection (Normal, Thick 1/1+, Thick 2, Thick 3, Thick 4), Print Modes (Simplex/Duplex, 2-in-1, 4-in-1, 6-in-1, 1-in-1, 16-in-1, Booklet, Booklet + Bind), Print from USB, Proof Copy, Secure Printing, Separate Scan,	
		ronize w/Account Track), User Box Function, Utility (Meter Count, Environment Setting,
		Consumables Life), Watermark, Zoom Selection
2041	Delault Setting, One-Touch Setting, Oneck	Consumables Life), Watermark, Zoom Selection
SCAN	5 H.O. I. 70 (O.000 I.I.I.H.) 55 (O.000 I.I.I.H.) POW 70	(0.000 0.000
Scan Speed/Scan Resolution		n (@ 300 dpi, letter), 65 opm (@ 600 dpi, letter) / 200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan File Formats	TIFF, PDF, Compact PD	F, JPEG, XPS, Compact XPS
Scan Functions	Scan-to-Email, Scan-to-ETP, Scan-to-HDD (Scan-to-User Box), Scan-to-Me/Sc	can-to-Home, Scan-to-SMB (Scan-to-Desktop), Scan-to-WebDAV, Network TWAIN.
		nctions (Auto Color/Full Color, Grayscale, Black Mode)
- CA FOO C AI	, , ,	, , , , ,
 SA-502 Scan Accelerator Kit 	Accelerates scal	n conversion process
• FAX		
 FK-502 Fax Board 	Super G3 compatibility, MH, MR, MMR, JB	IG data compression, 33.6 kbps modem speed
 MK-720 Fax Mount Kit 		FK-502 installation
Fax Transmission Speed		ge (JBIG, standard resolution)
• Fax Line / Mode		I, PBX, G3
Fax Exposure Mode		
Fax Features	Autodialing (2,000 one-touches), Auto Memory Reception, Auto Reduction Printing,	Broadcasting (maximum 605 locations), Bulletin Board, Duplex Transmission/Reception,
	Exposure Mode, Group Dialing (up to 500 one-touches per group), Image Rotation Transmission/Reception, Mailbox Transmission/Reception, Memory/Quick Dial, Overseas Transmission,	
	Password Transmission/Reception, PC-Fax, Polling Transmission/Reception, Priority Transmission, Print Setting or Overnight Reception, Program Dialing (400 programs), Redial,	
	rassword mansmission/reception, rora, roung mansmission reception, roranger and reception, r	
	nelay broadcasting, nelay transmission, nel	
	, si f	mote reception, rimor transmission, retributing
PAPER INPUT	•	· · ·
PAPER INPUT Reversing Auto Document Feeder	78 opm, Capacity: 100 Sheets, Paper Size: 5.5" x 8.5" to 11" x 17", Paper Weight:	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond
Reversing Auto Document Feeder		
Reversing Auto Document Feeder Original Size	Up to	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17"
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2	Up to 500-sheet (universal cassette)/5.5." x 8.	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11", 5	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11", 5 1,000-sheet (fixed cassette)/8.5" x 11", 5	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17". 5.5" to 12" x 18"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11", 5 1,000-sheet (fixed cassette)/8.5" x 11", 5 150-sheet bypass/4" x 6" to 12" x 18", 8" x	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11", 5 1,000-sheet (fixed cassette)/8.5" x 11", 5 150-sheet bypass/4" x 6" to 12" x 18", 8" x	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17". 5.5" to 12" x 18"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 1.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass/4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11"	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit • LU-301 Large Capacity Unit	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass/4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11"	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index "/17 lb. bond to 140 lb. index
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit • LU-301 Large Capacity Unit Maximum Paper Capacity	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass/4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11"	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Bypass Tray LU-204 Large Capacity Unit Maximum Paper Capacity APPLICATIONS	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass/4" x 6" to 12" x 18", 8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11' 3,000-sheets/8.5" x 11' 6,650 sheets	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index 17"/17 lb. bond to 140 lb. index 17"/17 lb. bond to 140 lb. index 18"/17 lb. bond to 140 lb. index 19"/17 lb. bond to 140 lb. index (total, with options)
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit • LU-301 Large Capacity Unit Maximum Paper Capacity	Up to 500-sheet (universal cassette) / 5.5" x 8 1,500-sheet (fixed cassette) / 8.5" x 8 1,500-sheet (fixed cassette) / 8.5" x 11", 5 1,000-sheet (fixed cassette) / 8.5" x 11", 5 150-sheet bypass / 4" x 6" to 12" x 18", 8" x 2,500-sheets / 8.5" x 11", 8.5" x 14", 11' 3,000-sheets / 8.5" x 11' 6,650 sheets	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index .5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index "/17 lb. bond to 140 lb. index (total, with options)
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Bypass Tray LU-204 Large Capacity Unit Maximum Paper Capacity APPLICATIONS	Up to 500-sheet (universal cassette) / 5.5" x 8 1,500-sheet (fixed cassette) / 8.5" x 8 1,500-sheet (fixed cassette) / 8.5" x 11", 5 1,000-sheet (fixed cassette) / 8.5" x 11", 5 150-sheet bypass / 4" x 6" to 12" x 18", 8" x 2,500-sheets / 8.5" x 11", 8.5" x 14", 11' 3,000-sheets / 8.5" x 11' 6,650 sheets	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index 17"/17 lb. bond to 140 lb. index 17"/17 lb. bond to 140 lb. index 18"/17 lb. bond to 140 lb. index 19"/17 lb. bond to 140 lb. index (total, with options)
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit • LU-301 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass / 4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11" 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index .5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index "/17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility Coope Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit • LU-301 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass /4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11" 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index 7/17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility Scope Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix Care support
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit • LU-301 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 1500-sheet bypass/4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14",11 3,000-sheets/8.5" x 11", 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" . 5" to 12" x 18"/17 lb. bond to 140 lb. index . 5.5" x 9.5", 4" x 6"/17 lb. bond to 140 lb. index . 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index . 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index . 13"/17 lb. bond to 100 lb. cover or up to 300 gsm . 12" x 18"/17 lb. bond to 140 lb. index . 171 lb. bond to
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Bypass Tray LU-204 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Unit Waximum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite:	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 1500-sheet bypass/4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14",11 3,000-sheets/8.5" x 11", 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index 7/17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility Scope Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix Care support
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite: ADDITIONAL OPTIONS	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass /4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11' 3,000-sheets/8.5" x 11' 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility Care support larger, PageScope MyPrint Manager, PageScope MyPanel Manager, Device Manager (standard)
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Bypass Tray LU-204 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Unit Waximum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite:	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass /4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11' 3,000-sheets/8.5" x 11' 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" . 5" to 12" x 18"/17 lb. bond to 140 lb. index . 5.5" x 9.5", 4" x 6"/17 lb. bond to 140 lb. index . 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index . 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index . 13"/17 lb. bond to 100 lb. cover or up to 300 gsm . 12" x 18"/17 lb. bond to 140 lb. index . 171 lb. bond to
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite: ADDITIONAL OPTIONS	Up to 500-sheet (universal cassette)/5.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass / 4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11" 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index "/17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility scope Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix Care support lager, PageScope MyPrint Manager, PageScope MyPanel Manager, Device Manager (standard) uthentication Unit, AU-202H HID iClass Card Authentication Unit,
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools • PageScope Enterprise Suite: • ADDITIONAL OPTIONS • Authentication Devices	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass /4" x 6" to 12" x 18",8" x 12",500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11" 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageSbizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility Scope Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix Care support lager, PageScope MyPrint Manager, PageScope MyPanel Manager, Device Manager (standard) utthentication Unit, AU-202H HID iClass Card Authentication Unit, 507 Copy Guard Kit, WT-506 Working Table to support Authentication Devices
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools • PageScope Enterprise Suite: • ADDITIONAL OPTIONS • Authentication Devices • External Keyboard	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11".5 1,000-sheet (fixed cassette)/8.5" x 11", 8.5" x 14", 11" x 1,500-sheets/8.5" x x 1	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" . 5" to 12" x 18"/17 lb. bond to 140 lb. index . 5.5" to 12" x 18"/17 lb. bond to 140 lb. index . 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index . 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index . 13"/17 lb. bond to 100 lb. cover or up to 300 gsm . 13"/17 lb. bond to 100 lb. cover or up to 300 gsm . 12" x 18"/17 lb. bond to 140 lb. index . 14"/17 lb. bond to 140 lb. index . 14"/17 lb. bond to 140 lb. index (total, with options) . 15"/17 lb. bond to 140 lb. index (total, with options) . 15"/17"/18"/19"/18"/19"/19"/19"/19"/19"/19"/19"/19"/19"/19
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Tray 4 Bypass Tray LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite: ADDITIONAL OPTIONS Authentication Devices External Keyboard i-Option	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11", 5 1,000-sheet (fixed cassette)/8.5" x 11", 5 1,000-sheet (fixed cassette)/8.5" x 11", 5 150-sheet bypass/4" x 6" to 12" x 18", 8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11' 3,000-sheets/8.5" x 11" 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Account Manager, PageScope Authentication Man PageScope Net Care I AU-102 Biometric Authentication Unit, AU-201H HID Card A AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution*, SC-KH-101 Keyboard Mount Kit for External Keyboard, EK-604 USB Interface for E LK-101 v2 i-Option, LK-102 i-Option, LK-10	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17"
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools • PageScope Enterprise Suite: • ADDITIONAL OPTIONS • Authentication Devices • External Keyboard	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass/4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11" 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I AU-102 Biometric Authentication Unit, AU-201H HID Card A AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution*, SC-KH-101 Keyboard Mount Kit for External Keyboard, EK-604 USB Interface for Ex LK-101 v2 i-Option, LK-102 i-Option, LK-105 FS-526 100-Sheet Staple Finisher, FS-527 Floor Finisher, JS-602 Job Separato	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 3.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index "/17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility cope Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix Care support lager, PageScope MyPrint Manager, PageScope MyPanel Manager, Device Manager (standard) uthentication Unit, AU-202H HID iClass Card Authentication Unit, 507 Copy Guard Kit, WT-506 Working Table to support Authentication Devices sternal Keyboard, EK-605 USB Interface for External Keyboard and Bluetooth Support is i-Option, UK-203 i-Option Memory Upgrade Kit r Tray (FS-526), JS-603 Job Separator Tray (FS-527), OT-503 Output Tray (Exit Tray),
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Tray 4 Bypass Tray LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite: ADDITIONAL OPTIONS Authentication Devices External Keyboard i-Option	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass/4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11" 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I AU-102 Biometric Authentication Unit, AU-201H HID Card A AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution*, SC-KH-101 Keyboard Mount Kit for External Keyboard, EK-604 USB Interface for Ex LK-101 v2 i-Option, LK-102 i-Option, LK-105 FS-526 100-Sheet Staple Finisher, FS-527 Floor Finisher, JS-602 Job Separato	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17"
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Tray 4 Bypass Tray LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite: ADDITIONAL OPTIONS Authentication Devices External Keyboard i-Option	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass / 4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11", 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageSbizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I AU-102 Biometric Authentication Unit, AU-201H HID Card A AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution*, SC-KH-101 Keyboard Mount Kit for External Keyboard, EK-604 USB Interface for Ex LK-101 v2 i-Option, LK-102 i-Option, LK-105 Post Inserter (FS-526), PK-516 Punch Kit (FS-526), PK-517 Punch Kit (FS-526)	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility Scope Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix Care support lager, PageScope MyPrint Manager, PageScope MyPanel Manager, Device Manager (standard) utthentication Unit, AU-202H HID iClass Card Authentication Unit, 507 Copy Guard Kit, WT-506 Working Table to support Authentication Devices ternal Keyboard, EK-605 USB Interface for External Keyboard and Bluetooth Support 15 i-Option, UK-203 i-Option Memory Upgrade Kit Ir Tray (FS-526), US-603 Job Separator Tray (FS-527), OT-503 Output Tray (Exit Tray), FS-527), SD-508 Saddle Stitcher Kit (FS-526), SD-509 Saddle Stitcher Kit (FS-527),
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 4 Bypass Tray • LU-204 Large Capacity Unit Maximum Paper Capacity Unit Maximum Paper Capacity Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools • PageScope Enterprise Suite: • ADDITIONAL OPTIONS • Authentication Devices • External Keyboard • i-Option • Finishing	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass / 4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11" 3,000-sheets/8.5" x 11", 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageSbizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I AU-102 Biometric Authentication Unit, AU-201H HID Card A AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution*, SC-KH-101 Keyboard Mount Kit for External Keyboard, EK-604 USB Interface for Ex LK-101 v2 i-Option, LK-102 i-Option, LK-105 Post Inserter (FS-526), PK-516 Punch Kit (FS-526), PK-517 Punch Kit (FS-526)	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index "/17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility cope Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix Care support lager, PageScope MyPrint Manager, PageScope MyPanel Manager, Device Manager (standard) uthentication Unit, AU-202H HID iClass Card Authentication Unit, 507 Copy Guard Kit, WT-506 Working Table to support Authentication Devices sternal Keyboard, EK-605 USB Interface for External Keyboard and Bluetooth Support 5 i-Option, UK-203 i-Option Memory Upgrade Kit r Tray (FS-526), JS-603 Job Separator Tray (FS-527), OT-503 Output Tray (Exit Tray),
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Tray 4 Bypass Tray LU-204 Large Capacity Unit AMAIN Paper Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite: ADDITIONAL OPTIONS Authentication Devices External Keyboard i-Option Finishing POWER & DIMENSIONS	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 150-sheet bypass/4" x 6" to 12" x 18", 8" x 2,500-sheets/8.5" x 11",8.5" x 14",11' 3,000-sheets/8.5" x 11" 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Account Manager, PageScope Authentication Man PageScope Net Care I AU-102 Biometric Authentication Unit, AU-201H HID Card A AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution*, SC-KH-101 Keyboard Mount Kit for External Keyboard, EK-604 USB Interface for Ex LK-101 v2 i-Option, LK-102 i-Option, LK-10 FS-526 100-Sheet Staple Finisher, FS-527 Floor Finisher, JS-602 Job Separato PI-505 Post Inserter (FS-526), PK-516 Punch Kit (FS-526), PK-517 Punch Kit (I	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index .5" x 18"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index "1717 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility Coppe Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix Care support lager, PageScope MyPrint Manager, PageScope MyPanel Manager, Device Manager (standard) uthentication Unit, AU-202H HID iClass Card Authentication Unit, 507 Copy Guard Kit, WT-506 Working Table to support Authentication Devices sternal Keyboard, EK-605 USB Interface for External Keyboard and Bluetooth Support 15 i-Option, UK-203 i-Option Memory Upgrade Kit "Tray (FS-526), JS-603 Job Separator Tray (FS-527), OT-503 Output Tray (Exit Tray), FS-527), SD-508 Saddle Stitcher Kit (FS-526)
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Tray 4 Bypass Tray LU-204 Large Capacity Unit Analymum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite: ADDITIONAL OPTIONS Authentication Devices External Keyboard i-Option Finishing POWER & DIMENSIONS	Up to 500-sheet (universal cassette)/8.5" x 81 1,500-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",5 1,000-sheet (fixed cassette)/8.5" x 11",8 1,000-sheet sypass/4" x 6" to 12" x 18",8" x 2,500-sheets/8.5" x 11",8.5" x 14",11 3,000-sheets/8.5" x 11", 8.5" x 14", 11 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Account Manager, PageScope Authentication Man PageScope Net Care I AU-102 Biometric Authentication Unit, AU-201H HID Card A AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution*, SC-KH-101 Keyboard Mount Kit for External Keyboard, EK-604 USB Interface for ELK-101 v2 i-Option, LK-102 i-Option, LK-10 FS-526 100-Sheet Staple Finisher, FS-527 Floor Finisher, JS-602 Job Separato PI-505 Post Inserter (FS-526), PK-516 Punch Kit (FS-526), PK-517 Punch Kit (FS-5	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" . 5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 6.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm 12"/17 lb. bond to 100 lb. cover or up to 300 gsm 14"/17 lb. bond to 140 lb. index 15"/17 lb. bond to 140 lb. index 17"/17 lb. bond to 140 lb. index 18"/17"/17 lb. bond to 140 lb. index 18"/17"/17"/17"/17"/17"/17"/17"/17"/17"/17
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Tray 4 Bypass Tray LU-204 Large Capacity Unit LU-301 Large Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite: ADDITIONAL OPTIONS Authentication Devices External Keyboard I-Option Finishing POWER & DIMENSIONS Power TEC Value (kWh)	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11", 5 1,000-sheet (fixed cassette)/8.5" x 11", 5 150-sheet bypass/4" x 6" to 12" x 18", 8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11' 3,000-sheets/8.5" x 11", 8.5" x 14", 11' 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I AU-102 Biometric Authentication Unit, AU-201H HID Card A AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution", SC-KH-101 Keyboard Mount Kit for External Keyboard, EK-604 USB Interface for Ex LK-101 v2 i-Option, LK-102 i-Option, LK-107 FS-526 100-Sheet Staple Finisher, FS-527 Floor Finisher, JS-602 Job Separato PI-505 Post Inserter (FS-526), PK-516 Punch Kit (FS-526), PK-517 Punch Kit (FS-526),	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" .5" to 12" x 18"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index i.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm "x 17", 12" x 18"/17 lb. bond to 140 lb. index //17 lb. bond to 140 lb. index (total, with options) g Utility, HDD Back-Up Utility, Log Management Utility cope Print Status Notifier, Font Management Utility, Copy Protect Utility, Print Utility for Unix Care support lager, PageScope MyPrint Manager, PageScope MyPanel Manager, Device Manager (standard) uthentication Unit, AU-202H HID iClass Card Authentication Unit, 507 Copy Guard Kit, WT-506 Working Table to support Authentication Devices dernal Keyboard, EK-605 USB Interface for External Keyboard and Bluetooth Support is i-Option, UK-203 i-Option Memory Upgrade Kit r Tray (FS-526), JS-603 Job Separator Tray (FS-527), OT-503 Output Tray (Exit Tray), FS-527), SD-508 Saddle Stitcher Kit (FS-526) Requirement: 120V, 60Hz/Consumption: Less than 2,000 W 5.82 kWh
Reversing Auto Document Feeder Original Size Tray 1 & Tray 2 Tray 3 Tray 3 Tray 4 Bypass Tray LU-204 Large Capacity Unit Analymum Paper Capacity Unit Maximum Paper Capacity APPLICATIONS Network & Device Management User Tools Management Tools PageScope Enterprise Suite: ADDITIONAL OPTIONS Authentication Devices External Keyboard i-Option Finishing POWER & DIMENSIONS	Up to 500-sheet (universal cassette)/8.5" x 8 1,500-sheet (fixed cassette)/8.5" x 11", 5 1,000-sheet (fixed cassette)/8.5" x 11", 5 150-sheet bypass/4" x 6" to 12" x 18", 8" x 2,500-sheets/8.5" x 11", 8.5" x 14", 11' 3,000-sheets/8.5" x 11", 8.5" x 14", 11' 6,650 sheets PageScope Data Administrator, Driver Packaging PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageS bizhub v PageScope Account Manager, PageScope Authentication Man PageScope Net Care I AU-102 Biometric Authentication Unit, AU-201H HID Card A AU-204H Magnetic Stripe Card Reader, AU-211P CAC/PIV Solution", SC-KH-101 Keyboard Mount Kit for External Keyboard, EK-604 USB Interface for Ex LK-101 v2 i-Option, LK-102 i-Option, LK-107 FS-526 100-Sheet Staple Finisher, FS-527 Floor Finisher, JS-602 Job Separato PI-505 Post Inserter (FS-526), PK-516 Punch Kit (FS-526), PK-517 Punch Kit (FS-526),	Single-sided: 9.25 lb. to 55.75 lb. bond, Double Sided or mixed: 13.25 lb. to 34 lb. bond 11" x 17" . 5" to 12" x 18"/17 lb. bond to 140 lb. index 5.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 6.5" x 8.5", 4" x 6"/17 lb. bond to 140 lb. index 13"/17 lb. bond to 100 lb. cover or up to 300 gsm 12"/17 lb. bond to 100 lb. cover or up to 300 gsm 14"/17 lb. bond to 140 lb. index 15"/17 lb. bond to 140 lb. index 17"/17 lb. bond to 140 lb. index 18"/17"/17 lb. bond to 140 lb. index 18"/17"/17"/17"/17"/17"/17"/17"/17"/17"/17



Konica Minolta Optimized Print Services offers a full suite of device output services and workflow solutions that increase efficiency and control costs. Please contact your authorized Konica Minolta sales representative for details.

© 2010 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica Minolta is a trademark of KONICA MINOLTA HOLDINGS, INC. biruhub, Emperon, and PageScope are registered trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Simittri is a registered trademark of KONICA MINOLTA BUSINESS SOLUTIONS. All other brands and product names are registered trademarks or trademarks of their respective owners. Design & specifications are subject to change without notice. Some functions may require options, which may or may not be available at time of launch.

COUNT ON KONICA MINOLTA

























