

eurofins ND TINY TES	Г	REPORT TINY	LAND
	-		
<u>A PLICANT</u>	:	TINY LANE 'NC	
ADDRESS	:	1370 OMALL, WAY, UPLAND, CA 91786	_
SAMPLE DESCRIPTION	:	1370 OMALL, YWAY, UPLAND, CA 91786 Play Kitchen PK0002 China USA	ND
ITEM NO.	:	PK0002	LV.
COUNTRY OF ORIGIN	:	China	*
COUNTRY OF DESTINATION	:	USA	
GE REQUESTED ON APPLICATION FORM	:	3+	
ABELED AGE GRADE	:	Not suitable r c'en under 3 years	
AGE GRADE APPLIED IN TESTING	:	Over 3 Years	.0
SAMPLE RECEIVED DATE	:	17-Aug-2022	NNL
FURTHER INFORMATION DATE	:	29-Aug-2022	
TURN AROUND TIME	:	Over 3 Years 17-Aug-2022 29-Aug-2022 17-Aug-2022 to 30-Aug-2022	

he following test item(s) was/were performed on submitted sampl

and component(s) confirmed by applicant

JEST REQUESTED	TEST METH V/F ULATION	RESULT
Flammability of Toys	ASTM F963-1.	Pass
Physical and Mechanical Hazards	ASTM F963-17	Pass
Heavy Metals	ASTM F963-17	Pass
Total Lead Content	US California Proposition 65	Pass
Total Lead Content in Paint / Surface Coating	US CPSIA, Section 101	Pass
Total Lead Content in Substrate	US CPSIA, Section 101	Pass
Phthalates Content	CPSC 16 CFR part 1307	Past
Phthalates Conce: t	US California Proposition 65	ass
Phthalates Content	US CPSIA, Section 108	Pass

Samples are obtained by express delivery, Pesults obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this is has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sen ling e nail to <u>info.sh@eurofins.com</u> and <u>referring to this report number</u>. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to <u>chine complaint@eurofins.com</u> and referring to this port number.





Eurofine (Snanghai) contact information Customer service: TracyChu@eurofins.com/ +86 216 1819 181 ales specialist: SammyDong@eurofins.com/ +86 571 8720373(

FOR FURTHER DETAILS, PLEASE REFER TO THE FC TINYLAND

TINYLAND

TINYLAND

TINYLAND

TINYLAND

Signed for and on behalf of Eurofins Product Testing Service (Scanghai) Co., Ltd

TINYLAND

TINYLAND

TINYLAND

oyce Liu b Manager



SAMPLE PHOTO(S)

eurofins ND






TINYLAND

COMPONENT LIST

2	omponent No.	Component	Quo From	Sample No.
	1	Black coating on wood	/	A
	2	White coating on wood	/	A
	3	Gold coating on wood	/	A
	4	Light yellow coating on wood	/	A
	5	Gold coating of plastic	/	A
	6	Grey coaling on wood	/	A
	7	White plastic (pointer/switch)	/	
	8	Milky white plastic	/	A
	9	Transparent plastic	/	A
	10	Grey plastic excluding coating		A
	11	Light grey plastic		A
_	12	Dark yellow plastic		A
	13	Natural color wood excluding coating		A
	14	Brown MDF wood excluding coating		A
	15	Beige/white fabric		A
	<u>16</u> 17	White fabric Silver metal (screw)	/	A
	17			
	TIN			NYL
	TIN	YLAND	71	NYLAN
		Y LAND		NYLAN
		***TO BE CONT	INUE	





TINYLAND

hysical and Mechanical Hazards

i est Request:

As specified in Consumer Safety Specification ST 963-17

Section	Description	Result
4.1	Material Quality	Р
4.3.7	Stuffing Materials	N/A
4.5	Sourd-Producing Toys	N/A
4.6	S nall Objects	N/A
4.6.1	Toys that are intended for children under 36 months of age	N/A
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Toys that are intended for children over 36 months	N/A
7	Accessible Edges	Р
4.8	Projections	Р
4.8.1	Bath Toy Projections	N/A
4.9	Accessible Points	N/A
4.10	Wires or Rods	N/A
4.11	Nails and Fast mers	Р
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	Р
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	Р
4.16	Confined Spaces	Р
4.17	Wheels, Tires, and Axles	N/A
18	Holes, Clearances, and Accessibility of Mechanis	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teethin, Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (exclude section 4.25.10 Battery-powered ride-on toys and section 4.25.11 Toys contain secondary cells or secondary batteries)	V/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
1. <u>30</u>	Toy Gun Marking	N/A
31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magi ets	N/A
4.39	Waw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding material	N/A
4.41	Toy Chests	N/A



		Y LIN
11	TEST RESULT	INYLAN
Section	Description	Result
	Labeling Requirements	
5.2	Age Grading Labeling	Р
5.3	Safety Labeling Requirements	Р
5.4	Aquatic Toys	N/A
5.5	Crib and Playnen Lys	N/A
5.6	Mobiles	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	Р
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons 1500.19)	N/A
5.12	Toy Caps (16 CFR 1500.86 for Required Labeling	N/A
13	Art Materials (16 CFR 1500.14(b)(8))	N/A
o.14	Electric Toys	N/A
5.15	Battery-Operated Toys	N/A
5.15.1	Battery-Powered Ride-On Toys	N/A
5.15.2	Button or Coin Coll Batteries	N/A
5.16	Promotional Materials	N/A
5.17	Magnets	N/A
6	Instructional Literature	
6.1	Definition and Description	Р
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	Р
<u>ે.5</u>	Battery-Operated Toys	N/A
.6	Battery-Powered Ride-On Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	-
7.1	Producer's or Distributor's Name and Address	Р
7.2	Battery-Powered Aule-on Toys	N/A
7.3	Toy Chests	N/A

TINYLAND

***ی 'TO BE CONTINU' د ***

TINYLAND



TINY LAND

TEST RESULT

TINYLAND

TINYLAND

e<u>avy Metals</u>

1) ASTM F963-17- Heavy Elements – Total Lead in Paint and Simil Sure-Coating Material (Clause 4.3.5.1(1)) Test Method: ASTM International Standard ASTM F963-17, Section 3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result				
rested item(s)	eun	LIIIII	WDL	1	2	3	4	5
Total Lead in Paint	mg/kg	90	10	ND	ND	ND	ND	ND
						1		
Tested Iten (s)	Unit	Limit	MDL		~	Result		
Tester It in (S)	Unit	LIIIII	WDL			6		
Total Lead in Paint	mg/kg	90	10			ND		

ASTM F963-17- Heavy Elements – Total Lead in Substrate Matial (Clau. 4.3.5.2(2) (a)) Test Method: ASTM International Standard ASTM F963-17, Section. 3 and Annex A7.

Tested Item(s)	Unit Limit	MDL	Result					
Tested Item(s)	UNI	LIMIL	MDL	7	8	9	10	41
Total Lead in Substrate	mg/kg	100	10	ND	ND	ND	NE	ND
Tootod Itam(o	Unit	Limit	MDL		1	?esult		
Tested Item(s)	Unit	Limit	WDL	12	13	•	14	17
Total Load in Substrate	mg/kg	100	10	ND	ND	1 (١D	ND

3) ASTM F963-17- Heavy Elements – Total Elements Content, Indial Screening for Soluble Migrated Elements ontent in Surface Coatings and Substrates Other Than Modeling Clay(Clappe 4.3.5.1(2) and 4.3.5.2(2)(b)) Test Method: ASTM International Standard ASTM F963-17, Section Content and Annex A7.

	Unit Limit		MDI		Result				
Tested Item(s)	UNIL	LIMIL	MDL	1	2	3	4	5	
Total Antimony	mg/kg	60	5	ND	ND	ND	ND	ND	
Total Arsenic	mg/kg	25	5	ND	ND	ND	ND	ND	
Total Barium 🚽	mg/kg	1000	10	159	415	ND	ND	ND	
Total Cadmium	mg/kg	75	5	ND	ND	ND	ND	ND	
Total Chronnium	mg/kg	60	5	ND	ND	227*	ND	72*	
Total Lead	mg/kg	90	10	ND	ND	ND	ND	ND	
Total Mercury	mg/kg	60	L.	ND	ND	ND	ND	ND	
Total Selenium	mg/kg	500		ND	ND	ND	ND	ND	

***TO BE CONTINUI .



Total Mercury

Total Selenium

TEST RESULT

	eurofin	SAND							NC)
~	TINY	Ξ	EST RESUL	I	7	N				
	Tested Item(s)	Unit	Limit	MD	6	7	Result 8	9	10	
	Total Antimony	mg/kg	60		ND	ND	o ND	9 ND	ND	
	Total Arsenic	mg/kg	25	5	ND	ND	ND	ND	ND	
	Total Barium	mg/kg mg/kj	1000	10	311	ND	58	ND	545	
	Total Cadmium	2 g/kg	75	5	ND	ND	ND	ND		
	Total Chromium	mg/kg	60	5	ND	ND	ND	ND	ND	
	Total Lead	mg/kg	90	10	ND	ND	ND	ND	ND	
	Total Mercury	mg/kg	60	5	ND	ND	ND	ND	ND	
	Total Selenium	mg/kg	500	10	ND	152	ND	ND	ND	
			l incit	MDI	X	\frown	Result			
	Tested Item(s)	Unit	Limit	MDL	11	12	13	14	15	
	Total Antimony	mg/kg	60		ND	ND	ND	18	ND	
	otal Arsenic	mg/kg	25	5	ND	ND	ND	ND	ND	
	Jtal Barium	mg/kg	1000	40	55	ND	182	ND	26	
	Total Cadmium	mg/kg	75	<u> </u>	ND	ND	ND	ND	ND	
	Total Chromium	mg/kg	60	5	ND	ND	ND	ND	ND	
	Total Lead	<u>179, krj</u>	90	10	ND	ND	ND	ND	_DN	
	Total Mercury	n.g/kg	60	5	ND	ND	ND	ND	ND	
	Total Selenium	mg/kg	500	10	ND	ND	ND	ND	ND	
1										
	Tested Lorn(s)	Unit	Limit	MDL		-1-	Result 16			
	Total Antimony	mg/kg	60	5	~		ND			
	Total Arsenic	mg/kg	25	3			ND			
	Total Barium	mg/kg	1000	1			ND			
	otal Cadmium	mg/kg	75	5			ND			
	i otal Chromium	mg/kg	60				ND			
	Total Lead	mg/kg	90	10			ND			
				_						

4) ASTM F963-17- Heavy Flements - Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling, Clay (Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

60

500

5

10

ND

ND

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.2 to 8.3.5 (excluding 8.3.5.5(3))

mg/kg

mg/kự

—	<u> </u>			Result		
Tested Item(s)	Unit	Limit	-16-14-	3	5	
oluble Antimony	mg/kg	60	5	ND	ND	
Joluble Arsenic	mg/kg	25		ND	ND	
Soluble Barium	mg/kg	1000	10	ND	ND	
Soluble Cadmium	mg/kg	75	5	ND	ND	
Soluble Chromium	nigirg	60	5	ND	ND	
Soluble Lead	mg/kg	90	10	ND	ND	
Soluble Mercury	mg/kg	60	5	ND	ND	
Soluble Selenium	mg/kg	500	10	ND 🔪	ND	
TIN				TINT		



TINYLAND

TINYLAND

TINYLAND

TINYLAND

emark:

MDL = milligram per kilogram MDL = method detection limit ND = Not detected, less than MDL

TINYLAND

TINYLAND

TINYLAND

The analytical results were adjusted broubtracting analytical correction factor.

* On the initial analysis for soluble heavy metals content, any tested component of greater than the set limit, the result is inconclusive for the requirement and therefore were retested with soluble heavy metals analysis or ASTM F963-17, Sections 8.3.2 to 8.3.5 as specified in Section 8.3.1.3. The result herein is for reference only (show data), please refer to soluble heavy metals content analysis for the corresponding conclusive results. According to Section 3.3.1.3, if results of total eight elements are below soluble limits for eacl element as prescribed in the table, the material can be considered to conform to requirements of 4.3.5.1(2) or 4.3.5.2(2)(b), or both, without further testing.



otal Lead Content

TINT

Total lead content as specified in US Californ, Pro ition 65.

rest Request: Test Method:

EPA 3050B:1996, EPA 3051A:2007, EPA 3052. 996, acid digestion/ microwave digestion

TINYLAND

TINYLAND

TINYLAND

method was used, analysis was performed by ICP-OES.

ethod was used	, analysis was	performed by	ICP-OES.			N
Ulpit	Limit	МП		Result		
Unit	Liiiit	MDL	1+2	2+3	4+5+6	
mg/kg	90	10	N	ND ND		
Unit	Limit	MDI		Result		
Unit	Linnit	WIDL	7-8+9	10+11+12	13+14	17
mg/kg	100	10	N	ND	ND	ND
-	Unit mg/kg	Unit Limit mg/kg 90	UnitLimitMDLmg/kg9010UnitLimitMDL	Unit Limit MDL 1+2 mg/kg 90 10 N Unit Limit MDL 7+8+9	Unit Limit MDL Result mg/kg 90 10 ND Unit Limit MDL Result Unit Limit MDL 1+2+3	Image: Market with the second secon

Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

The limit(s) was/were referred from various court cases. Compliance with the above stated limit(s) does not show compliance with Proposition 6t or a guarantee against possible legal action but provides a relative level of assurance against potential lawsuits. TINY

mg/kg = milligram pet kilogram

MDL = method sctection limit

ND = Not detected, less than MDL

TINYLAND

TINYLAND



***TO BE CONTINUI .



tal Lead Content in Paint / Surface Coating

Test Request: Total lead in paint/ similar surface coatings as circlin US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101

Test Method: CPSC-CH-E1003-0..1

The sample v α acid digested, and total lead content was determined by ICP-OES.

TINYLAND

TINYLAND

ND

Test Item(s)	Unit	Limit	MDL	Res	sult
rest item(s)	• Unit	LIIIII	WDL	1+2+3	+5+6
Total Lead (F)	mg/kg	90	10	ND	ND

emark:

rording to client's request, tests are combination tests. The experimental roults are the total result of mixed sall ples.

ng/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

Total Lead Concent in Substrate

Test Request:

Total lead in substrate as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101

st Method:

CPSC-CH-E1001-08.3 for metal product, CPC-CH-E1 2-08.3 for nonmetal product. The sample was acid digested, and total lead intertimed by ICP-OES.

Test Item(s)	Unit	Limit	MDL					
Test Item(s)				7+8+9	10+11+12	13+14	17	
Total Lead (Pb)	mg/kg	100	10	ND	ND	ND	ND	こと

Remark:

According to clien.'s request, tests are combination tests. The experimental results are the total result of mixed samples.

mg/kg = m.lligram per kilogram

MDL = method detection limit

> = Not detected, less than MDL

TINYLAND



TEST RESULT

hthalates Content

i est Request:

Prohibition of Children's Toys and Child Care ... 'icl ____ontaining Specified Phthalates as specified in CPSC 16 CFR part 1307.

TINYLAND

TINYLAND

Test Method: CPSC-CH-C100 - 09.4								
Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1+2+3	4+5+6	7 · 8+9	10+11+12
Diisononvlp. tk alate (DINP)	28553-12-0	%	0.1	0.005	ND	ΝΩ	ND	ND
Di-n-pentyl phthalate (DPENP)	131-18-0	%	0.1		ND	ND	ND	ND
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	J- 105	,	ND	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.0	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	ND
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
Benzy outylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND

marks:

A cording to client's request, tests are combination tests. The expension neutricults are the total result of mixed samples. TINYLAND

MDL = method detection limit

TINYLAND ND = Not detected, less than MDL

TINYLAND



TINYLAND

TINYLAND

hthalates Content

Test Request: Phthalates Content as specified in US California Proposition 65 EPA 3550C:2007, EPA 8270E:2018, solvent extraction and guantification by GC-MS. Test Method:

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1+2+3	4+5+6	7+8+9	10+11+12
Di-n-butyl phthaia'e (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
Benzy'butyl phthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	ND
Diisononyl phthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND	ND
Diisodecyl phthalate (DIDP)	26761-40-0	%	0.1	0.005	ND	ND	ND	ND
Dihexyl phthalate (DHP/DnHP)	84-75-3	%	0.1	0.005	ND	ND	ND	ND

Remarks:

According to clien's request, tests are combination tests. The experimental results are the total result of mixed samples.

MDL = method detection limit

ID = Not detected, less than MDL

e limit(s) was/were referred from various court cases.

TINYLAND

TINYLAND

Compliance with the above stated limit(s) does not show compliance with Proposition 65 or a guarantee against possible legal action but provides a relative level of assurance again of ential lawsuits. TINYLAND

***TO BE CONTINUE



hthalates Content

lest Request:

Phthalates Content as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 108

TINYLAND

TINYLAND

TINYLAND

Test Method: CPSC	-CH-C1001-09.3			-				ND
Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					1+2+3	4+5+6	7.8+9	10+11+12
Dibutylphthale.e (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	ND
Di-n-octylphthalate (DNOP)	117-84-0	%	0.1	0.005	ND	ND	ND	ND
Diisononylphthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND	ND
Diisodecylphthalate (DIDP)	26761-40-0	%	0.1	0.005	ND	ND	ND	ND

Remarks:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

MDL = method detection limit

D = Not detected, less than MDL

TINYLAND

TINYLAND ***END OF THE REPORT***