

TEST REPORT

ADDRESS : 1370 OMALLEY WAY,UPLAND,CA 91786

SAMPLE DESCRIPTION : PLAY TENT

ITEM NO. : TP0012

COUNTRY OF ORIGIN : China

COUNTRY OF DESTINATION : China

AGE REQUESTED ON APPLICATION FORM : 3+

LABELED AGE GRADE : 3+

AGE GRADE APPLIED IN TESTING : 3+

SAMPLE RECEIVED DATE : 19-Aug-2022

SAMPLE RESUBMISSION DATE : 13-Sep-2022

FURTHER INFORMATION DATE : 19-Sep-2022

TURN AROUND TIME : 19-Aug-2022 to 19-Sep-2022

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

| TEST REQUESTED | TEST METHOD/REGULATION | RESULT |
|---------------------------------|------------------------|--------|
| Physical and Mechanical Hazards | ASTM F963-17 | Pass |
| Flammability of Toys | ASTM F963-17 | Pass |
| Heavy Metals | ASTM F963-17 | Pass |
| Total Lead Content in Substrate | US CPSIA, Section 101 | Pass |
| Phthalates Content | CPSC 16 CFR part 1307 | Pass |

Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to info.hz@eurofins.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to chinacomplaint@eurofins.com and referring to this report number.



Eurofins (Hangzhou) contact information

Customer service: DeliaNie@eurofins.com/ +86 571 87203730

Sales specialist: SammyDong@eurofins.com/ +86 571 87203730

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
Eurofins Product Testing Service (Shanghai) Co., Ltd. Hangzhou Branch

A handwritten signature in black ink that reads "Sara Liu".

Sara Liu
Lab Manager

SAMPLE PHOTO(S)



A

COMPONENT LIST

| Component No. | Component | Quote From | Sample No. |
|---------------|-----------------------------------|--------------------|------------|
| 1 | Transparent plastic(end of rope) | | A |
| 2 | Beige woven fabric | | A |
| 3 | Beige fabric rope | | A |
| 4 | White fabric selvage | | A |
| 5 | White fiber pompon | | A |
| 6 | Natural color wood | | A |
| 7 | Golden plated metal eyelet | | A |
| 8 | Golden plated metal gasket | | A |
| 9 | White mesh fabric | EFHZ22082290-CG-01 | A |

TEST RESULT

Physical and Mechanical Hazards

Test Request: As specified in Consumer Safety Specification ASTM F963-17

| Section | Description | Result |
|---------|---|--------|
| 4.1 | Material Quality | P |
| 4.3.7 | Stuffing Materials | N/A |
| 4.5 | Sound-Producing Toys | N/A |
| 4.6 | Small Objects | N/A |
| 4.6.1 | Toys that are intended for children under 36 months of age | N/A |
| 4.6.2 | Mouth-Actuated Toys | N/A |
| 4.6.3 | Toys that are intended for children over 36 months but less than 72 months | N/A |
| 4.7 | Accessible Edges | P |
| 4.8 | Projections | N/A |
| 4.8.1 | Bath Toy Projections | N/A |
| 4.9 | Accessible Points | P |
| 4.10 | Wires or Rods | N/A |
| 4.11 | Nails and Fasteners | N/A |
| 4.12 | Plastic Film | P |
| 4.13 | Folding Mechanisms and Hinges | N/A |
| 4.14 | Cords, Straps and Elastics | N/A |
| 4.15 | Stability and Over-Load Requirements | N/A |
| 4.16 | Confined Spaces | N/A |
| 4.17 | Wheels, Tires, and Axles | N/A |
| 4.18 | Holes, Clearances, and Accessibility of Mechanisms | N/A |
| 4.19 | Simulated Protective Devices | N/A |
| 4.20 | Pacifiers | N/A |
| 4.21 | Projectile Toys | N/A |
| 4.22 | Teethers and Teething Toys | N/A |
| 4.23 | Rattles | N/A |
| 4.24 | Squeeze Toys | N/A |
| 4.25 | Battery-Operated Toys (exclude section 4.25.10 Battery-powered ride-on toys and section 4.25.11 Toys contain secondary cells or secondary batteries) | N/A |
| 4.26 | Toys Intended to be Attached to a Crib or Playpen | N/A |
| 4.27 | Stuffed and Beanbag-Type Toys | N/A |
| 4.28 | Stroller and Carriage Toys | N/A |
| 4.30 | Toy Gun Marking | N/A |
| 4.31 | Balloons | N/A |
| 4.32 | Certain Toys with Nearly Spherical Ends | N/A |
| 4.33 | Marbles | N/A |
| 4.34 | Balls | N/A |
| 4.35 | Pompoms | N/A |
| 4.36 | Hemispheric-Shaped Objects | N/A |
| 4.37 | Yo Yo Elastic Tether Toys | N/A |
| 4.38 | Magnets | N/A |
| 4.39 | Jaw Entrapment in Handles and Steering Wheels | N/A |
| 4.40 | Expanding material | N/A |
| 4.41 | Toy Chests | N/A |
| 5 | Labeling Requirements | |

TEST RESULT

| Section | Description | Result |
|---------|---|--------|
| 5.2 | Age Grading Labeling | P |
| 5.3 | Safety Labeling Requirements | P |
| 5.4 | Aquatic Toys | N/A |
| 5.5 | Crib and Playpen Toys | N/A |
| 5.6 | Mobiles | N/A |
| 5.7 | Stroller and Carriage Toys | N/A |
| 5.8 | Toys Intended to be Assembled by an Adult | P |
| 5.9 | Simulated Protective Devices | N/A |
| 5.10 | Toys with Functional Sharp Edges and Sharp Points | N/A |
| 5.11 | Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19) | N/A |
| 5.12 | Toy Caps (16 CFR 1500.86 for Required Labeling) | N/A |
| 5.13 | Art Materials (16 CFR 1500.14(b)(8)) | N/A |
| 5.14 | Electric Toys | N/A |
| 5.15 | Battery-Operated Toys | N/A |
| 5.15.1 | Battery-Powered Ride-On Toys | N/A |
| 5.15.2 | Button or Coin Cell Batteries | N/A |
| 5.16 | Promotional Materials | P |
| 5.17 | Magnets | N/A |
| 6 | Instructional Literature | |
| 6.1 | Definition and Description | P |
| 6.2 | Crib and Playpen Toys | N/A |
| 6.3 | Mobiles | N/A |
| 6.4 | Toys Intended to be Assembled by an Adult | P |
| 6.5 | Battery-Operated Toys | N/A |
| 6.6 | Battery-Powered Ride-On Toys | N/A |
| 6.7 | Toys in Contact with Food | N/A |
| 6.8 | Toy Chests | N/A |
| 7 | Producer's Markings | |
| 7.1 | Producer's or Distributor's Name and Address | P |
| 7.2 | Battery-Powered Ride-on Toys | N/A |
| 7.3 | Toy Chests | N/A |

Remark:

P - Pass

NA - Not Applicable

TEST RESULT

Flammability of Toys

Test Request: As specified in ASTM F963-17, Section 4.2, testing procedure for materials other than textiles (excluding paper) used in toys is contained in Annex A5

| Sample | Limit | Result |
|--------|-----------------|--------|
| A | 0.1 inch/second | P |

Remark:

P - Pass

TEST RESULT

Heavy Metals

1) ASTM F963-17- Heavy Elements – Total Lead in Substrate Material (Clause 4.3.5.2(2) (a))
 Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

| Tested Item(s) | Unit | Limit | MDL | Result | | | | |
|-------------------------|-------|-------|-----|--------|----|----|----|----|
| | | | | 1 | 2 | 3 | 4 | 5 |
| Total Lead in Substrate | mg/kg | 100 | 10 | ND | ND | ND | ND | ND |

| Tested Item(s) | Unit | Limit | MDL | Result | | | |
|-------------------------|-------|-------|-----|--------|----|----|----|
| | | | | 6 | 7 | 8 | 9 |
| Total Lead in Substrate | mg/kg | 100 | 10 | ND | ND | 64 | ND |

2) ASTM F963-17- Heavy Elements – Total Elements Content, Initial Screening for Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay(Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

| Tested Item(s) | Unit | Limit | MDL | Result | | | | |
|----------------|-------|-------|-----|--------|----|-----|----|----|
| | | | | 1 | 2 | 3 | 4 | 5 |
| Total Antimony | mg/kg | 60 | 5 | ND | ND | 80* | ND | ND |
| Total Arsenic | mg/kg | 25 | 5 | ND | ND | ND | ND | ND |
| Total Barium | mg/kg | 1000 | 10 | ND | ND | ND | ND | ND |
| Total Cadmium | mg/kg | 75 | 5 | ND | ND | ND | ND | ND |
| Total Chromium | mg/kg | 60 | 5 | ND | ND | ND | ND | ND |
| Total Lead | mg/kg | 90 | 10 | ND | ND | ND | ND | ND |
| Total Mercury | mg/kg | 60 | 5 | ND | ND | ND | ND | ND |
| Total Selenium | mg/kg | 500 | 10 | ND | ND | ND | ND | ND |

| Tested Item(s) | Unit | Limit | MDL | Result | |
|----------------|-------|-------|-----|--------|------|
| | | | | 6 | 9 |
| Total Antimony | mg/kg | 60 | 5 | ND | 129* |
| Total Arsenic | mg/kg | 25 | 5 | ND | ND |
| Total Barium | mg/kg | 1000 | 10 | ND | ND |
| Total Cadmium | mg/kg | 75 | 5 | ND | ND |
| Total Chromium | mg/kg | 60 | 5 | ND | ND |
| Total Lead | mg/kg | 90 | 10 | ND | ND |
| Total Mercury | mg/kg | 60 | 5 | ND | ND |
| Total Selenium | mg/kg | 500 | 10 | ND | ND |

TEST RESULT

3) ASTM F963-17- Heavy Elements – Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay (Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.2 to 8.3.5 (excluding 8.3.5.5(3))

| Tested Item(s) | Unit | Limit | MDL | Result | | | | |
|------------------|-------|-------|-----|--------|----|----|----|----|
| | | | | 1 | 2 | 3 | 4 | 5 |
| Soluble Antimony | mg/kg | 60 | 5 | NA | NA | ND | NA | NA |
| Soluble Arsenic | mg/kg | 25 | 5 | NA | NA | ND | NA | NA |
| Soluble Barium | mg/kg | 1000 | 10 | NA | NA | ND | NA | NA |
| Soluble Cadmium | mg/kg | 75 | 5 | NA | NA | ND | NA | NA |
| Soluble Chromium | mg/kg | 60 | 5 | NA | NA | ND | NA | NA |
| Soluble Lead | mg/kg | 90 | 10 | NA | NA | ND | NA | NA |
| Soluble Mercury | mg/kg | 60 | 5 | NA | NA | ND | NA | NA |
| Soluble Selenium | mg/kg | 500 | 10 | NA | NA | ND | NA | NA |

| Tested Item(s) | Unit | Limit | MDL | Result | |
|------------------|-------|-------|-----|--------|----|
| | | | | 6 | 9 |
| Soluble Antimony | mg/kg | 60 | 5 | NA | ND |
| Soluble Arsenic | mg/kg | 25 | 5 | NA | ND |
| Soluble Barium | mg/kg | 1000 | 10 | NA | ND |
| Soluble Cadmium | mg/kg | 75 | 5 | NA | ND |
| Soluble Chromium | mg/kg | 60 | 5 | NA | ND |
| Soluble Lead | mg/kg | 90 | 10 | NA | ND |
| Soluble Mercury | mg/kg | 60 | 5 | NA | ND |
| Soluble Selenium | mg/kg | 500 | 10 | NA | ND |

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

NA = Not Applicable

The analytical results were adjusted by subtracting analytical correction factor.

* On the initial analysis for soluble heavy metals content, any tested component of greater than the set limit, the result is inconclusive for the requirement and therefore were retested with soluble heavy metals analysis of ASTM F963-17, Sections 8.3.2 to 8.3.5 as specified in Section 8.3.1.3. The result herein is for reference only (show data), please refer to soluble heavy metals content analysis for the corresponding conclusive results.

According to Section 8.3.1.3, if results of total eight elements are below soluble limits for each element as prescribed in the table, the material can be considered to conform to requirements of 4.3.5.1(2) or 4.3.5.2(2)(b), or both, without further testing.

TEST RESULT

Total Lead Content in Substrate

Test Request: Total lead in substrate as specified in US Consumer Product Safety Improvement Act 2008 (CPSIA), Section 101

Test Method: CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3
The sample was acid digested, and total lead content was determined by ICP-OES.

| Test Item(s) | Unit | Limit | MDL | Result | | | |
|----------------|-------|-------|-----|--------|----|----|----|
| | | | | 1 | 6 | 7 | 8 |
| Total Lead(Pb) | mg/kg | 100 | 10 | ND | ND | ND | 64 |

Remark:

mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL

TEST RESULT

Phthalates Content

Test Request: Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates as specified in CPSC 16 CFR part 1307.

Test Method: CPSC-CH-C1001-09.4

| Test Item(s) | CAS No. | Unit | Limit | MDL | Result |
|-------------------------------|------------|------|-------|-------|--------|
| | | | | | 1 |
| Diisononyl phthalate (DINP) | 28553-12-0 | % | 0.1 | 0.005 | ND |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | % | 0.1 | 0.005 | ND |
| Di-n-hexyl phthalate (DHEXP) | 84-75-3 | % | 0.1 | 0.005 | ND |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | % | 0.1 | 0.005 | ND |
| Diisobutyl phthalate (DIBP) | 84-69-5 | % | 0.1 | 0.005 | ND |
| Diethylhexylphthalate (DEHP) | 117-81-7 | % | 0.1 | 0.005 | ND |
| Dibutylphthalate (DBP) | 84-74-2 | % | 0.1 | 0.005 | ND |
| Benzylbutylphthalate (BBP) | 85-68-7 | % | 0.1 | 0.005 | ND |

Remarks:

MDL = method detection limit

ND = Not detected, less than MDL