

TEST REPORT

TIMY LVND

NND

LIMY LVND **ADDRESS** 1370 OMALLEY WAY, UPLAND, CA 91786

SAMPLE DESCRIPTION PLAY TENT

ITEM NO. Tent2006

COUNTRY OF ORIGIN China

COUNTRY OF DESTINATION China

AGE REQUESTED ON APPLICATION FORM 3+

LABELED AGE GRADE 3+

AGE GRADE APPLIED IN TESTING

SAMPLE RECEIVED DATE


SAMPLE RESUBMISSION DATE

LVND

TURN AROUND TIME

-y-∠022 19-Aug-2022 to 06-Sep-2022 nitted sample(s) and/or ~ The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	TEST METHOD/REGULATION	RESULT
Physical and Mechanical Hazards	ASTM F963-17	Pass
Flammability of Toys	ASTM F963-17	Pass
Heavy Metals	ASTM F963-17	Pass
Total Lead Content in Substrate	US CPSIA, Section 101	Pass
Total Lead Content in Paint / Surface Coating	US CPSIA, Section 101	Pass
Phthalates Content	CPSC 16 CFR part 1307	Pass
TINY		NY





Eurofins (Hangzhou) contact information

TINY LAND

TIMY LAND

LIMY LVMD

Customer service: DeliaNie@eurofins.com/ +86 571 87203730 Sales specialist: SammyDong@eurofins.com/ +86 571 87203730

LIMA TUND

LIMY LVMD

TIMY LAND

TIMY LAND


TIMY LAND

Signed for and on behalf of Eurofins Product Testing Service (Shanghai) Co., Ltd. Hangzhou Branch

Lab Manager



SAMPLE PHOTO(S)










COMPONENT LIST

eurofin	COMPONENT LIST	TINY LIND
Component No.	Component	Sample No.
1	Fabric with colorful coating(label)	A
2	White woven fabric with white coating(mat)	A
3	White plastic connector	A
4	Creamy plastic tube	A
5	Green plastic sheet	A
6	Transparent plastic battery shell	A
7	Black plastic switch	Α
8	Transparent soft plastic wire sheath	Α
9	Transparent plastic star	Α
10	Transparent plastic cover	Α
11	Brown/green plastic circuitboard	Α
12	Beige woven fabric	A
13	White woven fabric	A
14	White mesh fabric	A
15	White woven fabric(mat)	A
16	White fabric fastener	A





LIMA TUND

Physical and Mechanical Hazards

Test Request: As specified in Consumer Safety Specification ASTM F963-17

Section	Description	Result
4.1	Material Quality	Р , Г
4.3.7	Stuffing Materials	N/A
4.5	Sound-Producing Toys	N/A
4.6	Small Objects	N/A
4.6.1	Toys that are intended for children under 36 months of age	N/A
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Toys that are intended for children over 36 months but less than 72 months	N/A
4.7	Accessible Edges	Р
4.8	Projections	N/A
4.8.1	Bath Toy Projections	N/A
4.9	Accessible Points	Р
4.10	Wires or Rods	N/A
4.11	Nails and Fasieners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearances, and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (exclude section 4.25.10 Battery-powered ride-on toys and section	Р
4.23	4.25.11 Toys contain secondary cells or secondary batteries)	
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding material	N/A
4.41	Toy Chests	N/A
5	Labeling Requirements	•



🔅 eu	rofins	INY LIN
~ ~ \	TEST RESULT	INY
Section	Description	Result
5.2	Age Grading Labeling	Р
5.3	Safety Labeling Requirements	Р
5.4	Aquatic Toys	N/A
5.5	Crib and Playpen Toys	N/A
5.6	Mobiles	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled by an Adult	P
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Toy Caps (16 CFR 1500.86 for Required Labeling)	N/A
5.13	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.14	Electric Toys	N/A
5.15	Battery-Operated Toys	N/A
5.15.1	Battery-Powered Ride-On Toys	N/A
5.15.2	Button or Coin Cell Batteries	N/A
5.16	Promotional Materials	P
5.17	Magnets	N/A
6	Instructional Literature	
6.1	Definition and Description	Р
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	Р
6.5	Battery-Operated Toys	N/A
6.6	Battery-Powered Ride-On Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	
7.1	Producer's or Distributor's Name and Address	Р
7.2	Battery-Powered Ride on Toys	N/A
7.3	Toy Chests	N/A

Remark:

P - Pass

NA - Not Applicable

LIMA TUND





LIMA LVMD

TIMY LAND

TIMY LAND

TEST RESULT

Flammability of Toys

TINY

Test Request: As specified in ASTM F963-17, Section 4.2, testing procedure for materials other than

textiles (excluding paper) used in toys is contained in Annex A5.

Sample	Limit	Result
A	0.1 inch/second	Р

Remark:

P - Pass



TIMY LAND



TIMY LAND

Heavy Metals

1) ASTM F963-17- Heavy Elements – Total Lead in Paint and Similar Surface-Coating Material (Clause 4.3.5.1(1))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Result	
rested itelli(s)	Oliit			1	2
Total Lead in Paint	mg/kg	90	10	ND	ND

2) ASTM F963-17- Heavy Elements – Total Lead in Substrate Material (Clause 4.3.5.2(2) (a)) Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Resu	lt			
rested item(s)	Offic	Lillit	MIDL	3	4	5	6	7
Total Lead in Substrate	mg/kg	100	10	ND	ND	16	ND	ND

Tested Item(s)	Unit	Limit	MDL	Result			
rested item(s)	Unit	LIIIII	WIDL	8	9	10	11
Total Lead in Substrate	mg/kg	100	10	ND	ND	ŇD	ND

3) ASTM F963-17- Heavy Elements – Total Elements Content, Initial Screening for Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay(Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.1 and Annex A7.

Tested Item(s)	Unit	Limit	MDL	Resi	Result					
	Unit	Lillit	MIDE	1	2	3	4	5		
Total Antimony	mg/kg	60	5	ND	215*	ND	ND	11		
Total Arsenic	mg/kg	25	5	ND	ND	ND	ND	6		
Total Barium	mg/kg	1000	10	ND	ND	ND	ND	ND		
Total Cadmium	mg/kg	75	5	ND	ND	ND	ND	ND		
Total Chromium	mg/kg	60	5	ND (ND	ND	ND	52		
Total Lead	mg/kg	90	10	ND	ND	ND	ND	16		
Total Mercury	mg/kg	60	5	ND	ND	ND	ND	ND		
Total Selenium	mg/kg	500	10	ND	ND	ND	ND	ND		

Tested Item(s)	Unit Limit	Limit	MDL	Result					
rested item(s)	Offic	LIIIII	MOL	6	7	8	9	10	
Total Antimony	mg/kg	60	5	ND	ND	ND	ND	ND	
Total Arsenic	rng/kg	25	5	ND	ND	ND	ND	ND	
Total Barium	mg/kg	1000	10	ND	ND	ND	ND	ND	
Total Cadmium	mg/kg	75	5	ND	ND	ND	ND	ND	
Total Chromium	mg/kg	60	5	ND	ND	ND	ND	ND	
Total Lead	mg/kg	90	10	ND •	ND	ND	ND	ND	
Total Mercury	mg/kg	60	5	ND	ND	ND	ND	ND	
Total Selenium	mg/kg	500	10	NĎ	ND	ND	ND	ND	



eurofin	1	N	7	\r	ND			
Tested Item(s)	Unit	Limit	MDL	Res	ult			
rested item(s)	Offic	Lillit	IIIDL	11	12	13	14	15
Total Antimony	mg/kg	60	5	ND	27	236*	129*	124*
Total Arsenic	mg/kg	25	5	ND	ND	ND	ND	ND
Total Barium	mg/kg	1000	10	ND	ND	ND	ND	ND
Total Cadmium	mg/kg	75	5	12	ND	ND	ND	ND
Total Chromium	mg/kg	60	5	ND	ND	ND	ND	ND
Total Lead	mg/kg	90	10	ND	ND	ND	ND	ND
Total Mercury	mg/kg	60	5	ND	ND	ND	ND	ND
Total Selenium	mg/kg	500	10	ND	ND	ND	ND	ND

Tested Item(s)	Unit	Jnit Limit		Result
rested item(s)	ed item(5)		MDL	16
Total Antimony	mg/kg	60	5	56
Total Arsenic	mg/kg	25	5	ND
Total Barium	mg/kg	1000	10	ND
Total Cadmium	mg/kg	75	5	ND
Total Chromium	mg/kg	60	5	ND ND
Total Lead	mg/kg	90	10	ND
Total Mercury	mg/kg	60	5	ND
Total Selenium	mg/kg	500	10	ND

4) ASTM F963-17- Heavy Elements - Soluble Migrated Elements Content in Surface Coatings and Substrates Other Than Modeling Clay (Clause 4.3.5.1(2) and 4.3.5.2(2)(b))

Test Method: ASTM International Standard ASTM F963-17, Section 8.3.2 to 8.3.5 (excluding 8.3.5.5(3))

Tested Item(s)	Unit	Limit	MDL Result					
rested item(s)	Ullit	LIIIII	MIDE	1	2	3	4	5
Soluble Antimony	mg/kg	60	5	NA	ND	NA	NA	NA
Soluble Arsenic	mg/kg	25	5	NA	ND	NA	NA	NA
Soluble Barium	mg/kg	1000	10	NA	ND	NA 1	NA	NA
Soluble Cadmium	mg/kg	75	5	NA	ND «	NA	NA	NA
Soluble Chromium	mg/kg	60	5	NA	ND	NA	NA	NA
Soluble Lead	mg/kg	90	10	NA	ND	NA	NA	NA
Soluble Mercury	mg/kg	60	5	NA	ND	NA	NA	NA
Soluble Selenium	mg/kg	500	10	NA	ND	NA	NA	NA

Tested Item(s)	Unit	Limit	MDL	Result				
rested item(s)	Onit	Limit	MIDL	6	7	8	9	10
Soluble Antimony	mg/kg	60	5	NA	NA	NA	NA	NA
Soluble Arsenic	mg/kg	25	5	NA	NA	NA	NA	NA
Soluble Barium	mg/kg	1000	10	NA	NA	NA	NA	NA
Soluble Cadmium	mg/kg	75	5	NA	NA	NA 1	NA	NA
Soluble Chromium	mg/kg	60	5	NA	NA «	NA	NA	NA
Soluble Lead	mg/kg	90	10	NA	NA	NA	NA	NA
Soluble Mercury	mg/kg	60	5	NA	NA	NA	NA	NA
Soluble Selenium	mg/kg	500	10	NA	NA	NA	NA	NA



eurofin	SNND T	EST RESUL	1	N	Υ,		ND	
Tested Item(s)	Unit	Limit	MDL	Resu	ılt 12	13	14	15
Soluble Antimony	mg/kg	60	5	NA	NA	ND	ND	ND
Soluble Arsenic	mg/kg	25	5	NA	NA	ND	ND	ND
Soluble Barium	mg/kg	1000	10	NA	NA	ND	ND	ND
Soluble Cadmium	mg/kg	75	5	NA	NA	ND	ND	ND
Soluble Chromium	mg/kg	60	5	NA	NA	ND 1	ND	ND
Soluble Lead	mg/kg	90	10	NA	NA	ND	ND	ND
Soluble Mercury	mg/kg	60	5	NA	NA	ND	ND	ND
Soluble Selenium	mg/kg	500	10	NA	NA	ND	ND	ND

Tested Item(s)	Unit	Limit	MDL	Result
rested item(s)	Offic	Lillit	INDL	16
Soluble Antimony	mg/kg	60	5	ND
Soluble Arsenic	mg/kg	25	5	ND
Soluble Barium	mg/kg	1000	10	ND
Soluble Cadmium	mg/kg	75	5	ND
Soluble Chromium	mg/kg	60	5	ND ND
Soluble Lead	mg/kg	90	10	ND
Soluble Mercury	mg/kg	60	5	ND
Soluble Selenium	mg/kg	500	10	ND

Remark:

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

LIMY LVMD

NA = Not Applicable

The analytical results were adjusted by subtracting analytical correction factor.

* On the initial analysis for soluble heavy metals content, any tested component of greater than the set limit, the result is inconclusive for the requirement and therefore were retested with soluble heavy metals analysis of ASTM F963-17, Sections 8.3.2 to 8.3.5 as specified in Section 8.3.1.3. The result herein is for reference only (show data), please refer to soluble heavy metals content analysis for the corresponding conclusive results. According to Section 8.3.1,3, if results of total eight elements are below soluble limits for each element as prescribed in the table, the material can be considered to conform to requirements of 4.3.5.1(2) or 4.3.5.2(2)(b), or both, without further testing.





Total Lead Content in Substrate

Test Request: Total lead in substrate as specified in US Consumer Product Safety Improvement Act 2008

(CPSIA), Section 101

Test Method: CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3

The sample was acid digested, and total lead content was determined by ICP-OES.

TINY LAND

TINY LAND

Test Item(s)	Unit	Limit	MDL	Result			
rest item(s)	Offic	Lillit		3+4+5	6+7+8	9+10	11
Total Lead(Pb)	mg/kg	100	10	ND	ND	ND	ND

Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

Total Lead Content in Paint / Surface Coating

Test Request: Total lead in paint/ similar surface coatings as specified in US Consumer Product Safety

Improvement Act 2008 (CPSIA), Section 101

Test Method: CPSC-CH-E1003-09.1

TIMY LAND

The sample was acid digested, and total lead content was determined by ICP-OES.

. ч							
` ,		Unit	Limit	MDL	Res	sult	
		Offic	LIIIII	MIDL	1	2]
	Total Lead (Pb)	mg/kg	90	10	ND	ND	
Remark: mg/kg = milligram per kilogram MDL = method detection limit ND = Not detected, less than MDL						MYLN	30

Remark:



LIMY LVMD

Phthalates Content

Test Request: Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates as

specified in CPSC_16 CFR part 1307.

7	•	CH-C1001-09.4	part 1007.					1	ND
	Test Item(s)	CAS No.	Unit	Limit	MDL			Result	
						1	2	3+4+5	6+7+8
	Diisononyl phthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND	ND	ND
	Di-n-pentyl phthalate (DPENP)	131-18-0	%	0.1	0.005	ND	ND	ND	ND
	Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND	ND	ND
	Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND	ND	ND
	Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND	ND	ND
	Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND	ND	ND
	Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND	ND	ND
	Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND	ND	ND

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
(1)					9+10	11		
Diisononyl phthalate (DINP)	28553-12-0	%	0.1	0.005	ND	ND		
Di-n-pentyl phthalate (DPENP)	131-18-0	%	0.1	0.005	ND	ND		
Di-n-hexyl phthalate (DHEXP)	84-75-3	%	0.1	0.005	ND	ND		
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.1	0.005	ND	ND		
Diisobutyl phthalate (DIBP)	84-69-5	%	0.1	0.005	ND	ND		
Diethylhexylphthalate (DEHP)	117-81-7	%	0.1	0.005	ND	ND		
Dibutylphthalate (DBP)	84-74-2	%	0.1	0.005	ND	ND		
Benzylbutylphthalate (BBP)	85-68-7	%	0.1	0.005	ND	ND		

Remarks:

According to client's request, tests are combination tests. The experimental results are the total result of mixed TIMY samples.

MDL = method detection limit

ND = Not detected, less than MDL

