

SOLID TECH

Hybrid Rack



Corner Pillars

All Corner Pillars are packed by two and includes Spikes and Black end caps. Available in Silver or Black

Order code	Model	Description	Retail
	HY200	8 inch corner pillars	150 (pr)
#SOTEHY200SIBL	Silver corner pillars/Black end caps (pack of 2)		
#SOTEHY200LBL	Black corner pillars/Black end caps (pack of 2)		
	HY275	11 inch corner pillars	170 (pr)
#SOTEHY275SIBL	Silver corner pillars/Black end caps (pack of 2)		
#SOTEHY275LBL	Black corner pillars/Black end caps (pack of 2)		
	HY350	14 inch corner pillars	190 (pr)
#SOTEHY350SIBL	Silver corner pillars/Black end caps (pack of 2)		
#SOTEHY350LBL	Black corner pillars/Black end caps (pack of 2)		
	HY670	26 inch corner pillars	380 (pr)
#SOTEHY670SIBL	Silver corner pillars/Black end caps (pack of 2)		
#SOTEHY670LBL	Black corner pillars/Black end caps (pack of 2)		
	HY900	35 inch corner pillars	500 (pr)
#SOTEHY900SIBL	Silver corner pillars/Black end caps (pack of 2)		
#SOTEHY900LBL	Black corner pillars/Black end caps (pack of 2)		



SOLID TECH

Hybrid Shelf

All Hybrid Shelves are available in Black or White and individually packed. Silver or Black Consoles included.

Order code	Model	Retail
	Hybrid Shelf	330
#SOTEHY490SIBL	Silver Consoles/Black Shelf	
#SOTEHY490SIWH	Silver Consoles/White Shelf	
#SOTEHY490LBL	Black Consoles/Black Shelf	
#SOTEHY490BLWH	Black Consoles/White Shelf	

Hybrid Shelf with Spirit Level		Retail
		370
#SOTEHY490SIBL+	Silver Consoles/Black Shelf + Spirit Level (Integrated Level)	
#SOTEHY490SIWH+	Silver Consoles/White Shelf + Spirit Level (Integrated Level)	
#SOTEHY490LBL+	Black Consoles /Black Shelf + Spirit Level (Integrated Level)	
#SOTEHY490BLWH+	Black Consoles /White Shelf + Spirit Level (Integrated Level)	

Hybrid turntable shelf

Order code	Model	Retail
		330
#SOTEHYTTWH	Hybrid TT-Shelf White, Sp Level + Spikes	
#SOTEHYTTBL	Hybrid TT-Shelf Black, Sp Level + Spikes	



Rack 3 shelves vertical
4 x HY200 / 2 x HY 275 / 3 x HY490









Rack 4 shelves vertical
4 x HY200 / 4 x HY 275 / 4 x HY490



Rack 7 shelves horizontal
6 x HY200 / 4 x HY 350 / 7 x HY490



SOLID TECH

Radius Audio Rack with Isolation system			
Order code	Model	Description	Retail
#SOTESOLO5-ISOL	Solo 5 + Isol	5 Shelves Audio Rack w/ suspended top shelf	2,295
	Black or Silver posts	Width x Depth x Height 26 3/4" x 19 5/8" x 41 5/8"	
		Width between pillars 20 1/2"	
		Distance between shelves 12 1/2" - 9 1/4" - 6" - 6"	
#SOTESOLO4-ISOL	Solo 4 + Isol	4 Shelves Audio Rack w/ suspended top shelf	1,895
	Black or Silver posts	Width x Depth x Height 26 3/4" x 19 5/8" x 35 5/8"	
		Width between pillars 20 1/2"	
		Distance between shelves 12 1/2" - 9 1/4" - 6"	
#SOTESOLO3-ISOL	Solo 3 + Isol	3 Shelves Audio Rack w/ suspended top shelf	1,495
	Black or Silver posts	Width x Depth x Height 26 3/4" x 19 5/8" x 21 1/2"	
		Width between pillars 20 1/2"	
		Distance between shelves 9 1/4" - 6"	
#SOTESOLO2-ISOL	Solo 2 + Isol	2 Shelves Audio Rack w/ suspended top shelf	1,095
	Black or Silver posts	Width x Depth x Height 26 3/4" x 19 5/8" x 18"	
		Width between pillars 20 1/2"	
		Distance between shelves 12 1/2"	
#SOTESOLO1	Solo 1	Amplifier Stand	595
	Black or Silver posts	Width x Depth x Height 26 3/4" x 19 5/8" x 4 3/4"	
		Width between pillars 20 1/2"	
#SOTEFI	Radius F1	Top or Intermediate Shelf *	1,395
	Featuring 4 Carbon fiber insertions Only for Radius Solo Black or White shelf		
#SOTEHPO2	HPO 2	High Performance Option	100
	Allows for the second shelf from the top to be suspended		

Radius Isolation







Radius Solo Isolation system acts as a mechanical low pass filter in all planes. It provides your sensitive equipment with extremely effective and true isolation both horizontally and vertically within the entire audio band, a prerequisite for an audio system to perform at its peak. The result is increased fidelity, imparting of deeper and tighter bass, cleaner transient response, silkier highs, deepened and wider soundstage, increased image focus and low level resolution, results which a non-isolated design simply not can achieve.

The technology of this isolation system, is equivalent to our critically acclaimed isolation foot Isoclear, it's effectiveness proven by series of measurements done by independent institute.

Optimum isolation characteristic and leveling is easily maintained by simply adding or subtracting springs in the corners, no tools at all are needed. A Suspension-Kit contains springs for isolating approximately 20 Kilogram, (44 lbs). Loads exceeding 44 lbs up to 88 lbs require an additional Spring-Set and above 88 lbs up to the maximum shelf load of 132 lbs, two additional Spring-Sets are required.



SOLID TECH

Radius A/V Racks and Speaker Stands			
Order code	Model	Description	Retail
#SOTEDU02	Duo 2	2 Shelves A/V Rack	1,395
	Black or Silver posts		
	Width x Depth x Height	50" x 19 5/8" x 18"	
	Maximum load	260 lbs / shelf	
	Width between pillars	20 1/2"	
	Distance between shelves	12 1/2"	
#SOTEDU03	Duo 3	3 Shelves A/V Rack	1,895
	Black or Silver posts		
	Width x Depth x Height	50" x 19 5/8" x 21 3/8"	
	Maximum load	260 lbs / shelf	
	Width between pillars	20 1/2"	
	Distance between shelves	9 1/4" - 6"	
#SOTECINE5	Cinema 5	5 Shelves A/V Rack	2,295
	Black or Silver posts		
	Width x Depth x Height	62 1/2" x 19 5/8" x 24 5/8"	
	Maximum load	130 lbs / shelf	
	Width between pillars	20 1/2" / 32 1/4"	
	Distance between shelves	Side 9 1/4" - 6"	
	Distance between shelves	Center 12 3/8"	
#SOTECINE8	Cinema 8	8 Shelves A/V Rack	3,295
	Black or Silver posts		
	Width x Depth x Height	85 13/16" x 19 5/8" x 24 5/8"	
	Maximum load	130 lbs / shelf	
	Width between pillars	20 1/2" / 32 1/4"	
	Distance between shelves	Side 9 1/4" - 6"	
	Distance between shelves	Center 12 3/8"	
#SOTERADISPEAST-24	Radius Speaker Stand 24	Speaker Stands	650(pr)
	Black or Silver posts		
	Perfect match to the Radius Rack Line		
	Two fillable braced aluminum pillars		
	Transparent Cast Acrylic Top Shelf		
Black Base only			
#SOTERADISPEAST-28	Radius Speaker Stand 28	Speaker Stands	700(pr)
	Black or Silver posts		
	Perfect match to the Radius Rack Line		
	Two fillable braced aluminum pillars		
	Transparent Cast Acrylic Top Shelf		
Black Base only			

Solid Tech Radius finish options



Black Birch Oak Cherry Moka White
 -BL -BI -OA -CH -MO -WH

To specify finish when ordering, simply add the 2 letters corresponding to your choice (ex: #SOTEDU02-**OA** for **Oak**)

Prices are subject to change without notice





Audio Plus Services, 156 Lawrence Paquette Ind. Dr., Champlain, NY, 12919

T800-663-9352 F866-656-0686 www.audioplusservices.com



04/20/16

SOLID TECH

Rack of Silence			
Order code	Model	Description	Retail
#SOTEREG3-EVO	ROS Regular 3	3 Audio Rack + EVO	1,895
 <p>Black or Cherry</p>	Black or Silver posts		
	Width x Depth x Height	27 1/2" x 19 3/4" x 23 5/8"	
	Maximum load (basic)	88 lbs	
	Maximum load (super)	176 lbs	
	Width between pillars	20 3/4"	
	Shelf Complement	2 x Basic shelves, 1 x Super shelf	
#SOTEREG3-F1-EVO	ROS Regular 3 F1 *	3 Carbon Fiber Shelves Audio Rack + EVO	5,795
 <p>Black or White</p>	Same as ROS Regular 3		
#SOTEREG4-EVO	ROS Regular 4	4 Shelves Audio Rack + EVO	2,695
 <p>Black or Cherry</p>	Black or Silver posts		
	Width x Depth x Height	27 1/2" x 19 3/4" x 35 1/2"	
	Maximum load (basic)	88 lbs	
	Maximum load (super)	176 lbs	
	Width between pillars	20 3/4"	
	Shelf Complement	2 x Basic shelves, 2 x Super shelves,	
#SOTEREG4-F1-EVO	ROS Regular 4 F1*	4 Carbon Fiber Shelves Audio Rack + EVO	7,795
 <p>Black or White</p>	Same as ROS Regular 4		

Solid Tech Rack of Silence finish options



Black
-BL



Cherry
-CH







White
-WH

To specify finish when ordering, simply add the 2 letters corresponding to your choice (ex: # SOTEREG4-EVO-**BL** for **Black**)



SOLID TECH

Rack of Silence			
Order code	Model	Description	Retail
#SOTEREF3-EVO	ROS Reference 3	3 Shelves Audio Rack w/ suspension + EVO	2,095
 Black or Cherry	Black or Silver posts		
	Width x Depth x Height	27 1/2" x 19 3/4" x 23 5/8"	
	Maximum load (basic)	88 lbs	
	Maximum load (suspended)	33-88 lbs	
	Maximum load (super)	176 lbs	
	Width between pillars	20 3/4"	
	Shelf Complement	2 x Basic shelves, 1 x Super shelf, 1 x Suspension kit	
#SOTEREF3-F1-EVO	ROS Reference 3 F1*	3 Carbon Fiber Shelves Audio Rack w/ suspension + EVO	5,995
 Black or White	Same as Reference 3		
#SOTEREF4-EVO	ROS Reference 4	4 Shelves Audio Rack w/ suspension + EVO	3,195
 Black or Cherry	Black or Silver posts		
	Width x Depth x Height	27 1/2" x 19 3/4" x 35 1/2"	
	Maximum load (suspended)	33-88 lbs	
	Maximum load (super)	176 lbs	
	Width between pillars	20 3/4"	
	Shelf Complement	2 x Basic shelves, 2 x Super shelves, 2 x Suspension kits	
#SOTEREF4-F1-EVO	ROS Reference 4 F1*	4 Carbon Fiber Shelves Audio Rack w/ suspension + EVO	8,295
 Black or White	Same as Reference 4		

Solid Tech Rack of Silence finish options



Black
-BL



Cherry
-CH







White
-WH

To specify finish when ordering, simply add the 2 letters corresponding to your choice (ex: # SOTEREF3-EVO-**BL** for **Black**)



SOLID TECH

Rack of Silence			
Order code	Model	Description	Retail
#SOTEREFAMP-EVO	ROS Reference Amplifier stand	Reference Amplifier stand w/ suspension + EVO	1,395
 Black or Cherry	Black or Silver posts		
	Width x Depth x Height	27 1/2" x 19 1/2" x 11 3/4"	
	Maximum load (suspended)	33-88 lbs	
	Maximum load (super)	176 lbs	
	Width between pillars	20 3/4"	
	Shelf Complement	1 x Basic shelves, 1 x Super shelf, 1 x Suspension kit	
#SOTEREFAMP-F1-EVO	ROS Reference Amplifier stand F1*	Carbon Fiber Shelves Reference Amplifier stand w/ suspension + EVO	3,995
 Black or White	Width x Depth x Height	27 1/2" x 19 1/2" x 11 3/4"	
	Maximum load (suspended)	33-88 lbs	
	Maximum load (super)	176 lbs	
	Width between pillars	20 3/4"	
	Shelf Complement	1 x Basic shelves, 1 x Super shelf, 1 x Suspension kit	
#SOTEREGAMP	ROS Regular Amplifier Stand	Regular Amplifier stand	795
 Black or Cherry	Black or Silver posts		
	Width x Depth x Height	27 1/2" x 19 1/2" x 11 3/4"	
	Maximum load (super)	176 lbs	
	Shelf Complement	1 x Super shelf	
#SOTEREGAMPF1	ROS Regular Amplifier Stand F1*	Carbon Fiber Shelves Regular Amplifier stand	2,395
 Black or White	Width x Depth x Height	27 1/2" x 19 1/2" x 11 3/4"	
	Maximum load (super)	176 lbs	
	Shelf Complement	1 x Super shelf	
#SOTEROSTTLBL	Turntable Shelf Large		300
Black	Width x Depth x Thickness	27" x 20" x .8"	
#SOTEROSTTSBL	Turntable Shelf Small		280
Black	Width x Depth x Thickness	19" x 17" x .75"	

Solid Tech Rack of Silence finish options



Black
-BL



Cherry
-CH



White
-WH

To specify finish when ordering, simply add the 2 letters corresponding to your choice (ex: # SOTEREFAMP-EVO-**BL** for **Black**)



SOLID TECH

Accessories			
Order code	Model	Description	Retail
#SOTEFESI	Feet of Silence (4)	Isolation feet	650
		A complement of four Feet of Silence can support a load of 26 to 53 lbs	
	Black or Chrome		
#SOTEDISI	Disc of Silence (4)	Isolation feet	350
		A set of four Discs of Silence can handle up to 200 lbs with all tension springs installed.	
	Black or Silver		
#SOTEDISI-SP		Tension springs for Disc of Silence	35
		Set of twelve (12) extra springs to handle up to 200lbs	
#SOTEDISIH	Disc of Silence HD (4)	Isolation feet Heavy-Duty	600
		A set of four Discs of Silence can handle between 200 lbs and 385 lbs with all tension springs installed.	
	Black or Silver		
#SOTEIS4	Iso (4)	Isolator support	325
		This set of supports will allow the Feet/Disc of Silence to be used as an option on both the fixed and the suspended shelves. This further improves performance.	
#SOTEISOC	IsoClear (4)	Isolation feet	150
		Isoclear comes with three internal springs capable of supporting 11 lbs per foot. One can add four extra springs, allowing additional support up to 23 lbs per foot.	
#SOTEISOC-SP		Additional springs for IsoClear	35
		Set of sixteen (16) springs allowing additional support up to 23 lbs per foot.	
#SOTEAS4	AS4	Apparatus Support (4) for ROS-EVO	150
			
#SOTEFP4	FP4	Floor protectors (4)	150
		Anodized with brass isolators	
	Black or Silver		