

FEED PROGRAM			All measurements are mL per gallon based on 2lb per gallon stock tank concentrate.												
MIXING ORDER ↓	CLONE	VEG				FLOWER									
	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9	
Balance	Use as pH up	<b>Balance:</b> Recommended for batch tank mixing and Dosatron. Do not use with Netaflex.													
Pro Balance		<b>Pro Balance:</b> Recommended for advanced irrigation systems like Netaflex.													
Pro Core	19	19	19	19	19	19	19	19	19	19	19	*19	**Swap Fade		
Fade						*Swap Core with Fade W8-9 of Flower. This is cultivar dependent. If the cultivar shows resiliency, use Fade (19 mL) weeks 7-9.							19	19	
Pro Grow		32	32	32	32										
Pro Bloom	32					32	32	32	32	32	32	32	32	32	
Cleanse	1	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	
EC	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
PPM 500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	
PPM 700	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	
pH	5.6	5.5-5.8 (Coco/Rockwool)  5.9-6.2 (Peat based mediums)				5.8-6.2 (Coco/Rockwool)			6.0-6.4 (Peat based mediums)					6.0-6.4 (All)	

SPRAY PROGRAM			All measurements are mL per gallon						
APPLICATION FREQUENCY			VEG				FLOWER		
			W1	W2	W3	W4	W1	W2	W3
IPM	Preventative	2x Week	60-90	60-90	60-90	60-90	60-90	60-90	60-90
	Pressure	3x Week	90-120	90-120	90-120	90-120	90-120	90-120	90-120
Stack	Maximize	2x Week	7	7	7	7	7	7	7

Can be mixed together with IPM

**PRE-SOAK**

**Coco**

- pH 5.5 - 5.8
- EC 3.5 - 4.0

**Rockwool**

- pH 5.0 - 5.5
- EC 2.5 - 3.0

**FLUSH**

RO + Cleanse	10 mL
EC	<0.1
PPM 500	<50
PPM 700	<70
pH	6.0 - 6.4

**Coco**  
Last 3 days

**Rockwool**  
Last day

PRO IRRIGATION STRATEGY

PRO DOSAGE GUIDELINES

IPM PROCEDURES

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability. CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Athena Ag, Inc. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Athena Ag, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on the product's label. No agent of Athena Ag, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Athena Ag, Inc. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.

FEED PROGRAM			Pro Line is grams per gallon, Cleanse & Fade are mL per gallon												
MIXING ORDER ↓	CLONE	VEG				FLOWER									
	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9	
Balance	Use as pH up	Balance: Recommended for batch tank mixing and Dosatron. Do not use with Netaflex.													
Pro Balance		Pro Balance: Recommended for advanced irrigation systems like Netaflex.													
Pro Core	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	*4.3	**Swap Fade		
Fade						*Swap Core with Fade W8-9 of Flower. This is cultivar dependent. If the cultivar shows resiliency, use Fade (19 mL) weeks 7-9.							19	19	
Pro Grow		7.2	7.2	7.2	7.2										
Pro Bloom	7.2					7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	
Cleanse	1	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	2-5	
EC	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
PPM 500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	
PPM 700	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	
pH	5.6	5.5-5.8 (Coco/Rockwool) 5.9-6.2 (Peat based mediums)				5.8-6.2 (Coco/Rockwool)			6.0-6.4 (Peat based mediums)					6.0-6.4 (All)	

SPRAY PROGRAM			All measurements are mL per gallon						
APPLICATION FREQUENCY			VEG				FLOWER		
			W1	W2	W3	W4	W1	W2	W3
IPM	Preventative	2x Week	60-90	60-90	60-90	60-90	60-90	60-90	60-90
	Pressure	3x Week	90-120	90-120	90-120	90-120	90-120	90-120	90-120
Stack	Maximize	2x Week	7	7	7	7	7	7	7

Can be mixed together with IPM

**PRE-SOAK**

**Coco**

- pH 5.5 - 5.8
- EC 3.5 - 4.0

**Rockwool**

- pH 5.0 - 5.5
- EC 2.5 - 3.0

**FLUSH**

RO + Cleanse	10 mL
EC	<0.1
PPM 500	<50
PPM 700	<70
pH	6.0 - 6.4

**Coco**  
Last 3 days

**Rockwool**  
Last day

PRO IRRIGATION STRATEGY

PRO DOSAGE GUIDELINES

IPM PROCEDURES

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability. CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Athena Ag, Inc. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Athena Ag, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on the product's label. No agent of Athena Ag, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Athena Ag, Inc. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.

FEED PROGRAM		All measurements are mL per 10 L based on 240 grams per liter stock tank concentrate.													
MIXING ORDER ↓	CLONE	VEG				FLOWER									
	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9	
Balance	Use as pH up	<b>Balance:</b> Recommended for batch tank mixing and Dosatron. Do not use with Netaflex.													
Pro Balance		<b>Pro Balance:</b> Recommended for advanced irrigation systems like Netaflex.													
Pro Core	51	51	51	51	51	51	51	51	51	51	51	*51	**Swap Fade		
Fade						*Swap Core with Fade W8-9 of Flower. This is cultivar dependent. If the cultivar shows resiliency, use Fade (51 mL) weeks 7-9.							51	51	
Pro Grow		85	85	85	85										
Pro Bloom	85					85	85	85	85	85	85	85	85	85	
Cleanse	3	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	
EC	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
PPM 500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	
PPM 700	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	
pH	5.6	5.5-5.8 (Coco/Rockwool)  5.9-6.2 (Peat based mediums)				5.8-6.2 (Coco/Rockwool)			6.0-6.4 (Peat based mediums)					6.0-6.4 (All)	

SPRAY PROGRAM			All measurements are mL per L						
APPLICATION FREQUENCY			VEG				FLOWER		
			W1	W2	W3	W4	W1	W2	W3
IPM	Preventative	2x Week	16-24	16-24	16-24	16-24	16-24	16-24	16-24
	Pressure	3x Week	24-32	24-32	24-32	24-32	24-32	24-32	24-32
Stack	Maximize	2x Week	2	2	2	2	2	2	2

Can be mixed together with IPM

**PRE-SOAK**

**Coco**

- pH 5.5 - 5.8
- EC 3.5 - 4.0

**Rockwool**

- pH 5.0 - 5.5
- EC 2.5 - 3.0

**FLUSH**

RO + Cleanse	26 mL
EC	<0.1
PPM 500	<50
PPM 700	<70
pH	6.0 - 6.4

**Coco**  
Last 3 days

**Rockwool**  
Last day

PRO IRRIGATION STRATEGY

PRO DOSAGE GUIDELINES

IPM PROCEDURES

**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability. CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Athena Ag, Inc. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Athena Ag, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on the product's label. No agent of Athena Ag, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Athena Ag, Inc. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.

FEED PROGRAM			Pro Line is grams per 10 L, <b>Cleanse</b> & <b>Fade</b> are mL per 10 L												
MIXING ORDER ↓	CLONE	VEG				FLOWER									
	Pre-Soak & Feed	W1	W2	W3	W4	W1	W2	W3	W4	W5	W6	W7	W8	W9	
<b>Balance</b>	Use as pH up	<b>Balance:</b> Recommended for batch tank mixing and Dosatron. Do not use with Netaflex.													
<b>Pro Balance</b>		<b>Pro Balance:</b> Recommended for advanced irrigation systems like Netaflex.													
<b>Pro Core</b>	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	*11.4	<b>**Swap Fade</b>		
<b>Fade</b>						*Swap Core with Fade W8-9 of Flower. This is cultivar dependent. If the cultivar shows resiliency, use Fade (51 mL) weeks 7-9.						51	51		
<b>Pro Grow</b>		19	19	19	19										
<b>Pro Bloom</b>	19					19	19	19	19	19	19	19	19	19	
<b>Cleanse</b>	3	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	5-13	
<b>EC</b>	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
<b>PPM 500</b>	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	1500	
<b>PPM 700</b>	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	2100	
<b>pH</b>	5.6	5.5-5.8 (Coco/Rockwool) 5.9-6.2 (Peat based mediums)				5.8-6.2 (Coco/Rockwool)			6.0-6.4 (Peat based mediums)					6.0-6.4 (All)	

SPRAY PROGRAM			All measurements are mL per L						
APPLICATION FREQUENCY			VEG				FLOWER		
			W1	W2	W3	W4	W1	W2	W3
<b>IPM</b>	<b>Preventative</b>	2x Week	16-24	16-24	16-24	16-24	16-24	16-24	16-24
	<b>Pressure</b>	3x Week	24-32	24-32	24-32	24-32	24-32	24-32	24-32
<b>Stack</b>	<b>Maximize</b>	2x Week	2	2	2	2	2	2	2

Can be mixed together with **IPM**

**PRE-SOAK**

**Coco**

- pH 5.5 - 5.8
- EC 3.5 - 4.0

**Rockwool**

- pH 5.0 - 5.5
- EC 2.5 - 3.0

**FLUSH**

RO + Cleanse	26 mL
EC	<0.1
PPM 500	<50
PPM 700	<70
pH	6.0 - 6.4

**Coco**  
Last 3 days

**Rockwool**  
Last day

PRO

**IRRIGATION STRATEGY**



PRO

**DOSAGE GUIDELINES**



IPM

**PROCEDURES**



**DISCLAIMER** - This is a baseline recommendation. Any adjustments made are at the growers discretion. Adjust the feed chart according to weeks needed to complete a run. Strain dependent.

Read the entire Directions for Use, Conditions of Warranties, and Limitations of Liability before using this product. If the terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties, and Limitations of Liability. CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors such as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Athena Ag, Inc. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Athena Ag, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on the product's label. No agent of Athena Ag, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Athena Ag, Inc. disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product. LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries, or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid, or at Athena Ag Inc.'s election, the replacement of product.