

ADS-2800W WIRED & WIRELESS NETWORK DOCUMENT SCANNER



BRINGING PAPER TO LIFE

When your scanner is connected, everyone is connected

RELIABLE NETWORK SCANNING

Offering Wired and Wireless network capability, business critical information can be sent directly to a desired network folder location, improving workflow efficiency and increasing productivity. The ADS-2800W also supports programmable scan destinations from the 9.3cm colour touchscreen, for instant, one touch PC-free scanning.

WIRED & WIRELESS NETWORK

With Wired and Wireless connectivity there is no need to log on to a central PC or install software at multiple location points. Share information across teams and departments with minimum user involvement.

FAST INPUT, RELIABLE OUTPUT

Uses a wider output tray to neatly capture paper fed through the ADF. Trays are angled to encounter less paper resistance so paper can glide easily and stack smoothly, reducing paper folds.

VERSATILITY

Processes a wide range of mixed document materials, paper weights, colours, sizes and also plastic cards.



HIGH PRODUCTIVITY

Built for professional business usage with scan speeds of up to 30ppm (60ipm) and a large 50 sheet capacity document feeder,

COLOUR TOUCHSCREEN

Predefined one touch scanning from the 9.3cm colour touchscreen helps to prevent the risk of inaccurate filing and lost scans, by ensuring scans can be sent directly to a desired location with one simple command.

RANGE OF SCAN-TO FUNCTIONS

To support cross function scanning, the ADS-2800W scans to Cloud services, email, email server, file, image, network, OCR software, SharePoint, USB Host, FTP and the Web.

For more information visit www.brother.co.uk/scanners

DRIVER AND SOFTWARE COMPATIBILITY

Compatible with key drivers including TWAIN and ISIS, plus Kofax VRS* software compatibility, ensuring easy integration with industry scanning software and systems.





IPRINT & SCAN APP



Print and scan direct from your mobile device (free download required)





SECURE FUNCTION LOCK (SFL)

Secure Function Lock (SFL)
allows user restrictions to be
put in place for function management
and improved security.

BROTHER SOLUTIONS INTERFACE (BSI)

Brother Solutions Interface (BSI) is a software platform that enables third-party developers to build custom solutions that integrate with Brother devices. Customised menus and screens can be created to provide new functionality, helping you improve operations while also helping to reduce costs, wastage and risk.

* Kofax software not included

ADVANCED FEATURES

ULTRASONIC MULTI-FEED DETECTION



Multifeed Detection uses sound waves to identify potential misfeeds, reducing the risk of damaged documents and lost data.

REVERSE ROLLER SYSTEM



This system manages incoming bulk paper jobs so only one sheet is processed at a time, for outstanding reliability when scanning a variety of document types and weights.

AUTO DESKEW

Automatically aligns scanned images, reducing manual preparation and saving time.







ADS-2800W SPECIFICATION

GENERAL

Image Sensor Type - Dual CIS

Control Panel - 9.3cm LCD Colour Touchscreen

PAPER HANDLING

ADF Capacity[6] - 50 Sheet

Minimum Document Size - 51 x 51mm, Maximum^[7] Document Size - 215.9 x 355.6mm

Maximum Long Paper Scan Document Size - 5000mm^[9]

Maximum Daily Duty Cycle^[2] - Up to 3,000 sheets

Paper Weights[1] (Thickness) - 27 to 413 gsm

Plastic Card Weights (Thickness) - embossed up to 1.4mm

SCAN

Scan Speed (A4) Colour / Mono - Up to 30ppm (60ipm)

Resolution - Up to 600 x 600 dpi (from ADF) Up to 1200 x 1200 dpi (interpolated)^[4]

Functions - email, Image, OCR, PC, SharePoint®, WS Scan, USB Host, email server, apps, cloud^[7], Network, FTP/SFTP

File Formats - Including file types PDF (single, split page, archive, searchable, secure, signed), JPEG, TIFF (single, split page), e-mail server, scan to web[8], Apps (scan to Microsoft Office, easy scan to e-mail, outline and scan, 48 configurable shortcuts)

OTHER FEATURES [4]

Auto Scan Size, Auto Deskew, Skip Blank Page, Auto Colour Detection, Auto Image Rotation, Background Processing, Binarizaton, Blurred Character Correction, Boldface Formatting, Colour Dropout, Colour tone adjustment, Colour Tone Adjustment, Continuous Scan, Edge Fill, Edge Emphasis, Margin Setting,

Noise Reduction, Multifeed Detection, Punch Hole Removal, Quiet Mode, Carrier Sheet Mode, One Sheet Scan, Plastic Card Mode, Remove Ruled Lines, Detect End of Page, Brother Solutions Interface (BSI), Secure Function, Lock(ver 3.0), Active directory authentication, Setting Lock, WPS, LDAP

CONNECTIVITY

Local Interface - USB 2.0 and USB Host

Wired Network Interface - 10BASE-T/100BASE-TX/1000Base-T (1 GiqE). Wireless Network Interface - IEEE 802.11a (Wi-Fi Direct)

DRIVERS / SOFTWARE

Drivers^[5] - TWAIN 2.2. WIA. ISIS. SANE. ICA

Software for Windows® - Brother Control Center 4. Nuance® Paperport 14SE. ABBYY® FineReader Sprint v.12. ABBYY PDF Transformer+, Remote Set-up, BRAdmin Professional[3,8]

Software for Mac[3] - Brother Control Center 2, ABBYY® FineReader Sprint v12, Remote Set-up Mobile - iPrint&Scan, Brother Scan Viewer for IOS/ OSX, Image Viewer for Android

Dimensions (W x D x H) - 306 x 258 x 250mm

Weight - 4.5kg

- [5] Some options may require additional download or subscription
 [6] Capacity varies dependent on paper weight
 [7] Document sizes larger than A4, but not exceeding A3, can be scanned (single-side)
- (8) Must be web connected (9) Can scan documents longer than A4 size. When using Brother (TWAIN/ISIS) to scan at 200dpt, the maximum scanning length is 5,000 mm

Contact:



Brother UK Ltd

Shepley Street, Audenshaw, Manchester M34 5JD Tel:+44 (0)333 777 4444 Fax:+44 (0)161 931 2218

Website: www.brother.co.uk

All specifications correct at time of printing: December 2015. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.