

●
Compact, powerful
scanning with front feed
design.



Compact, powerful and so easy to use

The DR-6010C is one of the smallest scanners in its class. Its ergonomic design and intuitive features ensure anyone can confidently use the DR-6010C. It has been built with the operator in mind, with its selectable u-turn and straight-through paper path providing both comfort and convenience when loading, scanning and removing documents from the device.

Energy efficient

The DR-6010C uses CIS technology helping it consume far less energy than other devices in its class. Zero warm up means no time is wasted and you can start scanning as soon as you power on.

DR-6010C

B&W
SPEED
60 ppm

COLOUR
SPEED
60 ppm

DAILY DUTY
CYCLE
7,500 scans/day

AUTOMATIC
DOCUMENT FEEDER
100 sheets

THE imageFORMULA DR-6010C DELIVERS DEPENDABLE, HIGH-SPEED DEPARTMENTAL SCANNING IN A COMPACT PACKAGE.

High-speed scanning

Meet any deadline with one of the fastest department scanners around. An innovative 3-line CMOS sensor means the fastest colour, black and white and greyscale scanning speeds can be maintained for many different scan settings – up to 60 ppm (120 ipm using duplex mode).

Versatile document handling


A huge 100-sheet feed tray enables productive scanning of a variety of media types from standard A4 reports and invoices to plastic cards, driving licences and media up to 546g/m², offering maximum versatility.

Exceptional reliability, fast recovery

With its robust feeding and Canon's reputation for trouble-free performance you can count on the DR-6010C to deliver. Ultrasonic sensors detect any double feeding and a Rapid Recovery System allows quick correction should a misfeed occur.

Superb image quality

Numerous innovations work to deliver consistently brilliant image quality. The 3-line CMOS sensor and 3-dimensional colour correction generates incredibly precise images. Problem documents like those with patterned backgrounds, light text on light backgrounds, and halftone backgrounds can all be captured and quality enhanced, while a Prevent Bleed Through function removes those unwanted backgrounds.



U-turn and straight-through paper path





BIG ON PERFORMANCE. SMALL IN SIZE.



AUTOMATED PROCESSING

CapturePerfect

Scan batches of documents quickly and easily with this intuitive application that offers multi-window and thumbnail views. It has flexible 'scanning to' options like scan to folder, email and SharePoint. A CapturePerfect Software Developer Kit (SDK) is also available.

Kofax VRS

Achieve excellent image quality results every time with Kofax VRS software. It makes scanning simpler and easier thanks to automatic image processing and document handling. Its industry-leading imaging quality improves readability and raises OCR rates so fewer re-scans are required.

Auto page size detection

Dynamically adjusts the output image file to the corresponding scanned document size, allowing mixed documents to be scanned in one batch without any pre-sorting, saving valuable time.

Pre-scan

Ensures consistently accurate image quality. Once the first page is scanned, the brightness and contrast can be interactively adjusted for premium quality. All following pages are then immediately scanned using the same settings.

Auto colour detection

Analyses the colour content of the scanned documents and then scans with relevant colour or black and white format, saving on file size and saving time by reducing the need to pre-sort the documents beforehand.

Skip blank page

Reduces file sizes and saves storage costs by automatically eliminating unnecessary blank pages from scanned images.

Specifications for imageFORMULA DR-6010C



Type Desktop Type Sheet Fed Scanner
Document Reading Sensor CMOS CIS 3-Line Sensor
Optical Resolution 600 dpi
Light Source RGB LED
Reading Side Front / Back / Duplex
Interface High Speed USB 2.0 & SCSI-3
Dimensions Tray Closed: 318 (W) mm x 278 (D) mm x 185.5 (H) mm
 Tray Opened: 318 (W) mm x 545 (D) mm x 187 (H) mm
 Approx. 6.5 kg
Weight
Power Requirements AC220 - 240V (50 / 60Hz)
Power Consumption Scanning: 30W or less, Sleep Mode 3W or less
Operating Environment 10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH
Environmental Compliance RoHS

READING SPEED*

	DR-6010C	
(A4, Portrait)		
B&W / Greyscale	200 dpi / 300 dpi	60 ppm / 120 ipm
Colour	200 dpi	60 ppm / 120 ipm
	300 dpi	60 ppm / 84 ipm

DOCUMENT SPECIFICATIONS

Width	53 mm - 219 mm	
Length	70 mm - 356 mm	
Thickness		
	U-turn Path	Straight Path
Automatic Feeding	52 - 128g/m ² (0.06 - 0.15 mm)	52 - 128g/m ² (0.06 - 0.15 mm)
Bypass Mode	42 - 157g/m ² (0.06 - 0.20 mm)	52 - 128g/m ² (0.06 - 0.15 mm)
Card Scanning	Width: 53.9 mm Length: 85.5 mm Thickness: 0.76 mm	
Long Document Mode	3000 mm Max (selectable in MS Windows control panel)	
Paper Separation	Retard Roller Method	
Feeder Capacity	100 sheets (80 g/m ²)	

OUTPUT

Resolution 100 dpi x 100 dpi, 150 dpi x 150 dpi, 200 dpi x 200 dpi, 240 dpi x 240 dpi, 300 dpi x 300 dpi, 400 dpi x 400 dpi, 600 dpi x 600 dpi
Mode Black and White, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, High-Speed Text Enhancement, 8-bit Greyscale (256-level), 24-bit Colour, Auto Colour Detection

SPECIAL FEATURES

Automatic Page Size Detection, Deskew, Skip Blank Page, Text Orientation Recognition, Colour Dropout, (RGB / custom) / Enhancement (RGB / custom), Moire Reduction, Edge Enhancement, Preset Gamma Curve, Prescan, Scan Area Setting, Prevent Bleed Through / Remove Background, Black Boarder Removal (selectable white background), Separate Front & Back Settings, Continuous Scanning, Reverse Side, MultiStream™, Rapid Recovery System, Bypass Feeding / Selectable Straight Path or U-Turn Path Feeding, Job Function, Patch Code Separation, Ultrasonic Double Feed Detection

BUNDLED SOFTWARE

For Windows OS ISIS / TWAIN Driver (Windows 2000 / XP / VISTA / 7 / 8 / 8.1 / 10) Linux Drivers (Web Distribution Only) CapturePerfect Kofax VRS (CapturePerfect SDK available through Canon Business Solutions Developer Programme - www.canon-europe.com/bsdp)
Options Flatbed Scanner Unit 101, Flatbed Scanner Unit 201, Barcode Module Silex, SX-DS-4000U2
Consumables Exchange Roller Kit
Suggested Daily Duty Cycle 7,500 scans / day

*The scanning speed depends on the specification of PC and the setting of functions.

Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This leaflet and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice.™ and ®: All company and / or product names are trademarks and / or registered trademarks of their respective manufacturers in their markets and / or countries.

Handle exceptions with optional flatbed

Scan bound books, journals and fragile media by adding the Flatbed Scanner Unit 101 for documents up to A4 or Flatbed Scanner Unit 201 for A3 scanning. Connected by USB, these flatbed scanners work seamlessly with the DR-6010C in a smooth dual-scanning operation that lets you apply the same image-enhancement features to any scan.



A3 Flatbed Scanner unit 201



A4 Flatbed Scanner unit 101



Canon Electronics Inc
canon.com

Canon Europe
canon-europe.com

English Edition 0178W932
© Canon Europa N.V., 2016

Canon (UK) Ltd
Woodhatch, Reigate
Surrey, RH2 8BF
Tel: 01737 220000
Fax: 01737 220022
canon.co.uk

Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co.Dublin, Ireland
Tel: 01 2052400
Fax: 01 2052525
canon.ie