Jans My



PICK UP STICKS

Jans My



SPECIFICATIONS:

oak natural finish		
dark navy painted ends		
2150 x 350mm		

Jans Midy



SPECIFICATIONS:

oak natural finish		
dark navy painted ends		
wall-mounted		

Jans Midy



SPECIFICATIONS:

oak natural finisl	h		
dove grey painte	d ends		
2150 x 350mm			



PICK UP STICKS SERVER :

Winner of the Elle Décor Designer of the Year Award, the Pick up Sticks is a visually commanding piece of furniture that forms part of our signature range. As the name suggests, the Pick up Sticks design was inspired by the children's game, also known as Mikado. Wall-mounted, the Pick up Sticks presents clean contemporary lines and simplicity, while at the same time shows the chaos and kinetic energy of sticks falling to the ground. This piece is made from solid Oak with dark navy painted ends, highlighting the visual dynamism of the variously angled pieces of timber.

The Pick up Sticks can be used as a dining room server, or as a statement piece in a hallway or entrance. Each iteration of this design is slightly unique in form as it is assembled by hand.

The Pick up Sticks should be mounted on standard masonry walls. Installation on dry walls is not recommended unless special structural arrangements are made. This design can be flat packed, making it easy to ship locally and abroad.

STANDARD SIZES:

(Lx	D)
950 x	250mm
1200 x	320mm
1350 x	320mm
1400 x	320mm
1500 x	350mm
1650 x	350mm
1700 x	350mm
1850 x	350mm
2150 x	350mm



CARE INSTRUCTIONS - SOLID WOOD INDOOR FURNITURE :

you will need:

soft cloths / rags | water | soap

optional recommended soap: ProNature Plant Soap

DAILY CARE:

All the finishes we offer provide good protection to the timber. However, no finish can offer bullet-proof resistance to staining or scratches and your furniture will not be impervious to damage. But if you follow the instructions laid out below, it should be sufficient for normal, everyday use.

After use, wipe down the wood surfaces with a slightly damp soft cloth to preserve and protect the wood coating. Dry with another cloth if a lot of water remains. Do not expose these products for any extent of time to pools of water. If the products get wet you should dry them off as soon as possible. Most specifically oil, vinegar and fatty foods should be wiped up immediately using a mild solution of soapy water on a well-rung out damp cloth. Spills should not be left overnight as they will sink in and mark.

Never use Ammonia (ie Handy Andy) or oil/silicone based cleaners (ie Mr Min) on solid wood furniture as they will damage the finishes and can create cloudy marks.

Placing hot items on the wood may result in damage or burning. We recommend that you use coasters and trivets to protect the table tops from hot dishes.

We do not recommend that you place indoor furniture outdoors for any period of time. Outdoor furniture, even for covered outdoor areas, is specially designed to be able to withstand the dramatic temperature changes and moisture in the air. Exposing indoor furniture to outdoor environments could lead to warping, cracks, discolouration and ultimately will weaken the structural integrity of the design over time. Please enquire about our outdoor range if you are in need of outdoor or semi-outdoor furniture.

When used indoors, avoid placing solid wood furniture in full, everyday sun as exposure to sun/UV can cause yellowing, bleaching and light surface cracks.

Heavily airconditioned environments require the use of an humidifier to restore the natural humidity of the air, as extremely dry air will result in cracking / warping of the timber. This is also the case with central heating in cold climate countries.

MAINTENANCE:

When properly taken care of, your indoor piece of furniture should not need much maintenance beyond the above. All of our indoor tables receive a final coat of clear varnish to increase protection from liquids and foods. As such, you cannot re-oil your indoor furniture without first fully sanding off this layer of varnish.

Should you need to sand and re-oil your piece of furniture please contact us first so that we can recommend the course of action particular to your chosen design, timber and finish.

We work with a local oil manufacturer who produces top quality environmentally friendly and non-toxic oil finishes which we can recommend to you based on your order. Jans My

INSTALLATION INSTRUCTIONS : PICK UP STICKS SERVER

YOU WILL NEED:

3 People
Drill (16mm hole)
Spirit Level
Measuring Tape

WE PROVIDE:

Rawl Bolts (M10)
Washers
Wood Screws (10x50)

METHOD:

Decide where the Pick up Sticks will be positioned and mark off the position on the wall with masking tape. We usually recommend a height of between 950mm and 1050mm high. The holes for this unit are positioned approximately 65mm lower than the top of the piece (to the centre of the holes).

Firstly you need to attach the main server to the wall. Hold the piece up against the wall, making sure it is level, and draw through the holes on the back wall of the server to mark where the holes should be drilled.

Then drill your holes with a 16mm bit. If your walls are very old and crumble then you will need to use a smaller drill bit to ensure the holes are not too big. Once your holes are drilled you can attach your main server section, using the rawl bolts and washers provided. There is a bit of leeway here to make sure the piece is level. Tighten bolts.

Now you can attach the 'Sticks' part. You will see that there is an X marked on both the sticks and the main server part. These two X's need to line up facing each other (ie touching).

Once aligned you will start to screw each individual stick into it's appropriate placement (holes are pre-drilled in the sticks and main server so use these as your guide.). The holes are drilled at an angle, so make sure to follow this angle. Work from side to side (left side then right side then left side etc) starting at the back and moving toward the front (ie left back, right back and so on). Make sure to pull the sticks down as you go so that the holes line up. The pre-drilled holes will only line up when the "sticks" have been pulled down and are at the right angle.

Please note: if your wall is not flat you may need to insert spacers to ensure that your server can be installed flat on the wall.

Please note: if you are installing on drywall, you will need special drywall screws and washers and you must ensure to locate the studs in your drywall and drill into those. It may require you to drill new holes in your metal hanging rail in line with the studs.

Jans Midge

TIMBER SAMPLES:







oak - natural

oak - grey oil

walnut - clear oil