

James Mudge



PICK UP STICKS

JAMES MUDGE FURNITURE STUDIO

James Mudge



SPECIFICATIONS :

oak natural

dark navy painted ends

2100 x 350mm

James Mudge



SPECIFICATIONS :

oak natural

dark navy painted ends

wall-mounted

James Mudge




SPECIFICATIONS :

oak natural

dark navy painted ends

2100 x 350mm



PICK UP STICKS SERVER :

Winner of the Elle Décor Designer of the Year Award, the Pick up Sticks is a visually commanding piece of furniture that forms part of our signature range. As the name suggests, the Pick up Sticks design was inspired by the children's game, also known as Mikado. Wall-mounted, the Pick up Sticks presents clean contemporary lines and simplicity, while at the same time shows the chaos and kinetic energy of sticks falling to the ground. This piece is made from solid Oak with dark navy painted ends which highlight the visual dynamism of the timber.

The Pick up Sticks can be used as a dining room server, or as a statement hallway piece. Each piece is slightly unique in form as it is assembled by hand.

The Pick up Sticks should be mounted on standard masonry walls. Installation on dry walls is not recommended unless special structural arrangements are made. This design can be flat packed, therefore perfect for shipping locally and abroad.

Prices below are for Oak only. Please contact us for prices in Walnut.

STANDARD SIZES :

950 x 250mm
1200 x 320mm
1350 x 320mm
1400 x 320mm
1500 x 350mm
1650 x 350mm
1700 x 350mm
1850 x 350mm
2150 x 350mm

CARE INSTRUCTIONS : SOLID WOOD INDOOR FURNITURE

YOU WILL NEED :

soft cloths | rags

water

DAILY CARE :

In order to retain the natural finish of the timber we keep the number of protective coats to a minimum. Although this does add to the aesthetic appeal of the product, highlighting the natural qualities of solid wood, it does mean that the finish is not impervious to damage and staining. However, if you follow the instructions laid out below, it should be sufficient for normal use.

After use, wipe down the wood surfaces with a slightly damp cloth to preserve and protect the wood coating. Dry with another cloth if a lot of water remains. Do not expose these products for any extent of time to pools of water. If the products get wet you should dry them off as soon as possible.

If exposed to wine, vinegar and oils / oily food for an extended period of time the wood will stain. To avoid stains, wipe up spills directly with a slightly damp cloth and then dry. Spills should not be left overnight as they will sink in and mark.

Placing hot items on the wood may result in damage or burning. We recommend that you use coasters, and protect the table tops from hot dishes.

We do not recommend that you place indoor furniture outdoors. Outdoor furniture is specially designed to be able to withstand the dramatic temperature changes and moisture in the air. Avoid placing timber furniture items in full sun as exposure to sun/uV causes yellowing and light surface cracks.

Heavily airconditioned environments require the use of an humidifier to restore the natural humidity of the air, as dry air will result in cracking / warping of the timber.

INSTALLATION INSTRUCTIONS : PICK UP STICKS SERVER

YOU WILL NEED :

3 People

Drill (16mm hole)

Spirit Level

Measuring Tape

WE PROVIDE :

Rawl Bolts (M10)

Washers

Wood Screws (10x50)

METHOD :

Decide where the Pick up Sticks will be positioned and mark off the position on the wall with masking tape. We usually recommend a height of between 950mm and 1050mm high. The holes for this unit are positioned approximately 65mm lower than the top of the piece (to the centre of the holes).

Firstly you need to attach the main server to the wall. Hold the piece up against the wall, making sure it is level, and draw through the holes on the back wall of the server to mark where the holes should be drilled.

Then drill your holes with a 16mm bit. If your walls are very old and crumble then you will need to use a smaller drill bit to ensure the holes are not too big. Once your holes are drilled you can attach your main server section, using the rawl bolts and washers provided. There is a bit of leeway here to make sure the piece is level. Tighten bolts.

Now you can attach the 'Sticks' part. You will see that there is an X marked on both the sticks and the main server part. These two X's need to line up facing each other (ie touching).

Once aligned you will start to screw each individual stick into it's appropriate placement (holes are pre-drilled in the sticks and main server so use these as your guide.). The holes are drilled at an angle, so make sure to follow this angle. Work from side to side (left side then right side then left side etc) starting at the back and moving toward the front (ie left back, right back and so on). Make sure to pull the sticks down as you go so that the holes line up. The pre-drilled holes will only line up when the "sticks" have been pulled down and are at the right angle.

Please note: if your wall is not flat you may need to insert spacers to ensure that your server can be installed flat on the wall.


Please note: if you are installing on drywall, you will need special drywall screws and washers and you must ensure to locate the studs in your drywall and drill into those. It may require you to drill new holes in your metal hanging rail in line with the studs.

James Mudge


TIMBER SAMPLES :



oak - natural



oak - grey oil



walnut - natural
