






## Brackets and Tenons

### Product Specifications

#### VTS Series

##### Square Internal Mount Vertical Steel Tenons (for use with Adjustable Arm & Horizontal/Vertical Tenon Mounts)






The square base of the VTS Series steel brackets is designed to be inserted into square, non-tapered steel or aluminum poles ranging in size from 4" to 5" square with a maximum wall thickness of 0.188". Square VTS tenons are supplied with end caps to enclose the wiring chamber. Tenon base secures to pole with four 5/16" hex head stainless steel black oxide bolts. Vertical tenons measure 2-3/8" O.D. x 4.0" tall and are made of steel tubing. Luminaires mounted to these tenons can be adjusted both vertically and horizontally.

| VTS Series |   |                        |           |   |
|------------|---|------------------------|-----------|---|
| Product    | Mounting Configurations   | Size (O.D.)            | Finish    |   |
| VTS        | 1S Single<br>2S 180° Twin<br>3S 180° Triple<br>4S(120) 180° Triple<br>4S(180) 180° Quad | 4 4" inch<br>5 5" inch | BZ Bronze |  Single<br> 180°Quad<br> 180°Twin<br> 180°Triple<br> 180°Triple |

#### VT Series

##### Round External Mount Vertical Tenons (for use with Adjustable Arm & Horizontal/Vertical Tenon Mounts)

The round base of the VT Series steel brackets is designed to mount over a steel or aluminum 2-3/8"-5" O.D. round pole or tenon. All are supplied with end caps to enclose the wiring chamber. Tenon base secures to pole with eight stainless steel allen head screws. Vertical tenons measure 2-3/8" O.D. x 4.0" tall and are made of steel tubing. Luminaires mounted to these tenons can be adjusted both vertically and horizontally. Not for use with VT tenons area round post top mounts.






| VT Series |   |                                     |           |  |
|-----------|---|-------------------------------------|-----------|--|
| Product   | Mounting Configurations   | Size (O.D.)                         | Finish    |  |
| VT        | 1R Single<br>2R 180° Twin<br>3R 180° Triple<br>4R(120) 120° Triple<br>4R(180) 180° Quad | 3 3" inch<br>4 4" inch<br>5 5" inch | BZ Bronze |  Single<br> 180°Quad<br> 180°Twin<br> 120°Triple<br> 180°Triple |

## Brackets and Tenons

#### SB2.5 Series

##### Round External Mount Horizontal Tenons (for use with Adjustable Arm Mount ).






The round base of the SB2.5 Series steel brackets is designed to mount over a steel or aluminum 2-3/8" (60mm) to 3" (76mm) O.D. round pole or tenon. Tenon base secures to pole with eight stainless steel allen head screws. Luminaires mounted to these tenons can only be adjusted vertically. The SB2.5 Series brackets can be mounted on a square pole, but require the use of the Single Vertical Tenon VTS. Not for use with VT Series round tenons.

| SB2.5 Series |  |           |  |  |
|--------------|--|-----------|--|--|
| Product      | Mounting Configurations  | Finish    |  |  |
| SB2.5 Series | 1 Single<br>2(180) 180° Twin<br>2(90) 90° Twin<br>3(120) 120° Triple<br>4(90) 90° Quad | BZ Bronze |  Single<br> 180°Twin<br> 90°Twin<br> 120°Triple<br> 90°Quad |  |

#### RB2.5 Series

##### Round External Bullhorn Horizontal Tenon (for use with Adjustable Arm & Horizontal/Vertical Tenon Mounts)

The Bracket is designed to mount over 2-3/8" (60mm) O.D. vertical tenon. Two, three, or four fixtures can be mounted to the Round External Bullhorn Horizontal Tenon and adjusted horizontally.


| RB2.5 Series |  |           |  |  |
|--------------|--|-----------|--|--|
| Product      | Mounting Configurations  | Finish    |  |  |
| RB2.5 Series | 1H(180) 180° Double<br>1V(180) 180° Double<br>2(180) 180° Triple<br>3(120) 120° Triple<br>4(90) 90° Quad | BZ Bronze |  180°Double<br> 180°Double<br> 180°Triple<br> 120°Triple<br> 90°Quad |  |

## Brackets and Tenons

### VT54R & QT Series

#### Round External Mount Horizontal Tenons (for use with Adjustable Arm Mount ).

The Bracket is designed to mount over 2 3/8" O.D. vertical tenon. Two, three, four fixtures can be mounted to the Round External Mount Horizontal Tenon and adjusted horizontally







| VT54R & QT Series |                         |             |   |   |  |   |
|-------------------|-------------------------|-------------|---|---|--|---|
| Product           | Mounting Configurations | Finish      |   |   |  |   |
| VTSR & QT         | 2V                      | 180° Twin   |  |  |  |  |
|                   | 3V                      | 180° Triple |   |   |  |   |
|                   | 3V(120)                 | 120° Triple |   |   |  |   |
|                   | 4V(180)                 | 180° Quad   |   |   |  |   |
|                   |                         | BZ Bronze   | 180°Twin  | 180°Triple  | 120°Triple   | 180°Quad  |

### ADP Series

#### Round External Mount Horizontal Tenons (for use with Adjustable Arm Mount ).

Wall mount bracket with 2 3/8" tenon attaches flood and area fixtures to almost any surface: wall, roof or wood pole. Provides wiring access and built in 2 3/8" O.D.


tenon to mount a fixture with our adjustable slipfitter. Suggested 3/8" diameter bolts for mounting. Mounting holes are spaced 3 1/4" apart.

| ADP Series |                         |             |   |   |   |  |   |   |
|------------|-------------------------|-------------|---|---|---|--|---|---|
| Product    | Mounting Configurations | Finish      |   |   |   |  |   |   |
| ADP        | 1W                      | 90° Single  |  |  |  |  |  |  |
|            | 2W                      | 90° Single  |   |   |   |  |   |   |
|            | 3W                      | 180° Single |   |   |   |  |   |   |
|            | 4W                      | 180° Twin   |   |   |   |  |   |   |
|            | 5W                      | 180° Round  |   |   |   |  |   |   |
|            | 6W                      | 180° Single |   |   |   |  |   |   |
|            |                         | BZ Bronze   | 90°Single   | 90°Single   | 180°Single  | 180°Twin   | 180°Round   | 180°Single  |

## Brackets and Tenons


### VT

#### 3" Round Pole Mount with 2 3/8" O.D. Tenon




Part Number: ORE-VT3-D  
EPA: 0.4

#### 4" Round Pole Mount with 2 3/8" O.D. Tenon



Part Number: ORE-VT4-D  
EPA: 0.4


#### 5" Round Pole Mount with 2 3/8" O.D. Tenon



Part Number: ORE-VT5-D  
EPA: 0.4


### VTS

#### 4" Square Pole Mount with 2 3/8" O.D. Tenon



Part Number: ORE-VTS4-D  
EPA: 0.4


#### 5" Square Pole Mount with 2 3/8" O.D. Tenon



Part Number: ORE-VTS5-D  
EPA: 0.4


## SB2.5

Single Spoke Bracket Tenon Adaptor




Part Number: ORE-SB2.5S-D  
EPA: 0.6

Double 180 Horizontal Tenon Adaptor




Part Number: ORE-SB2.5TW180-D  
EPA: 0.6

Double 90 Horizontal Tenon Adaptor




Part Number: ORE-SB2.5TW90-D  
EPA: 0.8

Triple 120 Horizontal Tenon Adaptor



Part Number: ORE-SB2.5TR120-D  
EPA: 0.9


Quad 90 Horizontal Tenon Adaptor



Part Number: ORE-SB2.5QD90-D  
EPA: 1.2


## VTS4R & QT

Low Profile Bullhorn with 2 Tenons




Part Number: ORE-VTS4R-2T-D EPA: 1.1

Low Profile Bullhorn with 3 Tenons




Part Number: ORE-VTS4R-3T-D  
EPA: 1.6

Triple 120 Horizontal Tenon Adaptor



Part Number: ORE-QT120-3T-D  
EPA: 1.4


Quad 90 Horizontal Tenon Adaptor



Part Number: ORE-QT90-4T-D  
EPA: 1.8

## ADP

90 Wall Mount Bracket with 2 3/8" O.D. Tenon




Part Number: ORE-ADP2.5-90-D  
EPA: 0.7

90 Wall Mount Bracket with 2 3/8" O.D. Tenon




Part Number: ORE-ADP2.5-90H-D  
EPA: 0.8

Double 180 Wall Mount Bracket with 2 3/8" O.D. Tenon




Part Number: ORE-ADP2.5-180H-D  
EPA: 1.4

180 Wall Mount Bracket with 2 3/8" O.D. Tenon




Part Number: ORE-ADP2.5-180L3.9-D  
EPA: 0.6

2 3/8" O.D. Horizontal Tenon Mid-Pole Bracket



Part Number: ORE-ADP2.5-D  
EPA: 0.4


2 3/8" O.D. Horizontal Tenon Acr Bracket



Part Number: ORE-ADP2.5-BAR5-D  
EPA: 0.4


## RB2.5

Double 180 Horizontal Bullhorn Tenon



Part Number: ORE-RB2.5D180-D  
EPA: 1.0

Triple 180 Horizontal Bullhorn Tenon




Part Number: ORE-RB2.5TR180-D  
EPA: 1.5

Triple 120 Horizontal Bullhorn Tenon




Part Number: ORE-SB2.5TR120V-D  
EPA: 1.6

Quad 90 Horizontal Bullhorn Tenon



Part Number: ORE-RB2.5QD90-D  
EPA: 1.6

Double 180 Horizontal Bullhorn Tenon



Part Number: ORE-RB2.5TR180H-D  
EPA: 1.1