

acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Revision: 2020-01-21 Replaces version of: 2018-09-12 (GHS 6)

SECTION 1: Identification

1.1 Product identifier

Trade name Wheel Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle wheel cleaner

1.3 Details of the supplier of the safety data sheet

AP51 LLC (DBA Jay Leno's Garage) P.O. Box 7458 Burbank, CA 91510 1-888-930-8743

info@lenosgarage.com

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	etion Hazard class		Hazard class and category	Hazard state- ment	
A.4S	skin sensitization	1	Skin Sens. 1	H317	

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.
P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling (2-hydroxyethyl)ammonium mercaptoacetate

United States: en Page: 1 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Replaces version of: 2018-09-12 (GHS 6)

Revision: 2020-01-21

2.3 Other hazards

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral).

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
(2-hydroxyethyl)ammonium mer- captoacetate	CAS No 126-97-6	10-<20	Acute Tox. 4 / H302 Skin Sens. 1B / H317
2-(2-butoxyethoxy)ethanol	2-(2-butoxyethoxy)ethanol CAS No 112-34-5		Eye Irrit. 2 / H319

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 2 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Replaces version of: 2018-09-12 (GHS 6) Revision: 2020-01-21

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

United States: en Page: 3 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Replaces version of: 2018-09-12 (GHS 6)

Revision: 2020-01-21

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	diethylene glycol monobutyl ether	112-34-5	TLV®	10						iv	AC- GIH® 2019

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

v inhalable fraction and vapor

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless

otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted

average (unless otherwise specified

Relevant DNELs of components of the mixture

·						
Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
(2-hydroxyethyl)am- monium mercapto- acetate	126-97-6	DNEL	1.41 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(2-hydroxyethyl)am- monium mercapto- acetate	126-97-6	DNEL	2.06 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	101.2 mg/m ³	human, inhalatory	worker (industry)	acute - local ef- fects
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

United States: en Page: 4 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Replaces version of: 2018-09-12 (GHS 6) Revision: 2020-01-21

Relevant PNECs of components of the mixture

	<u> </u>					
Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
(2-hydroxyethyl)am- monium mercapto- acetate	126-97-6	PNEC	38 ^{µg} / _I	aquatic organisms	freshwater	short-term (single instance)
(2-hydroxyethyl)am- monium mercapto- acetate	126-97-6	PNEC	3.8 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
(2-hydroxyethyl)am- monium mercapto- acetate	126-97-6	PNEC	3.2 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	200 ^{mg} / _l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	4 ^{mg} / _{kg}	benthic organisms	sediment	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	56 ^{mg} / _{kg}	(top) predators	water	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	3.9 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.4 ^{mg} / _{kg}	pelagic organisms	sediment	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	1.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.11 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	200 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	4.4 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.44 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.32 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

United States: en Page: 5 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Replaces version of: 2018-09-12 (GHS 6) Revision: 2020-01-21

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	colorless to pale yellow; transparent
Odor	fruity

Other safety parameters

pH (value)	6-8 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	31.69 hPa at 25 °C
Density	1.026 ^g / _{ml}
Vapor density	this information is not available

Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	210 °C (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

United States: en Page: 6 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0

Replaces version of: 2018-09-12 (GHS 6)

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T3 (maximum permissible surface temperature on the equipment:
	200°C)

Revision: 2020-01-21

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

Information on toxicological effects 11.1

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
(2-hydroxyethyl)ammonium mercaptoacetate	126-97-6	oral	318 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

United States: en Page: 7 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Revision: 2020-01-21

Version number: GHS 7.0 Replaces version of: 2018-09-12 (GHS 6)

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(2-hydroxyethyl)am- monium mercaptoacet- ate	126-97-6	LC50	>100 ^{mg} / _l	fish	96 h
(2-hydroxyethyl)am- monium mercaptoacet- ate	126-97-6	EC50	>100 ^{mg} / _I	aquatic invertebrates	48 h
(2-hydroxyethyl)am- monium mercaptoacet- ate	126-97-6	ErC50	65 ^{mg} / _l	algae	72 h
2-(2-butoxyethoxy)eth- anol	112-34-5	LC50	1,300 ^{mg} / _l	fish	96 h
2-(2-butoxyethoxy)eth- anol	112-34-5	EC50	>100 ^{mg} / _I	aquatic invertebrates	48 h
2-(2-butoxyethoxy)eth- anol	112-34-5	ErC50	>100 ^{mg} / _l	algae	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(2-hydroxyethyl)am- monium mercaptoacet- ate	126-97-6	EC50	>1,000 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

United States: en Page: 8 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Revision: 2020-01-21 Replaces version of: 2018-09-12 (GHS 6)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous

goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

United States: en Page: 9 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Revision: 2020-01-21 Replaces version of: 2018-09-12 (GHS 6)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed or exempt from listing all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

15.1.5 0.2.2

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	carrier fluid / dis- solver	
(2-hydroxyethyl)ammonium mercaptoacetate	126-97-6	metal cleaner	
2-(2-butoxyethoxy)ethanol		co-solvent	CA TACs
poly(oxy-1,2-ethanediyl), .alphaundecyl- .omegahydroxy-, branched and linear)	127036-24-2	surfactant	
cocoalkylmethyl polyoxyethylene ammonium chloride	61791-10-4	surfactant	
sodium gluconate	527-07-1	chelate / se- questrant	
xanthan gum	11138-66-2	viscosity modifier	
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
2-(2-butoxyethoxy)ethanol		1022			1.0 %

 Hazardous Substances List (MN-ERTK) none of the ingredients are listed

United States: en Page: 10 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Revision: 2020-01-21 Replaces version of: 2018-09-12 (GHS 6)

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
2-(2-butoxyethoxy)ethanol			

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	CAS No	Classification
2-(2-butoxyethoxy)ethanol		Е

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK) none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

VOC content

Regulated Volatile Organic Compounds (VOC-EPA): 2.291 % Regulated Volatile Organic Compounds (VOC-Cal ARB): 2.291 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

United States: en Page: 11 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Revision: 2020-01-21 Replaces version of: 2018-09-12 (GHS 6)

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
CA	DSL	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
2.2	- Hazardous ingredients for labelling: sodium thioglycolate	- Hazardous ingredients for labelling: (2-hydroxyethyl)ammonium mercaptoacetate	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1	Control parameters: This information is not available.	Control parameters	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Density: not determined	Density: 1.026 ^g / _{ml}	yes
9.1	Relative density: information on this property is not available		yes
9.1	Auto-ignition temperature: 210 °C	Auto-ignition temperature: 210 °C (auto-ignition temperature (liquids and gases))	yes
11.1	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4:	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful if swal- lowed.	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mix- ture: change in the listing (table)	yes

United States: en Page: 12 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Revision: 2020-01-21

Version number: GHS 7.0 Replaces version of: 2018-09-12 (GHS 6)

> Section Former entry (text/value) Actual entry (text/value) Safety-14.2 UN proper shipping name: UN proper shipping name: yes not relevant not assigned 14.3 Transport hazard class(es): Transport hazard class(es): ves not assigned none Packing group: 14.4 Packing group: yes not relevant not assigned 15.1 Toxic Substance Control Act (TSCA): Toxic Substance Control Act (TSCA): yes all ingredients are listed or exempt from listing all ingredients are listed or exempt from listing all ingredients are listed New Jersey Worker and Community Right to Know 15.1.50.5 yes Act: none of the ingredients are listed 15.1.50.2.2 Right to Know Hazardous Substance List yes Cleaning Product Right to Know Act Substance List 15.1.50.2.2 yes (CA-RTK) 15.1.50.2.2 Cleaning Product Right to Know Act Substance List ves (CA-RTK): change in the listing (table) 15.1.50.2.2 Toxic or Hazardous Substance List (MA-TURA) yes 15.1.50.2.2 Toxic or Hazardous Substance List (MA-TURA): yes change in the listing (table) 15.1.50.2.2 Hazardous Substances List (MN-ERTK): yes none of the ingredients are listed 15.1.50.2.2 Hazardous Substance List (NJ-RTK) yes 15.1.50.2.2 Hazardous Substance List (NJ-RTK): yes change in the listing (table) 15.1.50.2.2 Hazardous Substance List (Chapter 323) (PA-RTK) yes 15.1.50.2.2 Hazardous Substance List (Chapter 323) (PA-RTK): yes change in the listing (table) Hazardous Substance List (RI-RTK): 15.1.50.2.2 yes none of the ingredients are listed 15.1.50.2.2 VOC content: yes Regulated Volatile Organic Compounds (VOC-EPA): 2.291 % Regulated Volatile Organic Compounds (VOC-Cal ARB): 2.291 % 15.1.50.2.2 National inventories ves 15.1.50.2.2 National inventories: yes change in the listing (table) Abbreviations and acronyms: 16 yes change in the listing (table) List of relevant phrases (code and full text as stated 16 yes in chapter 2 and 3): change in the listing (table)

United States: en Page: 13 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Replaces version of: 2018-09-12 (GHS 6) Revision: 2020-01-21

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average

United States: en Page: 14 / 15



acc. to 29 CFR 1910.1200 App D

Wheel Cleaner

Version number: GHS 7.0 Replaces version of: 2018-09-12 (GHS 6)

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Revision: 2020-01-21

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 15 / 15