

NZ·azz



edge·mounts

Best for displaying artwork, photography and valuable graphics

www.nzazz.nz



UNIQUE
*** PATENTED ***
FUNCTIONALITY

NZ·azz

www.nzazz.nz

NZAZZ Limited. Ph 09 415 4430, Email: sales@nzazz.nz

edge·mounts

UNIQUE
* PATENTED *
FUNCTIONALITY

edgemounts minimalist design means they don't compete with your graphics for visual attention and give you the option to install back panels to create coloured borders to enhance the visual impact.

DISPLAY OPTIONS

without borders




Image printed on paper and displayed between a back panel and a clear acrylic front panel



Image printed on the front of a panel




Image printed on the back of a clear acrylic panel

INSTALLATION


without a border

Important:

Use approved wall anchors when required.



The internal back wall of **G Parts** accommodates an 8 or 9 gauge countersunk screw or bolt.



Screw to secure **L Part** into **G Part**.

BACK PANEL

GRAPHIC IMAGE

FRONT PANEL

Option 1. Graphic image printed on the back or front of the back panel.


Option 2. Graphic image held between the back panel and a clear front panel.



L Part slots into **G Part**.

The graphic image panel sits on the **L Part** and is secured against the **G Part**.

Final Assembly Position



NZ·azz



edge·mounts

The elegant new installation system

UNIQUE
* PATENTED *
FUNCTIONALITY

DISPLAY OPTIONS

with back panels that create coloured borders to enhance the visual impact




Satin silver back panel - matching the colour of the edgemounts

INSTALLATION


with a border

Important:


Use approved wall anchors when required.




The internal back wall of **G Parts** accommodates an 8 or 9 gauge countersunk screw or bolt.



Screw to secure **L Part** into **G Part**.



Option 1. Graphic image printed on the back or front of the back panel.



Option 2. Graphic image held between the back panel and a clear front panel.



I Part screws into **G Part**.

L Part slots into **G Part**.

The back panel is secured to the **G Part** with the **I Part**. The front panel sits on the **L Part** and is secured against the back panel.


Final Assembly Position






TECHNICAL INFORMATION

G + L Part Dimensions



Back Panel Hole + Slot Dimensions



Panel Thickness

