

# Koi Delta 9 THC Gummies | Blue-Razz

Sample ID: 2201CSALA8817.3994

Matrix: Ingestible

Type: Solid Product

Sample Size: 1 units

Batch Size: 4000 units

Batch#: 21KC1204B

Produced: 12/01/2021

Collected: 01/20/2022

Received: 01/20/2022

Completed: 01/25/2022

Client

**Koi CBD**

Lic. #

14631 Best Ave,

Norwalk, CA 90650



## Summary

**Pass**

<b>34.6027 mg/serving</b> Total Cannabinoids	<b>Pass</b> Pesticides	<b>Pass</b> Residual Solvents
<b>Pass</b> Microbials	<b>Pass</b> Mycotoxins	<b>Pass</b> Heavy Metals

## Cannabinoids

**Pass**

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/g	mg/serving
CBD	0.0175	0.025	5.7904	23.1614
Δ9-THC	0.0207	0.025	2.4518	9.8073
Δ8-THC	0.022	0.025	0.2938	1.1753
CBG	0.0229	0.025	0.1147	0.4587
CBT	0.021	0.0975	<1mg/g	<LOQ
CBDV	0.0204	0.025	ND	ND
THCV	0.0242	0.025	ND	ND
CBN	0.0245	0.025	ND	ND
CBC	0.0213	0.025	ND	ND
CBCA	0.0221	0.025	ND	ND
CBDa	0.0133	0.025	ND	ND
CBDVA	0.0238	0.025	ND	ND
CBGa	0.0187	0.025	ND	ND
THCa	0.0184	0.025	ND	ND
THCVA	0.0243	0.025	ND	ND

<b>9.8073 mg/serving</b> Total THC	<b>23.1614 mg/serving</b> Total CBD
---------------------------------------	--

1 serving = 1 Gummy, 4.0 grams; 20.0 servings per package; 196.1454

mg/package Total THC; 463.2288 mg/package Total CBD;

Date Tested: 01/24/2022

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Terpenes

**Complete**

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/g	%
β-Caryophyllene	0.01	0.02	0.0306	0.0031
Geraniol	0.005	0.02	<LOQ	<LOQ
δ-Limonene	0.01	0.02	ND	ND
α-Humulene	0.01	0.02	ND	ND
α-Bisabolol	0.1	0.02	ND	ND
Isopulegol	0.01	0.02	ND	ND
Ocimene	0.004	0.01	ND	ND
Caryophyllene Oxide	0.01	0.02	ND	ND
Camphene	0.01	0.02	ND	ND
Eucalyptol	0.01	0.02	ND	ND
Guaial	0.01	0.02	ND	ND
Linalool	0.005	0.02	ND	ND
p-Cymene	0.01	0.02	ND	ND
Terpinolene	0.01	0.02	ND	ND
trans-Nerolidol	0.003	0.01	ND	ND
α-Pinene	0.01	0.02	ND	ND
α-Terpinene	0.01	0.02	ND	ND
β-Myrcene	0.01	0.02	ND	ND
β-Pinene	0.01	0.02	ND	ND
γ-Terpinene	0.01	0.02	ND	ND
δ-3-Carene	0.01	0.02	ND	ND
<b>Total</b>			<b>0.0306</b>	<b>0.0031</b>

Date Tested: 01/21/2022

<b>NT</b> Moisture Moisture Analyzer SOP-103	<b>Pass</b> <b>0.480 aw</b> Water Activity Water Activity Meter SOP-102 Date Tested: 01/21/2022	<b>Pass</b> Foreign Matter Visual Inspection SOP-600 Date Tested: 01/21/2022
--	---	---


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Neyajourbchian  
 Laboratory Director  
 01/25/2022



 Mikaela Gutierrez  
 COA Review  
 01/25/2022

## Koi Delta 9 THC Gummies | Blue-Razz

Sample ID: 2201CSALA8817.3994

Matrix: Ingestible

Type: Solid Product

Sample Size: 1 units

Batch Size: 4000 units

Batch#: 21KC1204B

Produced: 12/01/2021

Collected: 01/20/2022

Received: 01/20/2022

Completed: 01/25/2022

Client

**Koi CBD**

Lic. #

14631 Best Ave,

Norwalk, CA 90650

### Pesticides

**Pass**

Testing method: LCMS &amp; GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.037	0.068	0.3	ND	Pass	Fludioxonil	0.05	0.078	30	ND	Pass
Acephate	0.035	0.078	5	ND	Pass	Hexythiazox	0.041	0.078	2	ND	Pass
Acequinocyl	0.033	0.078	4	ND	Pass	Imazalil *	0.047	0.078	0.047	ND	Pass
Acetamiprid	0.034	0.078	5	ND	Pass	Imidacloprid	0.033	0.078	3	ND	Pass
Aldicarb *	0.032	0.078	0.032	ND	Pass	Kresoxim Methyl	0.033	0.078	1	ND	Pass
Azoxystrobin	0.033	0.078	40	ND	Pass	Malathion	0.05	0.078	5	ND	Pass
Bifenazate	0.069	0.078	5	ND	Pass	Metalaxyl	0.036	0.078	15	ND	Pass
Bifenthrin	0.067	0.078	0.5	ND	Pass	Methiocarb *	0.05	0.078	0.05	ND	Pass
Boscalid	0.045	0.078	10	ND	Pass	Methomyl	0.04	0.078	0.1	ND	Pass
Captan	0.53	0.625	5	ND	Pass	Methyl Parathion *	0.052	0.078	0.052	ND	Pass
Carbaryl	0.04	0.078	0.5	ND	Pass	Mevinphos *	0.034	0.078	0.034	ND	Pass
Carbofuran *	0.034	0.078	0.034	ND	Pass	Myclobutanil	0.062	0.078	9	ND	Pass
Chlorantraniliprole	0.033	0.078	40	ND	Pass	Naled	0.052	0.078	0.5	ND	Pass
Chlordane *	0.067	0.078	0.067	ND	Pass	Oxamyl	0.033	0.078	0.2	ND	Pass
Chlorfenapyr *	0.067	0.078	0.067	ND	Pass	Paclobutrazol *	0.062	0.078	0.062	ND	Pass
Chlorpyrifos *	0.033	0.078	0.033	ND	Pass	Pentachloronitrobenzene	0.071	0.078	0.2	ND	Pass
Clofentezine	0.047	0.078	0.5	ND	Pass	Permethrin	0.05	0.078	20	ND	Pass
Coumaphos *	0.041	0.078	0.041	ND	Pass	Phosmet	0.033	0.078	0.2	ND	Pass
Cyfluthrin	0.148	0.156	1	ND	Pass	Piperonyl Butoxide	0.039	0.078	8	ND	Pass
Cypermethrin	0.079	0.156	1	ND	Pass	Prallethrin	0.041	0.078	0.4	ND	Pass
Daminozide *	0.043	0.078	0.043	ND	Pass	Propiconazole	0.04	0.078	20	ND	Pass
DDVP *	0.037	0.078	0.037	ND	Pass	Propoxur *	0.041	0.078	0.041	ND	Pass
Diazinon	0.031	0.078	0.2	ND	Pass	Pyrethrins	0.188	0.22	1	ND	Pass
Dimethoate *	0.028	0.078	0.028	ND	Pass	Pyridaben	0.059	0.078	3	ND	Pass
Dimethomorph	0.033	0.078	20	ND	Pass	Spinetoram	0.042	0.078	3	ND	Pass
Ethoprophos *	0.029	0.078	0.029	ND	Pass	Spinosad	0.038	0.079	3	ND	Pass
Etofenprox *	0.038	0.078	0.038	ND	Pass	Spiromesifen	0.038	0.078	12	ND	Pass
Etoxazole	0.034	0.078	1.5	ND	Pass	Spirotetramat	0.031	0.078	13	ND	Pass
Fenhexamid	0.072	0.078	10	ND	Pass	Spiroxamine *	0.031	0.078	0.031	ND	Pass
Fenoxycarb *	0.028	0.078	0.028	ND	Pass	Tebuconazole	0.034	0.078	2	ND	Pass
Fenpyroximate	0.025	0.078	2	ND	Pass	Thiacloprid *	0.033	0.078	0.033	ND	Pass
Fipronil *	0.057	0.078	0.057	ND	Pass	Thiamethoxam	0.039	0.078	4.5	ND	Pass
Fonicamid	0.043	0.078	2	ND	Pass	Trifloxystrobin	0.039	0.078	30	ND	Pass

Date Tested: 01/21/2022

\* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Neyajourbchian  
 Laboratory Director  
 01/25/2022



 Mikaela Gutierrez  
 COA Review  
 01/25/2022

## Koi Delta 9 THC Gummies | Blue-Razz

Sample ID: 2201CSALA8817.3994

Matrix: Ingestible

Type: Solid Product

Sample Size: 1 units

Batch Size: 4000 units

Batch#: 21KC1204B

Produced: 12/01/2021

Collected: 01/20/2022

Received: 01/20/2022

Completed: 01/25/2022

Client

**Koi CBD**

Lic. #

14631 Best Ave,

Norwalk, CA 90650

### Microbials

Pass

Testing method: PCR-SOP 401

Analyte	Result	Status
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 01/24/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Mycotoxins

Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	2.0	3.9		ND	Tested
Aflatoxin B2	3.0	3.9		ND	Tested
Aflatoxin G1	2.4	3.9		ND	Tested
Aflatoxin G2	3.1	3.9		ND	Tested
Total Aflatoxins	10.5	15.6	20	ND	Pass
Ochratoxin A	6.4	15.5	20	ND	Pass

Date Tested: 01/21/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.005	0.05	1.5	<LOQ	Pass
Cadmium	0.003	0.05	0.5	ND	Pass
Lead	0.01	0.05	0.5	ND	Pass
Mercury	0.002	0.05	3	<LOQ	Pass

Date Tested: 01/21/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Neya Jourabchian  
 Laboratory Director  
 01/25/2022



 Mikaela Gutierrez  
 COA Review  
 01/25/2022

## Koi Delta 9 THC Gummies | Blue-Razz

Sample ID: 2201CSALA8817.3994

Matrix: Ingestible

Type: Solid Product

Sample Size: 1 units

Batch Size: 4000 units

Batch#: 21KC1204B

Produced: 12/01/2021

Collected: 01/20/2022

Received: 01/20/2022

Completed: 01/25/2022

Client

**Koi CBD**

Lic. #

14631 Best Ave,

Norwalk, CA 90650

### Residual Solvents

Pass

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.08	1.0	1	ND	Pass
Acetone	9.19	50.0	5000	ND	Pass
Acetonitrile	17.49	58.35	410	ND	Pass
Benzene	0.09	1.0	1	ND	Pass
Butane	35.32	117.8	5000	ND	Pass
Chloroform	0.21	1.0	1	ND	Pass
Ethanol	14.96	50.0	5000	<LOQ	Pass
Ethyl acetate	12.8	50.0	5000	55.7	Pass
Ethylene Oxide	0.3	1.0	1	ND	Pass
Ethyl ether	16.0	53.36	5000	ND	Pass
Heptane	42.11	140.48	5000	ND	Pass
Isopropyl alcohol	19.79	66.02	5000	ND	Pass
Methanol	149.0	497.01	3000	ND	Pass
Methylene chloride	0.11	1.0	1	ND	Pass
Hexane	33.99	113.37	290	ND	Pass
Pentane	28.08	93.67	5000	ND	Pass
Propane	42.44	141.57	5000	ND	Pass
Toluene	23.99	80.03	890	ND	Pass
Trichloroethylene	0.06	1.0	1	ND	Pass
Total xylenes	65.49	218.45	2170	ND	Pass

Date Tested: 01/21/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Neya Jourabchian  
 Laboratory Director  
 01/25/2022



 Mikaela Gutierrez  
 COA Review  
 01/25/2022