

AID Equipment (Salt Lake City, UT branch) Phone: 801.566.2112 Sales@aideq.com www.aideq.com

MODULAR TABLE TOP CONVEYOR QUOTATION WORKSHEET

Company		Date
Contact	Quote Due	Desired Delivery
Phone No.:	Contact Email: _	State
Omni Sales Contact:		Quote #:
Quantity:		
Product Specs:		Table Top Chain Specs:
Max:		Chain Width: Inches Chain Style:
- Width (inches): Length (inches):		
- Height (inches):Weight (lbs): _		Application Information:
Min:		Product Enters By:
- Width (inches): Length (inches):		☐ Conveyed On ☐ Fork Truck
- Height (inches):Weight (lbs): _		☐ Robot ☐ Other
Description:		Product Exits By:
Max. Qty.: Total Live Load*:		☐ Conveyed off ☐ Fork Truck ☐ Robot ☐ Other
Temperature		☐ Other
-Environment:		- Quantity of Starts and Stops per Day
-Product:		- *Will the Conveyor be started with a load??
☐ Wet ☐ Dry ☐ Other		☐ Yes ☐ No ☐ Soft Start Required?
Bolt Together Conveyor Construction: Mild Steel Powder Coat RAL Color: Stainless Steel		Support Type: Legs Ceiling Supports None Top of Belt:
☐ Mill Finish		*Speed: Fixed (FPM)
Polished		☐ Variable Low Speed (FPM)
Welded Construction Available for Custom Applications		High Speed (FPM)
		☐ AC Speed Controller ☐ DC Speed Controller
Frame Type:		
Open Top		Drive Type:
☐ Closed Top		☐ Under Hung ☐ Shaft Mount
Conveyor Components:		Plant Voltage:
•	ngth/Degree	☐ 110V Single Phase ☐ 460V Three Phase
Drive End		☐ 220V Single Phase ☐ 208V Three Phase
Intermediate		☐ 220V Three Phase ☐ 575V Three Phase
Intermediate		
Intermediate		Other:
Idle End		
Curve		
Curve		*Unless otherwise noted Omni will assume that
90° Dead Plate Turn	N/A	conveyors are fully loaded and require soft start
Parallel Transfer	N/A	
Cope	N/A	