

# Safety Data Sheet

Rev: Feb 2018

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** OC Fogger, Nonflammable

### Other means of identification

**SDS #** A10

**Synonyms** Pepper Spray (Fog Delivery).  
**UN/ID No** UN1950

### Recommended use of the chemical and restrictions on use

**Recommended Use** Self-defense.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Fox Labs International, Inc.  
310 Church Street  
Mount Clemens, MI 48043

### Emergency Telephone Number

**Company Phone Number** Phone: 586-783-5100

**Emergency Telephone (24 hr)** 1-800-535-5053

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear red liquid

**Physical State** Aerosol

**Odor** Pungent Irritating

### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3

### Hazards Not Otherwise Classified (HNOC)

Pressurized container: May burst if heated

### Signal Word

**Danger**

### Hazard Statements

Causes skin irritation  
Causes serious eye irritation  
Suspected of causing genetic defects  
May cause cancer  
May cause drowsiness or dizziness

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear eye/face protection  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation occurs: Get medical advice/attention  
 Take off contaminated clothing and wash it before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms** 2, 3, 4 oz. Pepper Spray (Fog Delivery).

Chemical Name	CAS No	Weight-%
Trichloroethylene	79-01-6	Proprietary
1,1,1,2-Tetrafluoroethane	811-97-2	Proprietary
Oleoresin Capsicum	8023-77-6	4
UV Dye	7128-64-5	<0.1

## 4. FIRST-AID MEASURES

### First Aid Measures

<b>General Advice</b>	If exposed or concerned: Get medical advice/attention.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not cover effected area or use creams or ointments for 6 hours. If skin irritation occurs: Get medical advice/ attention.
<b>Inhalation</b>	Remove to fresh air. Artificial respiration and/or oxygen may be necessary. Call a physician.
<b>Ingestion</b>	Drink plenty of water. Do not induce vomiting. Call a physician or poison control center immediately.

### Most important symptoms and effects

<b>Symptoms</b>	Contact will cause irritation and redness to exposed areas. Inhalation of large amounts can cause dizziness, unconsciousness, or death. Liver injury may occur.
-----------------	---

### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Foam. Dry chemical.

**Unsuitable Extinguishing Media** Not determined.

### Specific Hazards Arising from the Chemical

Contents will discharge in fire. Pressurized container: May burst if heated. Will decompose at temperatures above 250°F.

**Hazardous Combustion Products** Phosgene. Hydrochloric acid.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Contain and collect with an inert absorbent and place into an appropriate container for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Advice on Safe Handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wash thoroughly after handling. Avoid breathing vapors or mists. Use only in well-ventilated areas.

### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store below 100°F in the provided shipping carton.

#### **Incompatible Materials**

Strong oxidizers. Finely divided alkaline metals. Strong acids. Strong alkalis.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trichloroethylene 79-01-6	STEL: 25 ppm TWA: 10 ppm	TWA: 100 ppm (vacated) TWA: 50 ppm (vacated) TWA: 270 mg/m <sup>3</sup> (vacated) STEL: 200 ppm (vacated) STEL: 1080 mg/m <sup>3</sup> Ceiling: 200 ppm	IDLH: 1000 ppm

### Appropriate engineering controls

#### **Engineering Controls**

Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

#### **Eye/Face Protection**

Chemical splash goggles.

#### **Skin and Body Protection**

Wear suitable protective clothing.

#### **Respiratory Protection**

Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Aerosol	<b>Odor</b>	Pungent Irritating
<b>Appearance</b>	Clear red liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Red		

<u>Property</u>	<u>Values</u>	<u>Remarks - Method</u>
pH	Not available	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	-10 °C / 14 °F	
Flash Point	None when tested in accordance with DOT requirements	
Evaporation Rate	0.3	(Ether = 1)
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	16.7%	
Lower Flammability Limit	6.0%	
Vapor Pressure	40 psig	@ 20°C (68°F)
Vapor Density	3.9	(Air=1)
Specific Gravity	1.15	(1=Water)
Water Solubility	1 wt%	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
---------------------------------	--

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Strong oxidizers. Finely divided alkaline metals. Strong acids. Strong alkalis.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes serious eye irritation.
<b>Skin Contact</b>	Causes skin irritation.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Do not taste or swallow.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trichloroethylene 79-01-6	= 4290 mg/kg ( Rat )	> 20 g/kg ( Rabbit )	= 8000 ppm ( Rat ) 4 h = 26300 ppm ( Rat ) 1 h
1,1,1,2-Tetrafluoroethane 811-97-2	-	-	= 1500 g/m <sup>3</sup> ( Rat ) 4 h
Oleoresin Capsicum 8023-77-6	> 3 g/kg ( Rat )	> 2500 mg/kg ( Rat )	> 10000 g/m <sup>3</sup> ( Rat ) 4 h
UV Dye 7128-64-5	> 10 g/kg ( Rat )	-	-

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Germ cell mutagenicity** Suspected of causing genetic defects.

**Carcinogenicity** May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Trichloroethylene 79-01-6	A2	Group 1	Reasonably Anticipated	X

#### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

**NTP (National Toxicology Program)**

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**STOT - single exposure** May cause drowsiness or dizziness.

### Numerical measures of toxicity

Not determined

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trichloroethylene 79-01-6	450: 96 h Desmodesmus subspicatus mg/L EC50 175: 96 h Pseudokirchneriella subcapitata mg/L EC50	31.4 - 71.8: 96 h Pimephales promelas mg/L LC50 flow-through 39 - 54: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 0.81 mg/L 24 h EC50 = 115 mg/L 10 min EC50 = 190 mg/L 15 min EC50 = 235 mg/L 24 h EC50 = 410 mg/L 24 h EC50 = 975 mg/L 5 min	2.2: 48 h Daphnia magna mg/L EC50
1,1,1,2-Tetrafluoroethane 811-97-2		96 hour LC50-Rainbow Trout: 450 mg/L		48 hour EC50-Daphnia magna: 980 mg/L

### **Persistence/Degradability**

Not determined.

### **Bioaccumulation**

Not determined.

### **Mobility**

Chemical Name	Partition Coefficient
Trichloroethylene 79-01-6	2.29

### **Other Adverse Effects**

Not determined

### 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Trichloroethylene 79-01-6	U228	Included in waste streams: F001, F002, F024, F025, F039, K018, K019, K020	0.5 mg/L regulatory level	U228

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Trichloroethylene 79-01-6	Category I - Volatiles		Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Trichloroethylene 79-01-6	Toxic

### 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

#### DOT

UN/ID No UN1950  
Proper Shipping Name Aerosols  
Hazard Class 2.2

#### IATA

UN/ID No UN1950  
Proper Shipping Name Aerosols, non-flammable  
Hazard Class 2.2

#### IMDG

UN/ID No UN1950  
Proper Shipping Name Aerosols  
Hazard Class 2.2  
Marine Pollutant This material may meet the definition of a marine pollutant



## 15. REGULATORY INFORMATION

### International Inventories

#### **TSCA**

All ingredients are listed or exempt from listing on Chemical Substance Inventory

#### **Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

### US Federal Regulations

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Trichloroethylene 79-01-6	100 lb 1 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ

#### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Trichloroethylene - 79-01-6	79-01-6	65	0.1

#### **CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trichloroethylene 79-01-6 (65)	100 lb	X	X	X

### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Trichloroethylene - 79-01-6	Carcinogen

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Trichloroethylene 79-01-6	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	1	0	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	2	1	0	Not determined

**Issue Date:** 01-Jan-2011  
**Revision Date:** 12-Feb-2018  
**Revision Note:** New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**