Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 01/18/2017 Revision date: n/a Supersedes: n/a Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : Inert, DB/PG (Fogger)

Product code : n/a

SDS ID : WL2017-010

1.2. Relevant identified uses of the substance or mixture and uses advised against

Self defense device

1.3. Details of the supplier of the safety data sheet

FOX LABS International, Inc. 310 Church Street

Mt. Clemens, MI 48043 Tel: 586-783-5100

1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

Outside USA: +1 703-527-3888

24 hours

Customer ID: CCN13561

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Refrigerated liquefied gas Eye damage/irritant 2A

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS04 GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : Contains refrigerated gas; may cause cryogenic burns or injury

Causes serious eye irritation

Precautionary statements (GHS-US)

Wear eye protection/face protection

Wear cold insulating gloves/ face shield/eye protection

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing Get immediate medical advice/attention.

Thaw frosted parts with lukewarm water. Do not rub affected area.

If eye irritation persists: get medical advice/attention

Store in a well-ventilated place

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

01/18/2017 EN (English) SDS ID: WL2017-010 1/8

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Diethylene glycol monobutyl ether	(CAS No) 112-34-5	30 - 35	Flam. Liq. 4, H227 Eye Irrit. 2A, H319
1-Propene, 1,3,3,3-tetrafluoro-,(1E)-	(CAS No) 29118-24-9	30 - 40	Refrigerated liquefied gas; H280

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing

is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER or

doctor/physician if you feel unwell.

First-aid measures after skin contact : In case of contact with liquid, thaw frosted parts with water, remove clothing carefully and wash

with soap & water. Do not apply salves or creams to affected area. If skin irritation persists,

seek medical attention.

First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. If the person is fully conscious, make him/her drink

water. Never give an unconscious person anything to drink. Contact the Poison Control Centre

at 1-800-222-1222.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Shortness of breath.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after skin contact : May cause frost-bite.

Symptoms/injuries after ingestion : May cause irritation to mouth, throat and stomach upon direct contact.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Non known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non-flammable aerosol. Contains combustible liquid.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire

reaches explosives. Evacuate area.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove

ignition sources. Use special care to avoid static electric charges. Avoid contact with skin and

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. For further information refer to section 8 : Exposure-

controls/personal protection.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

01/18/2017 EN (English) SDS ID: WL2017-010 2/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

6.2 **Environmental precautions**

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or

burn, even after use.

Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor. Do not spray on an open flame or other ignition source. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Hygiene measures Wash hands thoroughly after handling. Wash hands and other exposed areas with mild soap

and water before eating, drinking or smoking and when leaving work place.

Conditions for safe storage, including any incompatibilities

Technical measures Proper grounding procedures to avoid static electricity should be followed.

Storage conditions Keep only in the original container in a cool, well-ventilated place. Do not expose to

temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep container tightly closed.

Incompatible products No additional information available

Incompatible condition Sources of ignition. Direct sunlight. Heat sources.

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Diethylene glycol monobutyl ether (112-34-5)			
	ACGIH	ACGIH TWA (ppm)	10 ppm (inhalable fraction and vapor)

Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure. Provide adequate ventilation.

Personal protective equipment Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.



Hand protection Wear protective oil and chemical gloves. Chemical goggles or safety glasses. Eye protection

Skin and body protection Wear suitable protective clothing (Oil / chemical resistant).

Respiratory protection In case of insufficient ventilation wear appropriate respiratory protection.

Other information Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Thin liquid/ Aerosol

Color : Light amber

Odor : Pungent, highly irritating Odor threshold : No data available

01/18/2017 EN (English) SDS ID: WL2017-010 3/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : 75 - 90 °C (167 - 194 °F)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : No data available

Solubility : Completely soluble in water

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Carbon dioxide, carbon monoxide and hydrocarbons.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Hazardous polymerization may occur if exposure to fire conditions

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

No additional inforation available.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide, hydrocarbons.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Diethylene glycol monobutyl ether (112-34-5)	
LD50 oral rat	5660 mg/kg
LD50 dermal rabbit	2700 mg/kg
ATE US (oral)	3384.000 mg/kg body weight
ATE US (dermal)	2700.000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

01/18/2017 EN (English) SDS ID: WL2017-010 4/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : Shortness of breath.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

SECTION 12: Ecological information

12.1. Toxicity

Diethylene glycol monobutyl ether (112-34-5)	
LD50 oral rat	5660 mg/kg
LD50 dermal rabbit	2700 mg/kg
ATE US (oral)	3384.000 mg/kg body weight
ATE US (dermal)	2700.000 mg/kg body weight

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Not established

Diethylene glycol monobutyl ether (112-34-5)	
BCF fish 1	(no bioconcentration expected)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No additional information available

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use.

Additional information : Flammable vapors may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

Transport document description (ADR) : Consumer commodity

UN-No.(DOT) : ORM-D

Proper Shipping Name (DOT) : Consumer commodity

Hazard Classes (DOT) : Hazard labels (DOT) : None

01/18/2017 EN (English) SDS ID: WL2017-010 5/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

DOT Packaging Exceptions (49 CFR 173.xxx) : 156, 306
DOT Packaging Non Bulk (49 CFR 173.xxx) : 156, 306
DOT Packaging Bulk (49 CFR 173.xxx) : None
DOT Quantity Limitations Passenger aircraft/rail : 30 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : Forbidden

CFR 175.75)

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Air transport

UN-No.(IATA) : 8000

Proper Shipping Name (IATA) : Consumer commodity

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Transport by sea

UN-No.(IMDG) : 1950
Proper Shipping Name (IMDG) : AEROSOL

Class (IMDG) : 2.2 - Class 2.2 - Non-flammable, non-toxic gases

(each not exceeding 1 L capacity)

Hazard labels (IMDG)

2

Excepted Quantity code (IMDG) : E0 (Not permitted as Excepted Quantity)

EMS : F-C, S-V

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Diethylene glycol monobutyl ether (112-34-5)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule

15.2. International regulations

CANADA

	Diethylene glycol monobutyl ether (112-34-5)	
Listed on the Canadian DSL (Domestic Substances List)		
	Class B Division 3 - Combustible Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

1-Propene, 1,3,3,3-tetrafluoro-,(1E)- (29118-24-9) Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

01/18/2017 EN (English) SDS ID: WL2017-010 6/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No information available

15.2.2. National regulations

Diethylene glycol monobutyl ether (112-34-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date : Not applicable

Other information : None.

Indication of changes : Not applicable

Full text of H-phrases:

o p acco.	
Compressed gas	Gases under pressure : Compressed gas
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 4	Flammable liquids Category 4
H227	Combustible liquid
H280	Contains gas under pressure; may explode if heated
H319	Causes serious eye irritation

The information presented herein is believed to be correct but is not purported to be all inclusive and shall be used only as a guide. AMSPEC Chemical shall not be held liable for any damage resulting from handling or from contact with the above product.

01/18/2017 EN (English) SDS ID: WL2017-010 7/7