**Steel Fire Tower**

Pedestal Base Assembly

Thank you for your purchase. Please read and understand this manual before assembling or operating your Blaze Tower. If you have any questions regarding assembly or use that are not covered in this manual please visit our website at www.blazetower.com or email us at info@blazetower.com and we will be happy to assist you!

Parts List

Qty 2 - Side Legs

Qty 2 - Front/Rear Legs

Qty 4 - Feet

BLAZE
Steel Fire Tower

Hardware List

Qty 16 - Shoulder Tabs

Qty 4 - 1/4" x 1" Carriage Bolt

Qty 16 - 1/4" Lock Washer

Qty 16 - Washer

Qty 16 - 1/4" Hex Nut

Qty 16 - 1/4" x 1" Hex Bolt

BLAZE
Steel Fire Tower

Assembly Overview

Assembly of the Pedestal Base is designed to be easily accomplished by two people in less than 15 minutes. The self aligning tab and slot system helps support the structure as you insert the shoulder tabs for bolting. Once you learn the basic steps for aligning the tabs and slots and how to insert the shoulder tabs assembling the pedestal will be a piece of cake.

Tab and Slots

Beginning with a Front/Back piece and a side piece, insert the tabs into the corresponding slots.

Tab

Slot

BLAZE
Steel Fire Tower

Shoulder Tabs

Insert Shoulder Tabs into slots.

Install Hardware

Insert 1/4" x 1" Hex Bolts through bolt hoes joining shoulder tabs to legs.

Secure bolt with 1/4" Flat Washer followed by 1/4" Lock Washer with 1/4" hex nut. FINGER TIGHTEN AT THIS POINT.

Attach Feet

Flip the table upside down. Attach feet as shown.

Shoulder Tab

Shoulder Tab

1/4" Carriage Bolt on bottom

BLAZE
Steel Fire Tower

Complete Assembly

Once the feet have been installed and tightened fully you can go back and fully tighten the remaining hardware. Finally, you can set the Blaze Tower Base on top to complete assembly by aligning the front and rear slots on the base to the tabs on the pedestal unit.

Front Slot

Front Tab

Caring For Your Blaze Tower

Every part of your Blaze Tower was hand-rubbed with an FDA Approved polymerized linseed oil to provide a safe and natural finish to protect the steel from moisture designed to delay the natural rusting process.

If you wish to preserve the look of your Blaze Tower's original appearance then it will be necessary to periodically inspect and reapply the oil as it will degrade over time due to UV exposure from the sun. Simply clean your Blaze Tower with a dry cloth or warm water if necessary. Allow to dry completely. Use a staining pad or cloth rag to apply a very thin layer of food-safe polymerized linseed oil to all surfaces. Thoroughly buff when done to remove excess oil to prevent a gummy finish.

You may also choose to allow the Blaze Tower to age beautifully through the natural Patina process. Patina is a natural weathering process which occurs when metal is exposed to oxygen and moisture that will gradually change bare steel from a bluish gray color to a dark reddish brown. This natural process varies the appearance of each piece making every Blaze unique.

Patina vs. Rust

This is a bit like geometry where a square is a rectangle but a rectangle is not a square. It's true that rust is a part of the patina process but whereas rust has a well-deserved negative connotation a mature patina is actually a natural protective coating that will preserve the integrity of the underlying metal.

The Blaze is constructed from 3/16" plate steel that is three to five times thicker than grills and fire pits from other manufacturers. The surface rust that forms in the early stages of the patina process will not rust through the thicker steel of the Blaze as it will on thinner metal and will gradually convert into an aesthetically pleasing protective shell that will last for decades.

One thing to note is that water runoff during the early stages of the patina process can stain wood, concrete, or other light colored surfaces so keep that in mind when selecting the location for your Blaze.

Thank you for your purchase. Enjoy your Blaze Tower and always BE SAFE!