





TABLE OF CONTENTS

CO2 PISTOL	
MKVI BATTLEFIELD FINISH	3
MKVI SILVER	4
MKVI BLACK FINISH	5
MKVI ACCESSORIES	6
AIR RIFLES	
SPECTOR	7
SPECTOR QUANTUM	8
VMX	9
VMX QUANTUM	10
VMX CLASSIC & CLASSIC QUANTUM	11
VMX CUB	12
STINGRAY QUANTUM	13
STINGRAY HUNTER QUANTUM	14
PATRIOT	15
RAIDER 12	16
MASTIFF 12	17
EN4CER 12	18
AIR PISTOLS	
ECLIPSE 12	19
TYPHOON	20
PELLETS	21-22
ACCESSORIES	23
CLOTHING	24
AGS	25-26

Webley, for over 100 years, has been designing and developing airguns that have boasted quality, innovation and reliability. This tradition remains our signature for the next 100 years and beyond with exciting plans for a new generation of development.

New additions to the Webley range in 2018 include:

WEBLEY VMX CLASSIC

The latest addition to the worldwide successful VMX family is the Webley VMX Classic. All the reliability, performance and features you expect from the VMX range now fitted to an eye catching hardwood ambidextrous stock with up to the minute styling which will still appeal to the traditional shooter. Available in .177 and .22

WEBLEY VMX CUB

All the features of the Webley VMX Classic in a junior package. Available in .177 and .22

WEBLEY MASTIFF 12

A compact and stylish semi-bullpup version of the Webley Raider 12 PCP air rifle. Ambidextrous Walnut Stock with Adjustable Cheekpiece and Adjustable Heel Pad with Quantum Moderator as standard. Available in 14 shot .177 or 12 shot .22.

WEBLEY EN4CER 12

For maximum number of shots and light weight this PCP rifle features a 420 cc reservoir and ambidextrous synthetic fully adjustable tactical stock system. Side lever action and Quantum Moderator as standard. Available in 14 shot .177 or 12 shot .22

WEBLEY ECLIPSE 12

A pistol version of the Raider 12 platform with detachable fully adjustable stock, Left hand lever cocking for one handed shooting. Available in 14 shot .177 or 12 shot .22

MKVI BATTLEFIELD FINISH



Also available in .177 rifled barrel

100 years after the Webley Mark VI was adopted as the standard Firearm for British and Commonwealth troops. The battlefield finish MKVI gives an unique and distressed finish that has been battle proven. Available in 4.5mm and 6mm BB as well as the new .177 rifled barrel pellet gun.

- Built from original blueprints
- Loads, cycles, fires and ejects as the original
- Original 1915 markings
- Single / Double action
- Full size
- Field strippable
- Full metal construction
- 6 Inch barrel
- 6 Shot
- Battlefield finish (distressed)
- Available in 4.5mm, 6mm & .177

MODEL	CALIBRE	VELOCITY		ENERGY		LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules		
WPIMK6BF177	.177 Pellet	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK6BF45	4.5mm BB	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK6BF60	6mm BB	<460	<140	<1.4	<2	11.25"(286mm)	2.4lbs(1.1kg)

BATTLEFIELD
FINISH

.455 WEBLEY

MKVI SILVER



Also available in .177 rifled barrel

New for 2017 is the MKVI nickel plated silver finished airgun. Using the same dimensions and features as the standard MKVI with the addition of a silver finish that brings this gun into the 21st century.

- Built from original blueprints
- Loads, cycles, fires and ejects as the original
- Original 1915 markings
- Single / Double action
- Full size
- Field strippable
- Full metal construction
- 6 Inch barrel
- 6 Shot
- New nickel plated silver finish
- Available in 4.5mm, 6mm & .177



MODEL	CALIBRE	VELOCITY		ENERGY		LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules		
WPIMK6S177	.177 Pellet	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK6S45	4.5mm BB	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK6S60	6mm BB	<460	<140	<1.4	<2	11.25"(286mm)	2.4lbs(1.1kg)

MKVI BLACK FINISH

.455 WEBLEY



Also available in .177 rifled barrel

The original and still the best, the Webley MKVI black finish is still our most popular CO² revolver. Designed and manufactured using the original blueprints dating back over 100 years. Beautiful in design with its proven heritage, the MKVI is a must for the discerning collector or enthusiast.

- Built from original blueprints
- Loads, cycles, fires and ejects as the original
- Original 1915 markings
- Single / Double action
- Full size
- Field strippable
- Full metal construction
- 6 Inch barrel
- 6 Shot
- Black finish
- Available in 4.5mm, 6mm & .177

MODEL	CALIBRE	VELOCITY		ENERGY		LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules		
WPIMK6177	.177 Pellet	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK645	4.5mm BB	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK660	6mm BB	<460	<140	<1.4	<2	11.25"(286mm)	2.4lbs(1.1kg)

MKVI ACCESSORIES



REPLACEMENT SHELLS

Webley Replacement Shells for the MKVI Service Revolver.

.177CAL lead pellet. Available in packs of 6 with speed loader or 24 bulk packs.



LEATHER HOLSTER

Designed to fit the Webley MKVI Revolver. Featuring 100% Leather with a Brown Finish and detailed Trim with Belt loops. Made to the original specifications, the leather holster compliments all Webley MKVI Revolvers.



REPLACEMENT SHELLS

Webley Replacement Shells for the MKVI Service Revolver.

6mm & 4.5mm. Available in packs of 6 with speed loader or 24 bulk packs.



CANVAS HOLSTER

Made to the original specifications. Featuring 100% Canvas with detailed Trim and Belt loops.



SPEEDLOADER

.177cal lead pellet. Comes complete with packs of 6 replacement shells.



SPECTOR



BLACK SYNTHETIC

- Available powered by POWR-LOK mainspring or D-RAM gas piston
- Tactical ambidextrous synthetic stock
- Precision Steel Rifled Barrel
- Automatic re-settable safety catch
- Two-stage trigger
- TRU-GLO sight system with micro adjustable rear sight

- Machined scope grooves

* Please note that the scope is not included.



The Spector is available with Webleys' D-RAM gas piston as a power source rather than a coiled spring. This provides a much smoother cocking action with the added benefit of greater shot consistency.



MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
SPECTOR	17.7"(45cm)	42"(107cm)	6.8lbs(3.1kg)

MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules

SPECIFICATIONS - UK SPEC

WRSPECB177	.177 (4.5mm)	800	240	11.5	15
WRSPECB22	.22 (5.5mm)	600	180	11.5	15

SPECIFICATIONS - UNRESTRICTED

WRSPECB177FAC	.177 (4.5mm)	1000	300	18	24
WRSPECB20WFAC	.20 WEBLEY	820	250	20	27
WRSPECB22FAC	.22 (5.5mm)	820	250	20	27

SPECIFICATIONS - 7.5 JOULES

WRSPECB177J75	.177 (4.5mm)	600	183	5.5	7.5
---------------	--------------	-----	-----	-----	-----

SPECIFICATIONS - 2 JOULES

WRSPECB177J2	.177 (4.5mm)	300	90	1.47	2
--------------	--------------	-----	----	------	---

* Other power levels available on request.

SPECTOR QUANTUM




BLACK SYNTHETIC



- Available powered by POWR-LOK mainspring or D-RAM gas piston
- Tactical ambidextrous synthetic stock
- Precision Steel Rifled Barrel
- Machined scope grooves
- Automatic re-settable safety catch
- Two-stage trigger
- Quantum silencer with multi baffles

* Please note that the scope is not included.



The Spector is available with Webleys' D-RAM gas piston as a power source rather than a coiled spring. This provides a much smoother cocking action with the added benefit of greater shot consistency.



MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
SPECTOR QUANTUM	10.25"(26cm)	41.75"(106cm)	7lbs(3.2kg)

MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules

SPECIFICATIONS - UK SPEC

WRSPECBO177	.177 (4.5mm)	800	240	11.5	15
WRSPECBO22	.22 (5.5mm)	600	180	11.5	15

SPECIFICATIONS - UNRESTRICTED

WRSPECBO177FAC	.177 (4.5mm)	1000	300	18	24
WRSPECBO20WFAC	.20 WEBLEY	820	250	20	27
WRSPECBO22FAC	.22 (5.5mm)	820	250	20	27

SPECIFICATIONS - 7.5 JOULES

WRSPECBO177J75	.177 (4.5mm)	600	183	5.5	7.5
WRSPECBO22J75	.22 (5.5mm)	417	127	5.5	7.5

SPECIFICATIONS - 2 JOULES

WRSPECBO177J2	.177 (4.5mm)	300	90	1.47	2
---------------	--------------	-----	----	------	---

* Other power levels available on request.

VMX



BLACK SYNTHETIC

GREEN SYNTHETIC

MOSSY OAK® CAMO SYNTHETIC

- Available powered by POWR-LOK mainspring or D-RAM gas piston
- Black, Green or Mossy Oak® camo synthetic ambidextrous stock
- Precision Steel Rifled Barrel
- Machined scope grooves
- Automatic re-settable safety catch
- Two-stage trigger
- TRU-GLO sight system with micro adjustable rear sight

* Please note that the scope is not included.



The VMX is available with Webleys' D-RAM gas piston as a power source rather than a coiled spring. This provides a much smoother cocking action with the added benefit of greater shot consistency.



MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
VMX	17.7"(45cm)	43"(109cm)	6lbs7oz(2.9kg)

MODEL	CALIBRE	VELOCITY	ENERGY
		ft/sec m/sec	ft. lbs Joules

SPECIFICATIONS - UK SPEC

WRVX-177	.177 (4.5mm)	800	240	11.5	15
WRVX-22	.22 (5.5mm)	600	180	11.5	15

SPECIFICATIONS - UNRESTRICTED

WRVX-177FAC	.177 (4.5mm)	1000	300	18	24
WRVX-20WFAC	.20 WEBLEY	820	250	20	27
WRVX-22FAC	.22 (5.5mm)	820	250	20	27

SPECIFICATIONS - 7.5 JOULES

WRVX-77J75	.177 (4.5mm)	600	183	5.5	7.5
WRVX-22J75	.22 (5.5mm)	417	127	5.5	7.5

SPECIFICATIONS - 2 JOULES

WRVX-177J2	.177 (4.5mm)	300	90	1.47	2
------------	--------------	-----	----	------	---

* Other power levels available on request.

VMX QUANTUM



BLACK SYNTHETIC

GREEN SYNTHETIC

MOSSY OAK® CAMO SYNTHETIC

- Available powered by POWR-LOK mainspring or D-RAM gas piston
- Black, Green or Mossy Oak® camo synthetic ambidextrous stock
- Precision Steel Rifled Barrel
- Machined scope grooves
- Automatic re-settable safety catch
- Two-stage trigger
- Quantum silencer with multi baffles

* Please note that the scope is not included.



The VMX Quantum is available with Webleys' D-RAM gas piston as a power source rather than a coiled spring. This provides a much smoother cocking action with the added benefit of greater shot consistency.



MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
VMX QUANTUM	10.25"(26cm)	41.75"(106cm)	7lbs(3.2kg)

MODEL	CALIBRE	VELOCITY	ENERGY
		ft/sec m/sec	ft. lbs Joules

SPECIFICATIONS - UK SPEC

WRVX-O177	.177 (4.5mm)	800	240	11.5	15
WRVX-O22	.22 (5.5mm)	600	180	11.5	15

SPECIFICATIONS - UNRESTRICTED

WRVX-O177FAC	.177 (4.5mm)	1000	300	18	24
WRVX-O20WFAC	.20 WEBLEY	820	250	20	27
WRVX-O22FAC	.22 (5.5mm)	820	250	20	27

SPECIFICATIONS - 7.5 JOULES

WRVX-O77J75	.177 (4.5mm)	600	183	5.5	7.5
WRVX-O22J75	.22 (5.5mm)	417	127	5.5	7.5

SPECIFICATIONS - 2 JOULES

WRVX-O177J2	.177 (4.5mm)	300	90	1.47	2
-------------	--------------	-----	----	------	---

* Other power levels available on request.

VMX CLASSIC & VMX CLASSIC QUANTUM

NEW



VMX CLASSIC



VMX QUANTUM

- Classic Ambidextrous Hardwood Stock
- Calibres: 177 & 22
- Power according to local laws (max 27 joules 22 & 24 Joules, 177)
- Spring Powered (POWR Lock Spring) or Dram Gas Piston
- Precision Steel Rifled Barrel
- 2 Stage Adjustable Trigger
- Tru Glow Sights, Micro Adjustable Rear Sight
- Machined Scope Grooves
- Automatic Safety
- Standard Gun or with Quantum Silencer


MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
VMX	17.7"(45cm)	43"(109cm)	6lbs7oz(2.9kg)

MODEL	CALIBRE	VELOCITY	ENERGY
		ft/sec m/sec	ft. lbs Joules

SPECIFICATIONS - UK SPEC						
WRVXW177	.177 (4.5mm)	800	240	11.5	15	
WRVXW22	.22 (5.5mm)	600	180	11.5	15	

SPECIFICATIONS - UNRESTRICTED						
WRVXW177FAC	.177 (4.5mm)	1000	300	18	24	
WRVXW22FAC	.22 (5.5mm)	820	250	20	27	

SPECIFICATIONS - 7.5 JOULES						
WRVXW177J75	.177 (4.5mm)	600	180	5.5	7.5	
WRVXW22J75	.22 (5.5mm)	417	127	5.5	7.5	



* For Quantum add O to code and for D-ram add DR to code
 * Other power levels available on request.

VMX CUB

NEW



- Junior Model with Ambidextrous, Hardwood Stock
- Calibres 177 & 22
- Power Rating, 7.5 Joules (all countries)
- POWR Lock Mainspring
- Precision steel rifled barrel
- 2 Stage Trigger
- Tru Glow Sights, Micro Adjustable Rear Sight
- Machined Scope Grooves
- Automatic Safety

MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
VMX QUANTUM	10.25"(26cm)	41.75"(106cm)	7lbs(3.2kg)

MODEL	CALIBRE	VELOCITY	ENERGY
		ft/sec m/sec	ft. lbs Joules

SPECIFICATIONS - UK SPEC						
WRVXJ177	.177 (4.5mm)	600	180	5.5	7.5	
WRVXJ22	.22 (5.5mm)	417	127	5.5	7.5	

* Other power levels available on request.


STINGRAY QUANTUM & STINGRAY

NEW



- Precision steel rifled barrel
- Machined scope grooves
- POWR-LOK mainspring
- Automatic re-settable safety catch
- High quality ambidextrous walnut stock
- Fully adjustable two-stage Quattro Trigger
- TRU-GLO sight system with micro adjustable rear sight on standard Stingray model only
- Available in standard or Quantum models

* Please note that the scope is not included.



MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
STINGRAY	17.5"(44cm)	41.1"(104cm)	7.3lbs(3.3kg)
STINGRAY QUANTUM	11.5"(29.2cm)	40.5"(103cm)	6.9lbs(3.15kg)

MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules
SPECIFICATIONS - UK SPEC					
WRSRAY177	.177 (4.5mm)	800	240	11.5	15
WRSRAY22	.22 (5.5mm)	600	180	11.5	15
SPECIFICATIONS - UNRESTRICTED					
WRSRAY177FAC	.177 (4.5mm)	890	270	13	18
WRSRAY22FAC	.22 (5.5mm)	660	200	14	19
SPECIFICATIONS - 7.5 JOULE					
WRSRAY177J75	.177 (4.5mm)	600	183	5.5	7.5
WRSRAY22J75	.22 (5.5mm)	417	127	5.5	7.5
SPECIFICATIONS - 2 JOULES					
WRSRAY177J2	.177 (4.5mm)	300	90	1.47	2

* Other power levels available on request.

STINGRAY HUNTER QUANTUM & STINGRAY HUNTER

NEW



- Precision steel rifled barrel
- Machined scope grooves
- POWR-LOK mainspring
- Automatic re-settable safety catch
- Sculptured black synthetic thumbhole right handed stock
- Fully adjustable two-stage Quattro trigger
- TRU-GLO sight system with micro adjustable rear sight on standard Stingray Hunter model only
- Available in standard or Quantum models

* Please note that the scope is not included.



MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
STINGRAY HUNTER	17.5"(44cm)	41.1"(104cm)	7.3lbs(3.3kg)
STINGRAY HUNTER QUANTUM	11.5"(29.2cm)	41.75"(106cm)	6.9lbs(3.15kg)

MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules
SPECIFICATIONS - UK SPEC					
WRBHAWKO177	.177 (4.5mm)	800	240	11.5	15
WRBHAWKO22	.22 (5.5mm)	600	180	11.5	15
SPECIFICATIONS - UNRESTRICTED					
WRBHAWKOFAC177	.177 (4.5mm)	890	270	13	18
WRBHAWKOFAC22	.22 (5.5mm)	660	200	14	19
SPECIFICATIONS - 7 JOULES					
WRBHAWKO177J75	.177 (4.5mm)	600	183	5.5	7.5
SPECIFICATIONS - 2 JOULES					
WRBHAWKO177J22	.177 (4.5mm)	300	90	1.47	2

* Other power levels available on request.

PATRIOT




- Precision steel rifled barrel
- TRU-GLO sight system with micro adjustable rear sight
- Machined scope grooves
- POWR-LOK mainspring
- Automatic re-settable safety catch
- High quality walnut stock
- Fully adjustable two-stage Quattro Trigger
- Maximum power

* Please note that the scope is not included.

MODEL	CALIBRE	VELOCITY		ENERGY		WEIGHT	BARREL LENGTH	OVERALL LENGTH
		ft/sec	m/sec	ft. lbs	Joules			
PATRIOT	.177 (4.5mm)	1250	350	22	30	9 lbs (4.1kg)	17.5" (44cm)	45.6" (116cm)
PATRIOT	.22 (5.5mm)	880	270	25	34	9 lbs (4.1kg)	17.5" (44cm)	45.6" (116cm)
PATRIOT	.25 (6.35mm)	820	250	30	41	9 lbs (4.1kg)	17.5" (44cm)	45.6" (116cm)

A firearms certificate is required to purchase the webley patriot in the uk.



RAIDER 12 QUANTUM

NEW



RAIDER 12

- Supplied with 2 Magazines
- Integrated Scope Rail
- Max 200 Bar Fill
- Walnut Ambidextrous Stock
- Integrated Quantum Silencer
- Fully Adjustable 2 Stage Trigger
- 14 Shot .177 and 12 Shot .22
- Air Fill Gauge
- Self indexing magazine

* Please note that the scope is not included.

MODEL	CALIBRE	VELOCITY		ENERGY		BARREL LENGTH	OVERALL LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules			
SPECIFICATIONS - UK SPEC								
WRRaid12177	.177	800	240	11.5	15	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
WRRaid1222	.22	600	180	11.5	15	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
SPECIFICATIONS - UNRESTRICTED								
WRRaid12177FAC	.177	1250	350	22	30	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
WRRaid1222FAC	.22	880	270	25	34	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
SPECIFICATIONS - 7.5 JOULE								
WRRaid12177J75	.177	600	180	5.5	7.5	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
SPECIFICATIONS - 2 JOULES								
WRRaid12177J2	.177	300	90	1.47	2	48cm (19")	104cm(41")	3.4kgs(7.5lbs)

* Other power levels available on request.

MASTIFF 12 QUANTUM

NEW



- Supplied with 2x Self Indexing Magazines
- Walnut Ambidextrous, Thumbhole, Semi Bullpup Stock, Factory Fitted Sling Swivels
- Adjustable Cheek piece & Butt
- 14 Shot 177 & 12 Shot 22
- Fully Adjustable 2 stage Trigger
- Manual Safety, Side Lever Cocking
- Integrated Picatinny Rail & Quantum Silencer
- Air Fill Gauge, Max 200 Bar Fill
- Power Rating According to Local Law (max 27 Joules)
- Precision Machined Rifled Barrel

MODEL	CALIBRE	VELOCITY		ENERGY		BARREL LENGTH	OVERALL LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules			
SPECIFICATIONS - UK SPEC								
WRMAST12177	.177	800	240	11.5	15	41cm (16")	84.2cm(33")	3.95kg (8.7lbs)
WRMAST1222	.22	600	180	11.5	15	41cm (16")	84.2cm(33")	3.95kg (8.7lbs)
SPECIFICATIONS - UNRESTRICTED								
WRMAST12177FAC	.177	1000	300	18	24	41cm (16")	84.2cm(33")	3.95kg (8.7lbs)
WRMAST1222FAC	.22	820	250	20	27	41cm (16")	84.2cm(33")	3.95kg (8.7lbs)
SPECIFICATIONS - 7.5 JOULE								
WRMAST12177J75	.177	600	180	5.5	7.5	48cm (19")	84.2cm(33")	3.95kg (8.7lbs)

* Unrestricted guns for USA can not be supplied with detachable silencers
 * Other power levels available on request.

EN4CER 12 QUANTUM

NEW



- Supplied with 2x Self Indexing Magazines
- Bottle PCP with 200 Shot capacity in 22 & 180 in 177
- Black Polymer Adjustable Ambidextrous Stock
- 14 Shot 177 & 12 Shot 22
- Fully Adjustable 2 stage Trigger
- Manual Safety, Side Lever Cocking
- Integrated Picatinny Rail & Quantum Silencer
- Air Fill Gauge, Max 200 Bar Fill
- Power Rating According to Local Law (max 27 Joules)
- Precision Machined Rifled Barrel

MODEL	CALIBRE	VELOCITY		ENERGY		BARREL LENGTH	OVERALL LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules			
SPECIFICATIONS - UK SPEC								
WREN4C12177	.177	800	240	11.5	15	41cm (16")	103cm(40.5")	3.25kg(7.2lbs)
WREN4C1222	.22	600	180	11.5	15	41cm (16")	103cm(40.5")	3.25kg(7.2lbs)
SPECIFICATIONS - UNRESTRICTED								
WREN4C12177FAC	.177	1000	300	18	24	41cm (16")	103cm(40.5")	3.25kg(7.2lbs)
WREN4C1222FAC	.22	820	250	20	27	41cm (16")	103cm(40.5")	3.25kg(7.2lbs)
SPECIFICATIONS - 7.5 JOULE								
WREN4C12177J75	.177	600	180	5.5	7.5	41cm(16")	103cm(40.5")	3.25kg(7.2lbs)

* Other power levels available on request.

ECLIPSE 12 PISTOL

NEW



- Supplied with 2x Self Indexing Magazines
- PCP Pistol in 22 & 177
- Detachable Black Polymer Adjustable Ambidextrous Stock
- 14 Shot 177 & 12 Shot 22
- Fully Adjustable 2 stage Trigger
- Manual Safety, Side Lever Cocking
- Integrated Picatinny Rail
- Air Fill Gauge, Max 200 Bar Fill
- Power Rating 7.5 Joules, All Countries
- Precision Machined Rifled Barrel
- ½" UNF Threaded Barrel

MODEL	CALIBRE	VELOCITY		ENERGY		BARREL LENGTH	OVERALL LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules			
SPECIFICATIONS - UK SPEC								
WPIECL12177	.177	600	180	5.5	7.5	27.6cm(10.9")	40cm(15.75")	1.95kg(4.3lbs)
WPIECL1222	.22	410	126	5.5	7.5	27.6cm(10.9")	40cm(15.75")	1.95kg(4.3lbs)

* With butt stock fitted Overall length 72cm(28.35") weight 2.55kg (5.5lbs)

TYPHOON



- Adjustable 2 stage trigger
- Manual safety catch
- Ambidextrous synthetic grip
- Semi-recoiless shooting
- Steel rifled barrel
- Micro adjustable rear sight
- Machined scope grooves
- Comes with detachable cocking aid



MODEL	CALIBRE	VELOCITY		ENERGY		WEIGHT	BARREL LENGTH	OVERALL LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules				
SPECIFICATIONS - UK/7.5 Joules									
WPITYPH177	.177 (4.5mm)	450	140	3.5	4.8	3 lbs (1.38kg)	6.89in (17.5cm)	14.8in (37.5cm)	3 lbs (1.38kg)
WPITYPH22	.22 (5.5mm)	330	100	3.3	4.5	3 lbs (1.38kg)	6.89in (17.5cm)	14.8in (37.5cm)	3 lbs (1.38kg)
SPECIFICATIONS - 2 JOULES									
WPITYPH177J2	.177 (4.5mm)	300	90	1.47	2	3 lbs (1.38kg)	6.89in (17.5cm)	14.8in (37.5cm)	3 lbs (1.38kg)

PELLETS



ACCUPELL

AccuPell® is still the biggest pellet sensation the airgun industry has ever seen. AccuPell® has won countless F.T. competitions in the UK and Europe, and is still the pro-shooters choice.

CALIBRE: .177 (4.5MM) **TYPE:** Domed **WEIGHT:** 7.9gr
TIN QTY: 500

CALIBRE: .22 (5.5MM) **TYPE:** Domed **WEIGHT:** 14.3gr
TIN QTY: 500



MATCHPELL

MatchPell® high velocity, flat head shooting pellets offer perfect performance and consistency. The unique bevelled edge design provides the aero-dynamic quality necessary to achieve the high level consistent accuracy demanded by top match shooters.

CALIBRE: .177 (4.5MM) **TYPE:** Flat Head **WEIGHT:** 7.9gr
TIN QTY: 500



POWAPPELL

PowaPell® have set a high standard for accuracy and are designed for hunters and pest controllers who require extra penetration for tough skinned quarry when shooting at longer ranges.

CALIBRE: .177 (4.5MM) **TYPE:** Pointed **WEIGHT:** 7.9gr
TIN QTY: 500

CALIBRE: .22 (5.5MM) **TYPE:** Pointed **WEIGHT:** 14.3gr
TIN QTY: 500



VERMINPELL

VerminPell® have completely re-written the rules for close range pest control. The flat head pellet design gives effectively greater striking-power and is the No:1 choice for close range, humane hunting.

CALIBRE: .22 (5.5MM) **TYPE:** Flat Head **WEIGHT:** 14.3gr
TIN QTY: 500



MOSQUITO EXPRESS

The Original Mosquito® is finally back. Made to the exact same standard and tolerances as the original Mosquito®. Excellent for all Target applications as well as hunting and plinking.

CALIBRE: .177 (4.5MM) **TYPE:** Domed **WEIGHT:** 7.87gr
TIN QTY: 500

CALIBRE: .22 (5.5MM) **TYPE:** Domed **WEIGHT:** 14.35gr
TIN QTY: 500



VMX PELL

Developed with the principles of accuracy and knock down power at a price that will amaze even the most budget conscious. Featuring Webleys' AERO-DOME® head, the VMX Pell combines a flat head functionality for knock down power and a domed head functionality for accuracy. Whatever your shooting requirement, the VMX Range is guaranteed to satisfy.

CALIBRE: .177 (4.5MM) **TYPE:** Aero-Domed **WEIGHT:** 8.18gr
TIN QTY: 500

CALIBRE: .22 (5.5MM) **TYPE:** Aero-Domed **WEIGHT:** 14.66gr
TIN QTY: 2x 250



ACCUPELL FT

The new addition to the AccuPell family is the AccuPell FT® range. This new pellet has been designed where accuracy and consistency is critical. Webley has also teamed up with Napier and every AccuPell FT® pellet is treated with Napiers' Pellet Lube to ensure even greater accuracy and consistency. Manufactured to the tightest tolerances possible, the AccuPell FT® range will be a winner whether competing at your local club or in the World Championships. Head sizes available: .177 - 4.52 & .22 - 5.53.

CALIBRE: .177 (4.5MM) **TYPE:** Domed
WEIGHT: 8.18gr **TIN QTY:** 500

CALIBRE: .22 (5.5MM) **TYPE:** Domed
WEIGHT: 14.66gr **TIN QTY:** 500



ACCUBB

The new AccuBB® 4.5mm series are a full lead BB that features a full copper jacket. This greatly reduces the risk of ricochet compared to Std Steel BBs and also prevents damage to rifling.

CALIBRE: 4.5MM **TYPE:** Domed **WEIGHT:** 7.4gr **TIN QTY:** 500



VELOCIPELL

Webley VelociPell® Pellets have been designed especially for CO² Airguns and Spring Airguns. Increases Velocity compared to Std AccuPell® and provide excellent accuracy.

CALIBRE: .177 **TYPE:** Flat Head **WEIGHT:** 7.26gr
TIN QTY: 500

ACCESSORIES



ACCUPUMP™
PCP HAND PUMP

An impressive 310 BAR pressure fill rate and supplied with adaptors to suit most airguns. Webley tri-filter system and comes ready assembled.



TRIPUMP™
PCP HAND PUMP

250 BAR maximum fill with three stage design which makes it easier to use. Ergonomic handle with integrated moisture trap.



PRO-TILT BIPOD

Fully adjustable bipod with swivel style adjustment including noise reducing spring covers.

Available in: 6-9" & 9-13"



QGS SILENCER

Designed and manufactured in the UK with a 1/2" UNF thread to suit most airguns and .22LR rifles.

Now available in larger capacity .17HMR version with fire retarded inner fibre which is designed especially for .17HMR

CLOTHING

BASEBALL CAPS



WEBLEY



WEBLEY & SCOTT



AGS

“Shoot the guns, wear the baseball caps”

- Modern design
- Stylish colours
- Sturdy head wear

COBALT REDI-MOUNT



VMX

- Rifle Scope designed for Airgun and Rimfire Rifles with parallax set at 35 yards.
- Spring, PCP & Gas Ram Rated
- One Inch Tube
- Wide Field of view with VMX Lens Coating
- Mil Dot Reticle
- Available in 4x32 Mil Dot and 3-9x40 Mil Dot



SAPPHIRE MATCH MOUNTS

AGS Sapphire Match Mounts with Double Screw and rear Recoil Lug. Available in 3/8" dovetail in both medium and high one inch.



HALF MIL DOT RIFLE SCOPE

- Rifle Scope designed for Airgun and Rimfire Rifles with parallax set at 35 yards
- Spring, PCP & Gas Ram Rated
- One Inch Tube
- Wide Field of view with Cobalt Lens Coating with 3/8" Double Screw Match Mounts
- Half Mil Dot Reticle

Available in 4x40 and 3-9x40



ILLUMINATED HALF MIL DOT RIFLE SCOPE

- Rifle Scope designed for Airgun and Rimfire Rifles with parallax set at 35 yards
- Spring, PCP & Gas Ram Rated
- One Inch Tube
- Wide Field of view with Cobalt Lens Coating with 3/8" Double Screw Match Mounts
- Illuminated Half Mil Dot Reticle

Available in 3-9x50, 4-16x50 & 6-24x50 with side parallax



AGS COBALT REDI-MOUNT PISTOL SCOPES

- Long Eye Relief for Pistol use
- Supplied with 5/8" Double Screw Match Rings
- Cobalt Lens Coating
- Duplex Reticle

Available in 2x20



* For more info on Ridgeline clothing visit www.ridgelineclothing.co.uk

WEBLEY & SCOTT®
WWW.WEBLEY.CO.UK

SINCE 1790



[www.facebook.com/
WebleyandScott](http://www.facebook.com/WebleyandScott)



@ highlandoutdoors



www.webley.co.uk

All specifications quoted in this catalogue were carried out at sea level. Performance varies with humidity, pressure, temperature, height above sea level and pellet type.