

SAFETY DATA SHEET

Identification of the substance/mixture and of the company/undertaking Product Name: Orange Blossom (409)

Intended Use:	Liquid electric plug in fragrance	
Company Identification:	Scent Fill 720 Brooker Creek Blvd #210 Oldsmar, FL 34677	
Emergency Information:	Medical Emergency Telephone Number: Non-Emergency Telephone Numbers:	866-223-7561 866-223-7561

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid H303 : May be harmful if swallowed Acute Toxicity Oral, Category 5 Aspiration Hazard, Category 1 H304 : May be fatal if swallowed and enters airways Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 2 H401 : Toxic to aquatic life Aquatic Chronic Toxicity, Category 3 H412 : Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4H227 : CombustibleAspiration Hazard, Category 1H304 : May be fataSkin Corrosion/Irritation, Category 2H315 : Causes skinSensitization, Skin, Category 1AH317 : May cause aEye Damage/Eye Irritation, Category 1H318 : Causes ser

H227 : Combustible liquid H304 : May be fatal if swallowed and enters airways H315 : Causes skin irritation H317 : May cause an allergic skin reaction H318 : Causes serious eye damage

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

2.3Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
78-70-6 Linalool	201-134-4	10 - 20 %	H227; H303; H315; H317; H319; H402		
5989-27-5 Limonene	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412		
115-95-7 Linalyl Ace	204-116-4 tate	10 - 20 %	H227; H315; H317; H320; H402		
106-24-1 Geraniol	203-377-1	5 - 10 %	H303; H315; H317; H318; H402		
140-11-4	205-399-7	5 - 10 %	H303; H401; H412		
Benzyl acetate					
106-22-9	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401		
Citronellol					
5392-40-5	226-394-6	2 - 5 %	H313; H315; H317; H319; H401		
Citral					
98-55-5	202-680-6	2 - 5 %	H227; H303; H315; H319; H401		
Terpineol					
134-20-3	205-132-4	2 - 5 %	H303; H316; H319; H401		
Methyl anth	Methyl anthranilate				
97-53-0	202-589-1	1 - 2 %	H303; H316; H317; H319; H401		
Eugenol					
142-92-7	205-572-7	1 - 2 %	H226; H316; H401; H411		
Hexyl aceta	ate				
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319		
Lauraldehy	rde				

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 12.42

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:

Eye Exposure:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate med	ical attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measur 5.1 Extinguishing media	es	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the second se	he substance or mixture	
	Water may be ineffective	
During fire fighting:	Water may be menecuve	
5.3 Advice for firefighters	Water may be menective	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lin Component			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acet	ate	10			
Engineering 8.2 Exposure co		Use local exhaust as needed. onal protective equipment				
Eye protectio	on:	Tightly sealed goggles, face shield, or sa as may be appropriate for the exposure		es with bro	w guards	and side shields, etc.
Respiratory p	protection:	Avoid excessive inhalation of concentration	ted vapors.	Apply loca	al ventilati	on where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Liquid
Conforms to Standard
Conforms to Standard
Liquid
Not determined
Not determined
Not determined
163 F (72.78 C)
Not determined
None Expected
None Expected
0.1340
20.63
Not determined
Not determined
Not determined
Oil

10. Stability and Reactivity

10.1 Reactivity

10.2 Chemical stability 10.3 Possibility of hazardous reactions None Stable None known 10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

Strong oxidizing agents, strong acids, and alkalis None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

None known

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4286.5086) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4736.7692) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 31.7185) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye damage
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Toxic to aquatic life
Chronic acquatic toxicity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant No				
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)	Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI				
IATA (Air Cargo)	Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI				
IMDG (Sea)	Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI				

15. Regulatory Information

U.S. Federal Regulations		
TSCA (Toxic Substance Cont	rol Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations		This product contains NO components of concern.
California Proposition 65 War 123-35-3(NF 204-622-5 (Canadian Regulations	•	This product contains the following components: beta-Myrcene (Natural Source)
DSL		100.00% of the components are listed or exempt. The following components are NOT on the List:
8028-48-6(Fl (0.01 - 0.1%	Citrus Aurantium Flower Oil

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life	H411 : Toxic to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(157.64) Acute Toxicity Inhalation, Category 5	(25.20) Sensitization, Skin, Category 1
(25.20) Sensitization, Skin, Category 1A	(17.09) Sensitization, Skin, Category 1B
(7.99) Eye Damage/Eye Irritation, Category 2A	(5.84) Skin Corrosion/Irritation, Category 3
(5.71) Aquatic Acute Toxicity, Category 2	(5.25) Skin Corrosion/Irritation, Category 2
(1.69) Eye Damage/Eye Irritation, Category 1	(1.44) Aquatic Chronic Toxicity, Category 3
(1.24) Aspiration Hazard, Category 1	(1.17) Acute Toxicity Oral, Category 5
(1.06) Acute Toxicity Dermal, Category 5	(1.00) Eye Damage/Eye Irritation, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Scent Fill® at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Scent Fill® holds no responsibility. This document is not intended for quality assurance purposes.