


4260V 41 ¹ / ₂ " x 59" x 23"			
Installation: Drop-in cannot be under mounted			
GENERAL SPECIFICATIONS: Material Acrylic Plumbed Weight : 135lbs / 61kg Soaker Weight :105lbs / 43kg Average Fill: 50 gal to above jet level			
ELECTRICAL SPECIFICATIONS: Required Electrical Service 110 Volt			
Required Electrical Air Bath or Whirlpool Whirlpool with Inline Heater Whirlpool and Air Soaker	1-15 amp GFCI 1-20 amp GFCI 1-20 amp GFCI		





Hydrotherapy Package	Package Contents	Part #
Soaker	Soaking bath - no jets, textured bottom	4260VS
Whirlpool	Adjustable pointed-massage jets, 1-hp pump, textured bottom	4260VH
Air Bath	Air jets, Air blower, Textured bottom	4260VA
Whirlpool and Air	Adjustable pointed-massage jets, 1-hp pump, Air jets Air blower, textured bottom	4260VD

- OPTIONS
- Colors Available White Biscuit
- Quick Ship reduces lead time call for availability
- Inline Heater with Pump Whirlpool or Whirlpool and Air
- Lift & Turn Drain Kit -Chrome, Brushed Nickel, White
- Color Match Jets.

IMPORTANT INFORMATION

- Before ordering or installing, please consider future access to equipment.
- Add bedding compound to fully level and support bottom of tub. notice.
- Tubs equipped with an air bath or a pre-leveled
- foam base are designed to rest on the floor without bedding compound, provided the floor is level.
- Please measure tub on-site before building tub decking.
- \bullet Jet, pump & blower locations are predetermined and cannot be changed.
- Suction and control locations may vary.
- Specifications and configurations are subject to change without notice.
- Measurements are +1/2" and are subject to change without notice.
- Measurements herein supersede all others published prior to publication date shown below.





$\begin{array}{c} 4272V\\ 41\frac{3}{8}" \times 70\frac{1}{2}" \times 23" \end{array}$

Installation: Drop-in cannot be under mounted

GENERAL SPECIFICATIONS: Material Acrylic

Plumbed Weight : 145lbs / 66kg Soaker Weight :115 lbs / 52kg Average Fill: 55 gal to above jet level

ELECTRICAL SPECIFICATIONS:

Required Electrical	Service 110 Volt
Air Bath or Whirlpool	1-15 amp GFCI
Whirlpool with Inline Heater	1-20 amp GFCI
Dual Bath	1-20 amp GFCI
Soaker	

PACKAGES AND OPTIONS			
Hydrotherapy Package	Package Contents	Part #	
Soaker	soaking bath - no jets, textured bottom	4272VS	
Whirlpool	8point-massage jets, 1-hp pump, textured bottom	4272VH	
Air Bath	26 air jets, air blower, textured bottom	4272VA	
Dual Bath	8 point-massage jets, 1-hp pump, 26 air jets, air blower, textured bottom	4272VD	


OPTIONS Colors Available - White Biscuit Quick Ship - reduces lead time - call for availability Inline Heater with Pump - Whirlpool or Dual Bath Lift & Turn Drain Kit -Chrome,Brushed Nickel, White

IMPORTANT INFORMATION

- Before ordering or installing, please consider future access to equipment.
- Add bedding compound to fully level and support bottom of tub.
- Tubs equipped with an air bath or a pre-leveled foam base are designed to rest on the floor without bedding compound, provided the floor is level.
- Please measure tub on-site before building tub decking.
- Jet, pump & blower locations are predetermined and cannot be changed.
- Suction and control locations may vary.
- Specifications and configurations are subject to change without notice.
- Measurements are +1/2" and are subject to change without notice.
- Measurements herein supersede all others published prior to publication date shown below.

©2013 by SPA WORLD CORP Modification Rights Reserved.

74"	
	4384V 42 ¹ / ₂ " x 38 ³ / ₈ "x 23"
	Installation: Drop-in cannot be under mounted
$42\frac{1}{2}"$ $31\frac{1}{2}"$ 0 $31\frac{1}{2$	GENERAL SPECIFICATIONS: Material Acrylic Plumbed Weight : 165lbs / 75kg Soaker Weight :100 lbs / 61kg Average Fill: 60 gal to above jet level ELECTRICAL SPECIFICATIONS:
83 <u>3</u> "	Required ElectricalService 110 VoltAir Bath or Whirlpool1-15 amp GFCIWhirlpool with Inline Heater1-20 amp GFCIWhirlpool and Air1-20 amp GFCISoaker1-20 amp GFCI



PACKAGES AND OPTIONS

Hydrotherapy Package	Package Contents	Part #
Soaker	Soaking bath - no jets, textured bottom	4384VS
Whirlpool	Adjustable pointed-massage jets, 1-hp pump, textured bottom	4384VH
Air Bath	Air jets, Air blower, Textured bottom	4384VA
Whirlpool and Air	Adjustable pointed-massage jets, 1-hp pump, Air jets Air blower, textured bottom	4384VD

- OPTIONS
- Colors Available White Biscuit
- Quick Ship reduces lead time call for availability
- Inline Heater with Pump Whirlpool or Whirlpool and Air
- Lift & Turn Drain Kit -Chrome, Brushed Nickel, White
- Color Match Jets.

IMPORTANT INFORMATION

- Before ordering or installing, please consider future access to equipment.
- Add bedding compound to fully level and support bottom of tub. notice.
- Tubs equipped with an air bath or a pre-leveled
- foam base are designed to rest on the floor without bedding compound, provided the floor is level.
- Please measure tub on-site before building tub decking.
- \bullet Jet, pump & blower locations are predetermined and cannot be changed.
- Suction and control locations may vary.
- Specifications and configurations are subject to change without notice.
- Measurements are +1/2" and are subject to change without notice.
- Measurements herein supersede all others published prior to publication date shown below.