



The State of California requires that we provide the following definitions and statements as part of this report

JUST Water has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and can not be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health.

Spring Water Source: Glens Falls Watershed, Warren County, NY.

Disinfection process includes micro filtration and ozone

Definitions

“statement of quality” – The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environment Protection Agency (EPA) or the California Department of Public Health.

“maximum contaminant level (MCL)” – The highest level of a contaminant that is allowed in drinking water established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health. Primary MCL’s are set as close to the PHGs as to economically as economically and technologically feasible.

“public health goal (PHG)” – The level of a contaminant in drinking water which there is no known or expected risk to health. PHGs are set by the California Environmental Agency.

“primary drinking water standard” – MCLs for contaminants established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Statements

Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline: (1-800-426-4791).

“Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366).

In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies.

The FDA provides recall information at <https://www.fda.gov/opacom/7alerts.html>

“The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity.”

“Substances that may be present in the source water include any of the following:

Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban stormwater runoff, industrial or domestic wastewater discharge, or oil and gas production. Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban stormwater runoff, and residential uses. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban stormwater runoff, and residential uses. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities.”

El Estado de California requiere que proporcionemos las definiciones siguientes y declaraciones como la parte de este informe.

JUST Water se ha probada de forma complete conforme a las leyes federales y de California. Nuestra agua embotellada es un product alimenticio y no puede ser vendida a menos que cumpla las normas establecidas por la Administración de Drogas y Alimentos de los Estados Unidos y el Departamento de Salud Pública de California.

Fuente de agua de manatial: Glens Falls Watershed, Warren County, NY
Proceso de desinfeccion por medio de Ozono y micron filtracion

Définitions

“declaración de calidad” – el patrón o norma (declaración) de calidad para el agua embotellada es el nivel más alto de un contaminante que se permite en un envase de agua embotellada, según lo establecido por la Administración de Drogas y Alimentos de los Estados Unidos (FDA) y el Departamento de Salud Pública de California. Los estándares no pueden ser menos protectores de la salud pública que los estándares para el agua potable pública, establecidos por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de Salud Pública de California.

“meta de salud pública (PHG)” – el nivel de un contaminante en el agua potable por debajo del cual no hay riesgo conocido o previsto a la salud. Las PHGs son fijadas por la Agencia de Protección Ambiental de California.

“nivel máximo del contaminante (MCL)” – el nivel más alto de un contaminante que se permite en el agua potable, establecido por la Agencia de Protección Ambiental de los

Estados Unidos (EPA) o el Departamento de la Salud Pública de California. MCLs primarios se fijan tan cercanos a las PHGs como sea económica y tecnológicamente factible.

“norma primaria para agua potable” – MCLs para los contaminantes que afectan la salud establecidos por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de la Salud Pública de California junto con sus requisitos de monitoreo y preparación de informes, y requisitos de tratamiento de aguas.

Déclarations

“Algunas personas pueden ser más vulnerables a los contaminantes en el agua potable que la población en general. Las personas immuno-comprometidas, incluyendo, pero no limitado a, personas con cáncer que están bajo quimioterapia, personas que han recibido trasplantes de órganos, personas con HIV/AIDS (CIDA) u otros desórdenes del sistema inmunológico, algunas personas de mayor edad, y los infantes pueden estar particularmente bajo riesgo de infecciones. Estas personas deben buscar consejo sobre el agua potable de sus proveedores de servicios de salud. Las guías de la Agencia de Protección Ambiental de Estados Unidos y de los Centros para el Control y la Prevención de Enfermedades sobre las medidas apropiadas para disminuir el riesgo de infección por Cryptosporidium y otros contaminantes microbianos están disponibles a través de la Línea Directa sobre Agua Potable Segura (1-800-426-4791).”

“El agua potable, incluyendo el agua embotellada, puede razonablemente esperarse que contenga por lo menos cantidades pequeñas de algunos contaminantes. La presencia de contaminantes no indica necesariamente que el agua contenga un riesgo para la salud. Mayor información sobre los contaminantes y los efectos de salud potenciales puede ser obtenida llamando a la Administración de Drogas y Alimentos de los Estados Unidos, usando la Línea Directa sobre Alimentos y Cosméticos (1-888-723-3366).”

“Las fuentes del agua embotellada incluyen los ríos, los lagos, las corrientes, los estanques, los embalses, los manantiales, y los pozos. Mientras que el agua viaja naturalmente sobre la superficie de la tierra o a través de los suelos, puede recoger sustancias naturales que ocurren así como las sustancias que están presentes debido a la actividad humana y a la fauna.”

Las sustancias que puedan estar presentes en la fuente de agua incluyen cualquiera de las siguientes:

Las sustancias inorgánicas, incluyendo, pero no limitado a, las sales y los metales, que pueden ocurrir naturalmente o sean resultado de cultivos agrícolas, arrastre de aguas pluviales urbanas, aguas servidas industriales o domésticas, o producción de petróleo y gas.

Los plaguicidas y herbicidas que pueden proceder de una variedad de fuentes, pero no limitado a, la agricultura, el arrastre de aguas pluviales urbanas, y las aplicaciones residenciales.

Las sustancias orgánicas que son subproductos de procesos industriales y de la producción del petróleo y pueden provenir de gasolineras, del arrastre de aguas pluviales urbanas, del uso agrícola, y de sistemas sépticos.

Organismos microbianos que pueden originarse en la fauna, las operaciones de cría de ganado, las plantas de tratamiento de aguas residuales, y los sistemas sépticos. Las sustancias con características radiactivas que pueden ocurrir naturalmente o sean el resultado de la producción de petróleo y gas, y de las actividades de minería.”

“para asegurarse que el agua embotellada sea segura para beber, la Administración de Alimentos y Drogas de los Estados Unidos y el Departamento de la Salud Pública del Estado prescriben las regulaciones que limitan la cantidad de ciertos contaminantes en el agua suministrada por las compañías embotelladoras de agua.

La FDA brinda información sobre productos retirados del mercado en <https://www.fda.gov/opacom/7alerts.html>

2021 Spring Water Analysis Report



GROUP I PHYSICAL

	MRL	Result Units	Results	SOQ
Apparent Color	3	ACU	ND	15
PH Bottled Water	0.1	Standard Units	8	8.2
Specific Conductance	2	umho/cm	130	no std
Total Dissolved Solid (TDS)	10	mg/L	94	500
Turbidity	0.1	NTU	ND	5
Odor at 60 C (TON)	1	TON	ND	3

GROUP II PHYSICAL

	MRL	Result Units	Results	SOQ
Alkalinity in CaCO ₃ units	2	mg/L	53	no std
Aluminum Total ICAP/MS	0.02	mg/L	ND	0.2
Antimony Total ICAP/MS	0.00	mg/L	ND	0.01
Arsenic Total ICAP/MS	0.00	mg/L	ND	0.01
Asbestos by TEM - >10 microns	0.2	MFL	ND	no std
Barium Total ICAP/MS	0.00	mg/L	0.00	2
Beryllium Total ICAP/MS	0.00	mg/L	ND	0.00
Bicarb.Alkalinity as HCO ₃ calc	2	mg/L	64	no std
Cadmium Total ICAP/MS	0.00	mg/L	ND	0.01
Calcium Total ICAP	1	mg/L	16	no std
Chloride	0.5	mg/L	1.2	250
Chromium Total ICAP/MS	0.01	mg/L	ND	0.1
Copper Total ICAP/MS	0.00	mg/L	ND	1
Corrosivity	-14	None	-0.45	no std
Cyanide	0.03	mg/L	ND	0.2
Fluoride	0.05	mg/L	0.18	1.4
Iron Total ICAP	0.02	mg/L	ND	0.3
Lead Total ICAP/MS	0.00	mg/L	ND	0.01

(continued)

Magnesium Total ICAP	0.1	mg/L	3.9	no std
Manganese Total ICAP/MS	0.00	mg/L	0.04	0.05
Mercury ICPMS	0.00	mg/L	ND	0.00
Nickel Total ICAP/MS	0.01	mg/L	ND	0.1
Nitrate as Nitrogen by IC	0.1	mg/L	ND	10
Nitrite Nitrogen by IC	0.05	mg/L	ND	1
Perchlorate	0.00	mg/L	ND	no std
Phenol	0.00	mg/L	ND	0.00
Potassium Total ICAP	1	mg/L	ND	no std
Selenium Total ICAP/MS	0.01	mg/L	ND	0.05
Silver Total ICAP/MS	0.00	mg/L	ND	0.1
Sodium Total ICAP	1	mg/L	3.3	no std
Sulfate	0.5	mg/L	9.1	250
Surfactants	0.1	mg/L	ND	no std
Thallium Total ICAP/MS	0.00	mg/L	ND	0.00
Total Hardness as CaCO ₃ by ICP	3	mg/L	40	no std
Total Nitrate, Nitrite-N, CALC	0.1	mg/L	ND	10
Zinc Total ICAP/MS	0.02	mg/L	ND	5

GROUP III PHYSICAL

	MRL	Result Units	Results	SOQ
1,1,1,2-Tetrachloroethane	0.00	mg/L	ND	no std
1,1,1-Trichloroethane	0.00	mg/L	ND	0.2
1,1,2,2-Tetrachloroethane	0.00	mg/L	ND	no std
1,1,2-Trichloroethane	0.00	mg/L	ND	0.01
1,1-Dichloroethane	0.00	mg/L	ND	no std
1,1-Dichloroethylene	0.00	mg/L	ND	0.01
1,1-Dichloropropene	0.00	mg/L	ND	no std
1,2,3-Trichlorobenzene	0.00	mg/L	ND	no std
1,2,3-Trichloropropane	0.00	mg/L	ND	no std
1,2,4-Trichlorobenzene	0.00	mg/L	ND	0.07
1,2,4-Trimethylbenzene	0.00	mg/L	ND	no std

(continued)

1,2-Dichloroethane	0.00	mg/L	ND	0.01
1,2-Dichloropropane	0.00	mg/L	ND	0.01
1,3,5-Trimethylbenzene	0.00	mg/L	ND	no std
1,3-Dichloropropane	0.00	mg/L	ND	no std
2,2-Dichloropropane	0.00	mg/L	ND	no std
Benzene	0.00	mg/L	ND	0.01
Bromobenzene	0.00	mg/L	ND	no std
Bromochloromethane	0.00	mg/L	ND	no std
Bromodichloromethane	0.00	mg/L	ND	no std
Bromoform	0.00	mg/L	ND	no std
Bromomethane (Methyl Bromide)	0.00	mg/L	ND	no std
Carbon Tetrachloride	0.00	mg/L	ND	0.01
Chlorodibromomethane	0.00	mg/L	ND	no std
Chloroethane	0.00	mg/L	ND	no std
Chloroform (Trichloromethane)	0.00	mg/L	ND	no std
Chloromethane(Methyl Chloride)	0.00	mg/L	ND	no std
cis-1,2-Dichloroethylene	0.00	mg/L	ND	0.07
cis-1,3-Dichloropropene	0.00	mg/L	ND	no std
Dibromomethane	0.00	mg/L	ND	no std
Dichlorodifluoromethane	0.00	mg/L	ND	no std
Dichloromethane	0.00	mg/L	ND	0.01
Ethyl benzene	0.00	mg/L	ND	0.7
Fluorotrichloromethane	0.00	mg/L	ND	no std
Hexachlorobutadiene	0.00	mg/L	ND	no std
Isopropylbenzene	0.00	mg/L	ND	no std
m,p-Xylenes	0.00	mg/L	ND	no std
2-Butanone (MEK)	0.01	mg/L	ND	no std
Methyl Tert-butyl ether (MTBE)	0.00	mg/L	ND	no std
n-Butylbenzene	0.00	mg/L	ND	no std
n-Propylbenzene	0.00	mg/L	ND	no std
o-Chlorotoluene	0.00	mg/L	ND	no std
o-Dichlorobenzene (1,2-DCB)	0.00	mg/L	ND	0.6

(continued)

o-Xylene	0.00	mg/L	ND	no std
p-Chlorotoluene	0.00	mg/L	ND	no std
p-Dichlorobenzene (1,4-DCB)	0.00	mg/L	ND	0.08
p-Isopropyltoluene	0.00	mg/L	ND	no std
sec-Butylbenzene	0.00	mg/L	ND	no std
Styrene	0.00	mg/L	ND	0.1
tert-Butylbenzene	0.00	mg/L	ND	no std
Tetrachloroethylene (PCE)	0.00	mg/L	ND	0.01
Toluene	0.00	mg/L	ND	1
total 1,3 dichloropropene	0.00	mg/L	ND	no std
Total THM	0.00	mg/L	ND	0.08
Total xylenes	0.00	mg/L	ND	10
trans-1,2-Dichloroethylene	0.00	mg/L	ND	0.1
trans-1,3-Dichloropropene	0.00	mg/L	ND	no std
Trichloroethylene (TCE)	0.00	mg/L	ND	0.01
Trichlorotrifluoroethane(Freon	0.00	mg/L	ND	no std
Vinyl chloride (VC)	0.00	mg/L	ND	0.00

GROUP IV CHEMICAL SUBSTANCE 3 (NON VOC)

	MRL	Result Units	Results	SOQ
2,3,7,8-TCDD	0.00	mg/L	ND	0.00
2,4,5-TP (Silvex)	0.00	mg/L	ND	0.05
2,4-D	0.00	mg/L	ND	0.7
3-Hydroxycarbofuran	0.00	mg/L	ND	no std
Alachlor (Alanex)	0.00	mg/L	ND	0.00
Aldicarb (Temik)	0.00	mg/L	ND	no std
Aldicarb sulfone	0.00	mg/L	ND	no std
Aldicarb sulfoxide	0.00	mg/L	ND	no std
Aldrin	0.00	mg/L	ND	no std
Atrazine	0.00	mg/L	ND	0.00
Baygon	0.00	mg/L	ND	no std
Bentazon	0.00	mg/L	ND	no std

(continued)

Benzoapyrene	0.00	mg/L	ND	0.00
Butachlor	0.00	mg/L	ND	no std
Carbaryl	0.00	mg/L	ND	no std
Carbofuran (Furadan)	0.00	mg/L	ND	0.04
Chlordane	0.00	mg/L	ND	0.00
Dalapon	0.00	mg/L	ND	0.2
Di-(2-Ethylhexyl)adipate	0.00	mg/L	ND	0.4
Di-(2-Ethylhexyl)phthalate	0.00	mg/L	ND	0.00
Dicamba	0.00	mg/L	ND	no std
Dieldrin	0.00	mg/L	ND	no std
Dinoseb	0.00	mg/L	ND	0.01
Diquat	0.00	mg/L	ND	0.02
Endothall	0.01	mg/L	ND	0.1
Endrin	0.00	mg/L	ND	0.00
Glyphosate	0.01	mg/L	ND	0.07
Heptachlor	0.00	mg/L	ND	0.00
Heptachlor Epoxide	0.00	mg/L	ND	0.00
Hexachlorobenzene	0.00	mg/L	ND	0.00
Hexachlorocyclopentadiene	0.00	mg/L	ND	0.05
Lindane (gamma-BHC)	0.00	mg/L	ND	0.00
Methiocarb	0.00	mg/L	ND	no std
Methomyl	0.00	mg/L	ND	no std
Methoxychlor	0.00	mg/L	ND	0.04
Metribuzin	0.00	mg/L	ND	no std
Oxamyl (Vydate)	0.00	mg/L	ND	0.2
Paraquat	0.00	mg/L	ND	no std
Pentachlorophenol	0.00	mg/L	ND	0.00
Picloram	0.00	mg/L	ND	0.5
Propachlor	0.00	mg/L	ND	no std
Simazine	0.00	mg/L	ND	0.00
Thiobencarb	0.00	mg/L	ND	no std
Total PCBs	0.00	mg/L	ND	0.00

(continued)

Toxaphene	0.00	mg/L	ND	0.00
-----------	------	------	----	------

GROUP V RADIOACTIVITY

	MRL	Result Units	Results	SOQ
Alpha, Gross	3	pCi/l	ND	15
Beta, Gross	3	pCi/l	ND	50
Radium 226	1	pCi/L	ND	5
Radium 228	1	pCi/L	ND	5
Uranium ICAP/MS	0.00	mg/L	ND	0.03

GROUP VIa BACTERIOLOGICAL

	MRL	Result Units	Results	SOQ
E. Coli Bacteria	1	CFUM	<1	1
Total Coliform Bacteria	1	CFUM	<1	2.2

GROUP VII DISINFECTION BYPRODUCTS

	MRL	Result Units	Results	SOQ
Bromate by UV/VIS	0.01	mg/L	0.01	0.01
Bromide	0.01	mg/L	ND	no std
Chlorite by IC	0.01	mg/L	ND	1
D/DBP Haloacetic Acids (HAA5)	0.00	mg/L	ND	0.06

GROUP VIII RESIDUAL DISINFECTANTS

	MRL	Result Units	Results	SOQ
Chloramines	0.1	mg/L	ND	4
Chlorine Dioxide	0.24	mg/L	ND	0.8
Total Chlorine Residual	0.1	mg/L	ND	4

GROUP VIb BACTERIOLOGICAL—HPC

	MRL	Result Units	Results	SOQ
Heterotrophic Plate Count	1	CFU/mL	ND	no std

SOQ - Standard of quality per FDA or New York
MRL - Method reporting limit

ND - Not detected at the specific limit