SAFETY DATA SHEET

Premium Putty, Touch Putty, Standard Putty, Custom Label Putty

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	Premium Putty, Touch Putty, Standard Putty, Custom Private Label Putty
PRODUCT CODES:	PXXX, TXXX, RXXX
CHEMICAL NAME:	Premium Putty, Touch Putty, Standard Putty
CHEMICAL FAMILY:	Organopolysiloxanes
TRADE NAME:	Silicone Therapy Putty
CHEMICAL FORMULA:	Trade Secret
PRODUCT USE:	Hand exercise
PREPARED BY:	Christy Manufacturing Corporation

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:	None presently known.	
ROUTES OF ENTRY:	Eyes, Skin, Ingestion, Inhalation	
POTENTIAL HEALTH EFFECTS		
EYES:	No significant irritation expected – Nonirritant to rabbit eyes	
SKIN:	No significant irritation expected – Nonirritant to rabbit skin	
INGESTION:	No known applicable information	
INHALATION:	No known applicable information	
ACUTE HEALTH HAZARDS:	No known applicable information	
CHRONIC HEALTH HAZARDS:	No known applicable information	
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:	No known applicable information	
CARCINOGENICITY	No known applicable information	

SAFETY DATA SHEET

Premium Putty, Touch Putty, Standard Putty, Custom Label Putty

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT: Specific chemical identity and/or exact percentage of composition are being withheld as a trade secret.

CAS NO. None

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

- **EYES:** In case of contact, flush eyes well with water for 15 minutes. Obtain medical attention if irritation occurs.
- **SKIN:** Skin contact is not anticipated to cause irritation. If irritation does occur, obtain medical attention.
- **INGESTION:** Small amounts transferred to the mouth by fingers during use should not injure. Swallowing large amounts may injure slightly. - If swallowed, give several glasses of water but do not induce vomiting. If vomiting does occur, give fluids again. Have medical personnel determine if vomiting or evacuation of stomach is necessary. Do not give anything by mouth to an unconscious or convulsing person.
- **INHALATION:** Due to the physical state of this material, inhalation is unlikely to occur.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

- **EYE CONTACT:** In case of contact, flush eyes well with water for 15 minutes. Obtain medical attention if irritation occurs.
- **SKIN CONTACT:** Skin contact is not anticipated to cause irritation. If irritation does occur, obtain medical attention.
- ORAL: If swallowed, give several glasses of water but do not induce vomiting. If vomiting does occur, give fluids again. Have medical personnel determine if vomiting or evacuation of stomach is necessary. Do not give anything by mouth to an unconscious or convulsing person.

SECTION 4 NOTES:

Premium Putty, Touch Putty, Standard Putty, Custom Label Putty

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR: Not Applicable

FLASH POINT:

Not Applicable

Not Applicable

AUTOIGNITION TEMPERATURE:

NFPA HAZARD CLASSIFICATION HEALTH: FLAMMABILITY: REACTIVITY: OTHER:

Blue1 – May cause irritation; minimal residual injuryRed1 – Must be preheated for ignition; flashpoint above 200°FYellow0 – StableWhiteNot Applicable



HMIS HAZARD CLASSIFICATION HEALTH:

FLAMMABILITY: REACTIVITY: PROTECTION: Blue1 – Irritation or minor reversible injuryRed1 - Must be preheated for ignition; flashpoint above 200°FYellow 0 – StableWhite K -

EXTINGUISHING MEDIA:

SPECIAL FIRE FIGHTING PROCEDURES:

UNUSUAL FIRE AND EXPLOSION HAZARDS:

HAZARDOUS DECOMPOSITION PRODUCTS:

Water Spray, Dry Chemical or Carbon Dioxide

Fire fighters should wear full-face self-contained breathing apparatus and impervious protective clothing

This is a paste like material that will burn with a lazy smoldering type flame.

SECTION 5 NOTES:

This is a paste like material that will burn with a lazy smoldering type flame. As in any fire, prevent human exposure to fire, smoke, and fumes or products of combustion. Evacuate non-essential personnel from the fire area. Fire fighters should wear full-face self-contained breathing apparatus and impervious protective clothing.

Not Applicable

Use standard firefighting techniques to extinguish fires involving this material: use water spray, dry chemicals or carbon dioxide.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

No special clean-up procedures are required

SECTION 6 NOTES:

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Store in cool, dry, well ventilated area. Exercise due caution to prevent damage to container.

None

OTHER PRECAUTIONS:

SECTION 7 NOTES:

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	In those cases where engineering controls are indicated by the use conditions, the following traditional exposure control techniques may be used to effectively minimize employee exposure: local exhaust ventilation, enclosed system design, process isolation and remote control in combination with appropriate use of personal protective equipment.
RESPIRATORY PROTECTION:	Due to the physical state of this material, inhalation is unlikely to occur.
EYE PROTECTION:	Eye contact should be avoided. In industrial situations, chemical safety glasses, goggles or a face shield should be selected with regard to use condition exposure potential
SKIN PROTECTION:	A single relatively short exposure causes no known adverse effect. Several repeated prolonged exposures (24 to 48 hours) may irritate
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:	Use Standard protective equipment and clothing
WORK HYGIENIC PRACTICES:	All food should be kept in a separate area away from the storage/use location. Eating, drinking and smoking should be prohibited in areas where there is a potential for significant exposure to this material. Before eating, hands and face should be thoroughly washed.
EXPOSURE GUIDELINES:	No exposure limits has been established for this material.

SECTION 8 NOTES:

Available data suggests that exposure to this substance is not harmful.

SAFETY DATA SHEET

Premium Putty, Touch Putty, Standard Putty, Custom Label Putty

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Gum-like, various colors
ODOR:	Negligible
PHYSICAL STATE:	Liquid
pH AS SUPPLIED:	Not applicable
BOILING POINT:	Not Applicable
MELTING POINT:	Not Applicable
FREEZING POINT:	Not Known
VAPOR PRESSURE (mmHg):	Nil
VAPOR DENSITY (AIR = 1):	Not applicable
SPECIFIC GRAVITY (H2O = 1):	0.60-1.55
EVAPORATION RATE:	Nil
SOLUBILITY IN WATER:	Negligible
PERCENT VOLATILE:	Nil
VOLATILE ORGANIC COMPOUNDS (VOC):	Nil
MOLECULAR WEIGHT:	Not Applicable
VISCOSITY:	Not Applicable
EXPLOSIVE LIMITS	Not Applicable
AUTO IGNITION TEMP:	Not Applicable
SECTION 9 NOTES:	

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Stable at ambient temperatures and atmospheric pressure.	
CONDITIONS TO AVOID (STABILITY):	No known data	
INCOMPATIBILITY (MATERIAL TO AVOID):	No known data	
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: No known data		
HAZARDOUS POLYMERIZATION:	No known data	
CONDITIONS TO AVOID (POLYMERIZATION):	No known data	

SECTION 10 NOTES:

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

Not toxic

SECTION 11 NOTES:

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

No Known Data

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable regulations under the Resource Conservation and Recovery Act (RCRA). NOTE: State and local regulations may be more stringent than Federal regulations.
RCRA HAZARD CLASS: Solid waste under 40 CFR §261.2

SECTION 13 NOTES:

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION PROPER SHIPPING NAME: HAZARD CLASS: ID NUMBER:	None None None
WATER TRANSPORTATION	None
AIR TRANSPORTATION	None

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONSNone KnownSTATE REGULATIONS:None KnownINTERNATIONAL REGULATIONS:None Known

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION:

Prepared by:	G. M. Christy
Last Revision Date:	May 31, 2015
Previous Revision Date:	