



**STORAGE SOLUTION**

**SERVING THE FOOD INDUSTRY SINCE 1951**

## **CAN RACKS**

**Items 27769, 27770**

### **KEEP YOUR CANNED GOODS ORGANIZE AND ACCESSIBLE**

Ideal for bakeries, bars, restaurants, and other business operations

*Omcans can racks are specially designed to keep your canned goods organize and accessible without even having to waste your time looking what you need in the kitchen. With an option whether to have a countertop can rack or a standing one, these are welded for durability for long-lasting use. Fully assembled.*



**WARRANTY**



SHIPPED ON PALLET  
Only applicable to item 27769



Authorized Dealer

### FEATURES

- Aluminum table
- 5" Casters that allow portability
- 4 layers of can storage
- Welded for durability
- Fully assembled

### OPTIONAL CASTERS *(Items sold separately)*

**Can Rack Wheel with Brake, polypropylene and polyurethane for items 27769 and 27770**

ITEM	31753
BRAKES	Yes
SIZE	5" (127 mm) dia., 1.25" (31.75 mm) thick
MAXIMUM LOADING CAPACITY	50 kg. / 110 lbs.

**Can Rack Wheel without Brake, polypropylene and polyurethane for items 27769 and 27770**

ITEM	31754
BRAKES	No
SIZE	5" (127 mm) dia., 1.25" (31.75 mm) thick
MAXIMUM LOADING CAPACITY	50 kg. / 110 lbs.



### TECHNICAL SPECIFICATIONS

ITEM NUMBER	27770
RACK DIMENSIONS	35.5" x 23" / 901.7 x 584.2 mm
NUMBER OF ROWS	12
CAN CAPACITY (Stationary Capacity)	72 - #10 cans / 96 - #5 cans
ALUMINUM TABLE THICKNESS	4.8 mm
RUNNER THICKNESS	2 mm
DIMENSIONS (DWH)	35.25" x 26.5" x 42.5" / 895.35 x 673.1 x 1079.5 mm
WEIGHT	50.75 lbs. / 23 kg.
PACKAGING WEIGHT	51.75 lbs. / 23.52 kg.

### OMCAN INC.

Telephone: 1-800-465-0234  
 Fax: (905) 607-0234  
 Email: sales@omcan.com  
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



### FEATURES

- 9 layers of can storage
- Welded for durability
- Fully assembled

### OPTIONAL CASTERS *(Items sold separately)*

**Can Rack Wheel with Brake, polypropylene and polyurethane for items 27769 and 27770**

ITEM	31753
BRAKES	Yes
SIZE	5" (127 mm) dia., 1.25" (31.75 mm) thick
MAXIMUM LOADING CAPACITY	50 kg. / 110 lbs.

**Can Rack Wheel without Brake, polypropylene and polyurethane for items 27769 and 27770**

ITEM	31754
BRAKES	No
SIZE	5" (127 mm) dia., 1.25" (31.75 mm) thick
MAXIMUM LOADING CAPACITY	50 kg. / 110 lbs.



27769  
without casters

### TECHNICAL SPECIFICATIONS

ITEM NUMBER	27769
RACK DIMENSIONS	35.5" x 23" / 901.7 x 584.2 mm
NUMBER OF ROWS	27
CAN CAPACITY (Stationary Capacity)	162 - #10 cans / 216 - #5 cans
RUNNER THICKNESS	2 mm
DIMENSIONS (DWH)	29" x 26.5" x 71" / 736.6 x 673.1 x 1803.4 mm
WEIGHT	51.75 lbs. / 23.52 kg.
PACKAGING WEIGHT	53 lbs. / 24 kg.



### OMCAN INC.

Telephone: 1-800-465-0234  
 Fax: (905) 607-0234  
 Email: sales@omcan.com  
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers

