



Equipment for the Foodservice Industry

value + quality + service

## Cold show cases

CGCM-1738-B



### CGCM-1738-B

### Features

#### Standard Features:

Internal top lighting

Adjustable temperature controller

Adjustable PVC coated shelves

4 sides double glass 4

Maintenance free condenser

Ventilated cooling system

Automatic defrost

#### Options:

Lockable Door

Adjustable chrome plated shelves

Digital temperature controller and display

Brilliant Internal LED illumination

on sides LED

Light display box with decals on top

One year limited warranty parts and labour


Specifications subject to change without notice



WARRANTY  
INFORMATION  
One year parts  
and labour.



**CGCM-1738-W Specifications**



Model	Dimension		Voltage		Amps	Capacity		Net Weight	Temperature Range
	L	D	(mm)	(inch)		(L)	(Cu Ft.)		
CGCM-1738-B	425	404	980	115/60	2.4	82	36	0-12°C	
	16.7	15.9	38.6			2.9	79	32-54°F	



Equipment for the Foodservice Industry

value + quality + service

## Cold show cases

CGCM-1738-CG-B



### CGCM-1738-CG-B Features

#### Standard Features:

Internal top lighting

Adjustable temperature controller

Adjustable PVC coated shelves

4 sides double glass 4

Maintenance free condenser

Ventilated cooling system

Automatic defrost

#### Options:

Lockable Door

Adjustable chrome plated shelves

Digital temperature controller and display

Brilliant Internal LED illumination

on sides LED

Light display box with decals on top

One year limited warranty parts and labour


Specifications subject to change without notice



WARRANTY  
INFORMATION  
One year parts  
and labour.



**CGCM-1738-CG-B Specifications**



Model	Dimension		Voltage		Amps	Capacity		Net Weight		Temperature Range
	L	D	(mm)	(inch)		(L)	(Cu Ft.)	(KG)	(LBS)	
CGCM-1738-CG-B	429	425	980	115/60	2.4	86	36.5	36.5	80.3	0-12°C
	16.9	16.7	38.6			3	80.3	80.3	80.3	32-54°F



Equipment for the Foodservice Industry

value + quality + service

## Cold show cases

CGCM-1738-CG-W



### CGCM-1738-CG-W Features

#### Standard Features:

Internal top lighting

Adjustable temperature controller

Adjustable PVC coated shelves

4 sides double glass 4

Maintenance free condenser

Ventilated cooling system

Automatic defrost

#### Options:

Lockable Door

Adjustable chrome plated shelves

Digital temperature controller and display

Brilliant Internal LED illumination

on sides LED

Light display box with decals on top

One year limited warranty parts and labour


Specifications subject to change without notice



WARRANTY  
INFORMATION  
One year parts  
and labour.



**CGCM-1738-CG-W Specifications**



Model	Dimension		Voltage		Amps	Capacity		Net Weight	Temperature Range
	L	D	(mm)	(inch)		(L)	(Cu Ft.)		
CGCM-1738-CG-W	429	425	980	115/60	2.4	86	36.5	0-12°C	
	16.9	16.7	38.6			3	80.3	32-54°F	



Equipment for the Foodservice Industry

value + quality + service

## Cold show cases

CGCM-1738-W



### CGCM-1738-W

### Features

#### Standard Features:

Internal top lighting

Adjustable temperature controller

Adjustable PVC coated shelves

4 sides double glass 4

Maintenance free condenser

Ventilated cooling system

Automatic defrost

#### Options:

Lockable Door

Adjustable chrome plated shelves

Digital temperature controller and display

Brilliant Internal LED illumination

on sides LED

Light display box with decals on top

One year limited warranty parts and labour


Specifications subject to change without notice



WARRANTY  
INFORMATION  
One year parts  
and labour.



**CGCM-1738-W Specifications**



Model	Dimension		Voltage		Amps	Capacity		Net Weight		Temperature Range
	L	D	(mm)	(inch)		(L)	(Cu Ft.)	(KG)	(LBS)	
CGCM-1738-W	425	404	980	115/60	2.4	82	36	0-12°C		
	16.7	15.9	38.6			2.9	79	32-54°F		