



Equipment for the Foodservice Industry

value + quality + service

Undercounter Refrigeration

FUDR1-27VC-L



FUDR1-27VC-L

Features

Features

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Removable gasket that is easy to clean and replace
- Casters for easy movement
- Pre-installed shelves

Warranty


- One year parts and labour; Five years on compressor
- Specifications subject to change without notice



WARRANTY
INFORMATION
One year parts and
labour. Five years on
compressor



FUDR1-27VC-L Specifications



Model	Refrigerant	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (KG) (LBS)	Temperature Range	NEMA Config.
				L	D	H							
FUDR1-27VC-L	R290	1	1	698	762	853	1/5	115/60	1.8	202	66	-8 ~ -1°C	5-15P ⓘ
				27.5	30.0	33.6				7.2	145	-22 ~ -18°F	



Equipment for the Foodservice Industry

value + quality + service

Undercounter Refrigeration

FUDR1-27VC-R



FUDR1-27VC-R

Features

Features

- Exterior & interior stainless steel construction
- Environmentally friendly R290 refrigerant
- Heavy duty Embraco compressor
- Self-closing and stay open door
- Efficient refrigeration system
- Recessed door handle
- Removable gasket that is easy to clean and replace
- Casters for easy movement
- Pre-installed shelves

Warranty


- One year parts and labour; Five years on compressor
- Specifications subject to change without notice



WARRANTY
INFORMATION
One year parts and
labour. Five years on
compressor



FUDR1-27VC-R Specifications



Model	Refrigerant	Doors	Shelves	Dimension (mm) (inch)			HP	Voltage	Amps	Capacity (L) (Cu Ft.)	Net Weight (KG) (LBS)	Temperature Range	NEMA Config.
				L	D	H							
FUDR1-27VC-R	R290	1	1	698	762	853	1/5	115/60	1.8	202	66	-8 ~ -1°C	5-15P ⓘ
				27.5	30.0	33.6				7.2	145	-22 ~ -18°F	