

# REFRIGERATION

SERVING THE FOOD INDUSTRY SINCE 1951

# 78-INCH 3-DOOR SWING GLASS REFRIGERATOR

Item: 50052 | 51052 Model: RE-CN-0052-HC | RE-CN-0052-HC-BK



## THE PERFECT SOLUTION TO EXHIBIT COLD MERCHANDISE

Omcan's 78-inch 3-door swing glass refrigerator is perfect for your products, with the outside material made from painted steel. Its crystal clear, self closing door is perfect to see the products inside. It also features automatic defrosting and high density polyurethane insulation.



۳Ţ

G

5 - 20R 125 VAC / 20 AMP

RECEPTACLE









Authorized Dealer

# REFRIGERATION

78-INCH 3-DOOR SWING GLASS REFRIGERATOR 50052

## **TECHNICAL SPECIFICATION**

ITEM NUMBER	50052
MODEL	RE-CN-005
DESCRIPTION	3-Door Swing Glas
TEMPERATURE RANGE	0.5°C - 5°C / 3
MAX AMBIENT TEMP RATING	90°F
POWER	3/4 HI
PHASE	1
ELECTRICAL	110 V / 60
AMPS	10.7
REFRIGERANT	R290
COOLING SYSTEM	Ventilat
NUMBER OF DOORS	3
NUMBER OF SHELVES	12
SHELF CAPACITY	90 lbs. / 4
EXTERIOR DIMENSIONS (WDH)	78.27" x 29.9" 1988 x 759 x 2
INTERIOR DIMENSIONS (WDH)	73.7" x 25.6" 1872 x 650 x <sup>-</sup>
PACKAGING DIMENSIONS	80" x 33" 2032 x 838.2 x 2
NET VOLUME	53 cu.
NET WEIGHT	615 lbs. / 2
GROSS WEIGHT	681 lbs. / 3

## 52 52-HC ss Refrigerator 33°F - 41°F ΙP 60 Hz 0 ted 41 kg. ' x 84.64" 2150 mm " x 55.7" 1415 mm x 87" 2209.8 mm ft. 279 kg. 681 lbs. / 309 kg.



MCAN

## Features:

- Outside material: Painted steel
- Self-closing doors
- Plastic coated steel shelves with shelf tag holder
- Automatic defrosting
- Polyurethane insulation
- Removable door gasket
- Casters included
- Shelf Capacity: 90 lbs. / 41 kg.
- Temperature range: 0.5°C 5°C / 33°F 41°F



Follow us to keep up to date with the latest news and offers





## **OMCAN INC.**

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com





**TECHNICAL DRAWING AND DIMENSIONS** 

78.27 5 3 TOP VIEW SIDE VIEW FRONT VIEW


# REFRIGERATION

78-INCH 3-DOOR SWING GLASS REFRIGERATOR 50052

## **TECHNICAL SPECIFICATION**

ITEM NUMBER51052MODELRE-CN-0052-HC-BKDESCRIPTION3-Door Swing Glass RefrigeratorTEMPERATURE RANGE0.5°C - 5°C / 33°F - 41°FMAX AMBIENT TEMP RATING90°FPOWER3/4 HPPHASE1PHASE110 V / 60 HzAMPS10.7REFRIGERANTR290COOLING SYSTEMVentilatedNUMBER OF DOORS3NUMBER OF SHELVES12SHELF CAPACITY90 lbs. / 41 kg.EXTERIOR DIMENSIONS (WDH)78.27° x 29.9° x 84.64° 1988 x 759 x 2150 mmINTERIOR DIMENSIONS (WDH)80° x 33° x 87° 2032 x 838.2 x 2209.8 mmNET VOLUME615 lbs. / 279 kg.GROSS WEIGHT681 lbs. / 309 kg.		
DESCRIPTION3-Door Swing Glass RefrigeratorTEMPERATURE RANGE $0.5^\circ$ C - $5^\circ$ C / $33^\circ$ F - $41^\circ$ FMAX AMBIENT TEMP RATING $90^\circ$ FPOWER $3/4$ HPPHASE1ELECTRICAL $110$ V / $60$ HzAMPS $10.7$ REFRIGERANTR290COOLING SYSTEMVentilatedNUMBER OF DOORS $3$ NUMBER OF SHELVES $12$ SHELF CAPACITY90 lbs. / 41 kg.EXTERIOR DIMENSIONS (WDH) $73.7" \times 25.6" \times 55.7"$ $1872 \times 650 \times 1415$ mmNET VOLUME $80" \times 33" \times 87"$ $2032 \times 838.2 \times 2209.8 mmNET VOLUME53 cu. ft.NET WEIGHT615 lbs. / 279 kg.$	ITEM NUMBER	51052
TEMPERATURE RANGE 0.5°C - 5°C / 33°F - 41°F   MAX AMBIENT TEMP RATING 90°F   POWER 3/4 HP   PHASE 1   ELECTRICAL 110 V / 60 Hz   AMPS 10.7   REFRIGERANT R290   COOLING SYSTEM Ventilated   NUMBER OF DOORS 3   NUMBER OF SHELVES 12   SHELF CAPACITY 90 lbs. / 41 kg.   EXTERIOR DIMENSIONS (WDH) 78.27" x 29.9" x 84.64"   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7"   PACKAGING DIMENSIONS 80" x 33" x 87"   2032 x 838.2 x 2209.8 mm 80" x 33" x 87"   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	MODEL	RE-CN-0052-HC-BK
MAX AMBIENT TEMP RATING 90°F   POWER 3/4 HP   PHASE 1   ELECTRICAL 110 V / 60 Hz   AMPS 10.7   REFRIGERANT R290   COOLING SYSTEM Ventilated   NUMBER OF DOORS 3   NUMBER OF SHELVES 12   SHELF CAPACITY 90 lbs. / 41 kg.   EXTERIOR DIMENSIONS (WDH) 78.27" x 29.9" x 84.64"   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7"   PACKAGING DIMENSIONS 80" x 33" x 87"   2032 x 838.2 x 2209.8 mm 80" x 33" x 87"   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	DESCRIPTION	3-Door Swing Glass Refrigerator
POWER 3/4 HP   PHASE 1   ELECTRICAL 110 V / 60 Hz   AMPS 10.7   REFRIGERANT R290   COOLING SYSTEM Ventilated   NUMBER OF DOORS 3   NUMBER OF SHELVES 12   SHELF CAPACITY 90 lbs. / 41 kg.   EXTERIOR DIMENSIONS (WDH) 78.27" x 29.9" x 84.64"   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7"   PACKAGING DIMENSIONS 80" x 33" x 87"   PACKAGING DIMENSIONS 80" x 33" x 87"   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	TEMPERATURE RANGE	0.5°C - 5°C / 33°F - 41°F
PHASE 1   ELECTRICAL 110 V / 60 Hz   AMPS 10.7   REFRIGERANT R290   COOLING SYSTEM Ventilated   NUMBER OF DOORS 3   NUMBER OF SHELVES 12   SHELF CAPACITY 90 lbs. / 41 kg.   EXTERIOR DIMENSIONS (WDH) 78.27" x 29.9" x 84.64"   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7"   PACKAGING DIMENSIONS 80" x 33" x 87"   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	MAX AMBIENT TEMP RATING	90°F
ELECTRICAL 110 V / 60 Hz   AMPS 10.7   REFRIGERANT R290   COOLING SYSTEM Ventilated   NUMBER OF DOORS 3   NUMBER OF SHELVES 12   SHELF CAPACITY 90 lbs. / 41 kg.   EXTERIOR DIMENSIONS (WDH) 78.27" x 29.9" x 84.64"   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7"   PACKAGING DIMENSIONS 80" x 33" x 87"   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	POWER	3/4 HP
AMPS10.7REFRIGERANTR290COOLING SYSTEMVentilatedNUMBER OF DOORS3NUMBER OF SHELVES12SHELF CAPACITY90 lbs. / 41 kg.EXTERIOR DIMENSIONS (WDH)78.27" x 29.9" x 84.64" 1988 x 759 x 2150 mmINTERIOR DIMENSIONS (WDH)73.7" x 25.6" x 55.7" 1872 x 650 x 1415 mmPACKAGING DIMENSIONS80" x 33" x 87" 2032 x 838.2 x 2209.8 mmNET VOLUME53 cu. ft. 615 lbs. / 279 kg.	PHASE	1
REFRIGERANTR290COOLING SYSTEMVentilatedNUMBER OF DOORS3NUMBER OF SHELVES12SHELF CAPACITY90 lbs. / 41 kg.EXTERIOR DIMENSIONS (WDH)78.27" x 29.9" x 84.64" 1988 x 759 x 2150 mmINTERIOR DIMENSIONS (WDH)73.7" x 25.6" x 55.7" 1872 x 650 x 1415 mmPACKAGING DIMENSIONS80" x 33" x 87" 2032 x 838.2 x 2209.8 mmNET VOLUME53 cu. ft. 615 lbs. / 279 kg.	ELECTRICAL	110 V / 60 Hz
COOLING SYSTEMVentilatedNUMBER OF DOORS3NUMBER OF SHELVES12SHELF CAPACITY90 lbs. / 41 kg.EXTERIOR DIMENSIONS (WDH)78.27" x 29.9" x 84.64" 1988 x 759 x 2150 mmINTERIOR DIMENSIONS (WDH)73.7" x 25.6" x 55.7" 1872 x 650 x 1415 mmPACKAGING DIMENSIONS80" x 33" x 87" 2032 x 838.2 x 2209.8 mmNET VOLUME53 cu. ft. 615 lbs. / 279 kg.	AMPS	10.7
NUMBER OF DOORS 3   NUMBER OF SHELVES 12   SHELF CAPACITY 90 lbs. / 41 kg.   EXTERIOR DIMENSIONS (WDH) 78.27" x 29.9" x 84.64"   INTERIOR DIMENSIONS (WDH) 78.27" x 25.6" x 55.7"   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7"   PACKAGING DIMENSIONS 80" x 33" x 87"   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	REFRIGERANT	R290
NUMBER OF SHELVES 12   SHELF CAPACITY 90 lbs. / 41 kg.   EXTERIOR DIMENSIONS (WDH) 78.27" x 29.9" x 84.64"   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7"   PACKAGING DIMENSIONS 80" x 33" x 87"   PACKAGING DIMENSIONS 80" x 33" x 87"   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	COOLING SYSTEM	Ventilated
SHELF CAPACITY 90 lbs. / 41 kg.   EXTERIOR DIMENSIONS (WDH) 78.27" x 29.9" x 84.64" 1988 x 759 x 2150 mm   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7" 1872 x 650 x 1415 mm   PACKAGING DIMENSIONS 80" x 33" x 87" 2032 x 838.2 x 2209.8 mm   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	NUMBER OF DOORS	3
EXTERIOR DIMENSIONS (WDH) 78.27" x 29.9" x 84.64" 1988 x 759 x 2150 mm   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7" 1872 x 650 x 1415 mm   PACKAGING DIMENSIONS 80" x 33" x 87" 2032 x 838.2 x 2209.8 mm   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	NUMBER OF SHELVES	12
EXTERIOR DIMENSIONS (WDH) 1988 x 759 x 2150 mm   INTERIOR DIMENSIONS (WDH) 73.7" x 25.6" x 55.7" 1872 x 650 x 1415 mm   PACKAGING DIMENSIONS 80" x 33" x 87" 2032 x 838.2 x 2209.8 mm   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	SHELF CAPACITY	90 lbs. / 41 kg.
INTERIOR DIMENSIONS (WDH) 1872 x 650 x 1415 mm   PACKAGING DIMENSIONS 80" x 33" x 87"   2032 x 838.2 x 2209.8 mm 2032 x 650 x 1415 mm   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	EXTERIOR DIMENSIONS (WDH)	
PACKAGING DIMENSIONS 2032 x 838.2 x 2209.8 mm   NET VOLUME 53 cu. ft.   NET WEIGHT 615 lbs. / 279 kg.	INTERIOR DIMENSIONS (WDH)	
NET WEIGHT 615 lbs. / 279 kg.	PACKAGING DIMENSIONS	
	NET VOLUME	53 cu. ft.
GROSS WEIGHT 681 lbs. / 309 kg.	NET WEIGHT	615 lbs. / 279 kg.
	GROSS WEIGHT	681 lbs. / 309 kg.

## **TECHNICAL DRAWING AND DIMENSIONS**





MGAN

## Features:

- Outside material: Painted steel
- Self-closing doors
- Plastic coated steel shelves with shelf tag holder
- Automatic defrosting
- Polyurethane insulation
- Removable door gasket
- Casters included
- Shelf Capacity: 90 lbs. / 41 kg.
- Temperature range: 0.5°C 5°C / 33°F 41°F



Follow us to keep up to date with the latest news and offers





**OMCAN INC.** Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com

