

36" Undercounter Freezer with 2 Doors

ITEM: 50103

MODEL: FR-CN-0008-HC



Sleek and Efficient!

Introducing our 36" Undercounter Freezer, a sleek and efficient addition to any kitchen or commercial space. With its stainless steel exterior and two-door design, this freezer offers both style and functionality. Boasting a spacious 8.7 cubic feet (246 liters) capacity, it provides ample storage for a variety of frozen goods. Whether you're stocking up for a busy restaurant kitchen or need extra storage for your home, this freezer is designed to meet your needs. Its undercounter design allows for convenient placement beneath countertops, saving valuable floor space. Experience reliable cooling performance and easy access to your frozen items with our 36" Undercounter Freezer.




FEATURES:

- Stainless steel interior and exterior
- Temperatures range -8°F and 0°F / -22° to -18° C
- Self-closing doors with 90-degree stay-open feature
- Adjustable heavy-duty PVC-coated shelves
- Digital control system makes it easy to adjust the temperature set point and defrost frequency
- Hydro-carbon R290 refrigerant, which is environmentally friendly and more efficient



TECHNICAL DRAWING



TECHNICAL SPECIFICATION

Item	50103
Model	FR-CN-0008-HC
Capacity	8.7 cu. ft / 246 L
Temperature Range	-8°F and 0°F / -22° to -18° C
Power	1/2 HP – 275 W
Refrigerant	R290
Insulation Material	Cyclopentane
Cooling System	Ventilated
Defrosting	Automatic
Type Of Controller	Mechanical / Digital display
Self-Closing Door	Yes
Number of Shelves	2
Shelf Material	Plastic coated steel
Shelf Loading Capacity (pcs)	88lbs. / 39.9kgs
Electrical	115V / 60Hz / 1Ph
Interior Dimensions (WDH)	33" x 19.8" x 23.5" / 838 x 504 x 597 mm
Net Dimensions (WDH)	36.2" x 29.5" x 35.2" / 920 x 750 x 895 mm
Gross Dimensions (WDH)	39" x 32.3" x 38.2" / 990 x 820 x 970 mm /
Net Weight	90 kgs/ 198.4 lbs
Gross Weight	113 kgs/ 249 lbs

BMAD System (Low maintenance high performance). Dimensions rounded up to the nearest inch or millimeter. Specifications subject to change without notice.