

35.0" x 21.8" x 11.6" (88.9cm x 55.4cm x 29.5cm)



- Sleek, modernized design language on the brewer, with rounded angles on the corners and trunk
- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Easy pulse display allows for simplified programming of pulse routine
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction[™] Sprayhead is multi-directional with a 7-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Includes overlay kit for customization of brewer interface

Agency:





Additional Features

Funnel Locks

Specifications

Product #: 52000.0100 Water Access: Plumbed Finish: Stainless Funnel: Translucent Tea Funnel

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	336	60°F (15.5°C)	1	2	60

Plumbing Requirements

CAD Drawings


Created on:

02/06/2019

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	1/4" Male Flare Fitting	1.25	•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



		Unit		Shipping					
	Width Height Depth		Width	Width Height Dept		Weight	Volume		
English	11.6 in.	35.0 in.	21.8 in.	13.0 in.	37.0 in.	27.5 in.	41.500 lbs	7.655 ft ³	
Metric	29.5 cm	88.9 cm	55.4 cm	33.0 cm	94.0 cm	69.9 cm	18.824 kgs	0.217 m³	



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle Creater the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. 02/C For most current specifications and other info visit bunn.com.

Created on: 02/06/2019

Related Products & Accessories:ITB(52000.0100)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 02/06/2019

 For most current specifications and other info visit bunn.com.
 02/06/2019

Serving & Holding Options: ITB(52000.0100)





BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle Cre

Created on: 02/06/2019

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

ITB Dual Dilution

35.0" x 23.3" x 12.2" (88.9cm x 59.2cm x 31.0cm)



- Sleek, modernized design language on the brewer, with rounded angles on the corners and trunk
- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction[™] Sprayhead is multi-directional with a 7-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- · Includes overlay kit for customization of brewer interface
- Specifically designed to accommodate and brew into two BUNN 3.5gal Narrow Tea Dispensers (can also brew directly into standard tea dispensers)

Agency:



Additional Features

Funnel Locks

Specifications

Product #: 52000.0301 Water Access: Plumbed Finish: Stainless Funnel: Translucent Tea Funnel

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	336	60°F (15.5°C)	1	2	60

Plumbing Requirements


CAD Drawings

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	1/4" Male Flare Fitting	1.25	•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 02/06/2019




		Unit		Shipping					
	Width Height Depth			Width	Height	Depth	Weight	Volume	
English	12.2 in.	35.0 in.	23.3 in.	13.0 in.	37.0 in.	27.5 in.	44.500 lbs	7.655 ft ³	
Metric	31.0 cm	88.9 cm	59.2 cm	33.0 cm	94.0 cm	69.9 cm	20.185 kgs	0.217 m³	



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle Creater the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. 02/C For most current specifications and other info visit bunn.com.

Created on: 02/06/2019

Related Products & Accessories: ITB Dual Dilution(52000.0301)






 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 02/06/2019

 For most current specifications and other info visit bunn.com.
 02/06/2019

Serving & Holding Options: ITB Dual Dilution(52000.0301)



Product #:43900.0001

TD3T-N, RSVR BREW THRU LID BUNN





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 02/06/2019

 For most current specifications and other info visit bunn.com.
 02/06/2019

ITB Dual Dilution w/ Sweetener

35.0" x 23.3" x 12.2" (88.9cm x 59.2cm x 31.0cm)



• Sleek, modernized design language on the brewer, with rounded angles on the corners and trunk

- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Specifically designed to accommodate and brew into two BUNN 3.5gal Narrow Tea Dispensers (can also brew directly into standard tea dispensers)
- Each brew button's sweetener may be independently set and easily adjusted using the Sweet Meter
- "Out of Sweetener" indicator LED blinks to aid operator
- Separate inlet for sweetener use existing CO2 systems or external 3rd party pump for sweetener delivery
- Dilution nozzles labeled "Sweet" and "Unsweet"

Agency:





Funnel Locks

Specifications Product #: 52000.0300

Water Access: Plumbed Finish: Stainless Funnel: Translucent Tea Funnel

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	336	60°F (15.5°C)	1	2	60

Plumbing Requirements

CAD Drawings


Created on:

02/26/2019

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	1/4" Male Flare Fitting	1.25	•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



		Unit		Shipping					
	Width Height Depth			Width	Height	Depth	Weight	Volume	
English	12.2 in.	35.0 in.	23.3 in.	13.0 in.	37.0 in.	27.5 in.	45.800 lbs	7.655 ft ³	
Metric	31.0 cm	88.9 cm	59.2 cm	33.0 cm	94.0 cm	69.9 cm	20.775 kgs	0.217 m³	



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle Creater the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. 02/2 For most current specifications and other info visit bunn.com.

Created on: 02/26/2019

Related Products & Accessories: ITB Dual Dilution w/Sweetener(52000.0300)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 02/26/2019

 For most current specifications and other info visit bunn.com.
 02/26/2019

Serving & Holding Options: ITB Dual Dilution w/Sweetener(52000.0300)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 02/26/2019

 For most current specifications and other info visit bunn.com.
 02/26/2019