WAVE15-APS, PF

18.7" x 17.2" x 9.7" (47.5cm x 43.7cm x 24.6cm)



- BrewMETER® allows automatic programming of pulse routine
- Adjustable legs to accommodate up to 3.0L lever action and 2.5L push button BUNN airpots and thermal servers
- Brew into 1.9L thermal carafe using the slide-out booster tray
- Four-digit LED read-out for simple programming
- Utilize the same LED read-out for brewer status (Ready, Heating, Brewing)
- SmartWAVE technology increases turbulence in the brew funnel
- Standard Version
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- SplashGard® funnel deflects hot liquids away from the hand

Agency:

Specifications

Product #: 39900.6005
Water Access: Plumbed

Finish: Stainless
Funnel: Black Plastic

Faucet: Lower

Additional Features

Standard Series BrewMETER

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	62	60°F (15.5°C)	-	-	-

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-


CAD Drawings


2D	Revit	KLC
•		





BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 05/09/2018









		Unit			Shipping						
	Width	Height	Depth	Width	Height	Depth	Weight	Volume			
English	9.7 in.	18.7 in.	17.2 in.	- in.	- in.	- in.	-	-			
Metric	Metric 24.6 cm 47.5 cm		43.7 cm	- cm	- cm	- cm	-	-			



Related Products & Accessories: WAVE15-APS, PF(39900.6005)









Serving & Holding Options: WAVE15-APS, PF(39900.6005)



Product #:13041.0001







TSR-1,THERMAL SRVR **RACK-1 POSN**

Product #:18008.6001



ACC,1.9L THERMAL CARAFE SST Product #:18022.6002





AIRPOT, 2.2L GL PB 6/

CASE

Product #:28696.0006

Product #:13041.0101



Product #:13041.6000






CASE

Product #:32125.0100



Product #:28696.0002





AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



THERMAL CARAFE, BLK 1.9L 1PK

Product #:36029.0001



THERMAL CARAFE, ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE, ORN 1.9L 1PK

Product #:36252.0001



PITCHER, SST 1.9L TALL-SNGL PK Product #:39430.0000

PITCHER,SST 1.9L TALL-6/CASE Product #:39430.0100



CARAFE, SST 1.9L SHRT BLK 1/

Product #:40163.0000



CARAFE, SST 1.9L SHRT ORN 1/

Product #:40163.0001



CARAFE,SST 1.9L SHRT BLK 12/



Serving & Holding Options: WAVE15-APS, PF(39900.6005)



CARAFE,SST 1.9L SHRT ORN 12/

Product #:40163.0101

NO IMAGE AVAILABLE

THERMAL SRVR, 2.5L 6/ CS NO BASE GL LINR

Product #:45882.0001



THERMAL SRVR, 2.5L NO BASE GL LINER



WAVE15-S-APS, PF

18.7" x 17.2" x 9.7" (47.5cm x 43.7cm x 24.6cm)



- BrewMETER® allows automatic programming of pulse routine
- Adjustable legs to accommodate up to 3.0L lever action and 2.5L push button BUNN airpots and thermal servers
- Analog switches accompanied by red/green LED for programming
- Brew into 1.9L thermal carafe using the slide-out booster tray
- Choice of three pulse brew routines to adjust your flavor profile
- Red/green LED provide brewer status (ready, heating, brewing)
- · SmartWAVE technology increases turbulence in the brew funnel
- Silver Version
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- SplashGard® funnel deflects hot liquids away from the hand

Agency:

Specifications

Product #: 39900.6006

Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

Faucet: Lower

Additional Features

Silver Series

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	62	60°F (15.5°C)	-	-	-

Plumbing Requirements


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-


CAD Drawings

2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.





		Unit		Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	9.7 in.	18.7 in.	17.2 in.	- in.	- in.	- in.	-	-	
Metric	Metric 24.6 cm 47.5 cm		43.7 cm	- cm	- cm	- cm	-	-	



Related Products & Accessories: WAVE15-S-APS, PF(39900.6006)











Serving & Holding Options: WAVE15-S-APS, PF(39900.6006)









ACC,1.9L THERMAL CARAFE SST



Product #:13041.0101

Product #:13041.6000

Product #:18008.6001

RACK-1 POSN



AIRPOT, 2.2L GL PB SINGLE PK

Product #:28696.0002

AIRPOT, 2.2L GL PB 6/ CASE

Product #:28696.0006



ACC, AIRPOT 2.2 LITRE SINGLE PACK

Product #:28696.6000



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



Product #:18022.6002

AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



THERMAL CARAFE, BLK 1.9L 1PK

Product #:36029.0001



THERMAL CARAFE, ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE, ORN 1.9L 1PK

Product #:36252.0001



PITCHER, SST 1.9L TALL-SNGL PK

Product #:39430.0000



PITCHER,SST 1.9L TALL-6/CASE

Product #:39430.0100



CARAFE, SST 1.9L SHRT BLK 1/

Product #:40163.0000



CARAFE, SST 1.9L SHRT ORN 1/

Product #:40163.0001



CARAFE,SST 1.9L SHRT BLK 12/



Serving & Holding Options: WAVE15-S-APS, PF(39900.6006)



CARAFE,SST 1.9L SHRT ORN 12/

Product #:40163.0101

NO IMAGE AVAILABLE

THERMAL SRVR, 2.5L 6/ CS NO BASE GL LINR

Product #:45882.0001



THERMAL SRVR, 2.5L NO BASE GL LINER



WAVE-APS, PF

18.7" x 17.2" x 9.7" (47.5cm x 43.7cm x 24.6cm)



- BrewMETER® allows automatic programming of pulse routine
- Adjustable legs to accommodate up to 3.0L lever action and 2.5L push button BUNN airpots and thermal servers
- Brew into 1.9L thermal carafe using the slide-out booster tray
- Four-digit LED read-out for simple programming
- Utilize the same LED read-out for brewer status (Ready, Heating, Brewing)
- SmartWAVE technology increases turbulence in the brew funnel
- Standard Version
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- SplashGard® funnel deflects hot liquids away from the hand

Agency:

Specifications

Product #: 39900.6008
Water Access: Plumbed

Finish: Stainless
Funnel: Black Plastic

Faucet: Lower

Additional Features

Standard Series BrewMETER

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	102	60°F (15.5°C)	-	-	-

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)		
20-90	138-621	1/4" Male Flare Fitting	-		


CAD Drawings


2D	Revit	KLC
•		





BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 05/09/2018









		Unit		Shipping						
	Width	Height	Depth	Width	Height	Depth	Weight	Volume		
English	9.7 in.	18.7 in.	17.2 in.	- in.	- in.	- in.	-	-		
Metric	Metric 24.6 cm 47.5 cm		43.7 cm	- cm	- cm	- cm	-	-		



Related Products & Accessories: WAVE-APS, PF(39900.6008)











Serving & Holding Options: WAVE-APS, PF(39900.6008)



SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L GL PB 6/ CASE

Product #:13041.0101



ACC,2.5 LITRE AIRPOT **BLACK**

Product #:13041.6000



TSR-1,THERMAL SRVR **RACK-1 POSN**

Product #:18008.6001



ACC,1.9L THERMAL CARAFE SST

Product #:18022.6002



AIRPOT, 2.2L GL PB SINGLE PK

Product #:28696.0002



AIRPOT, 2.2L GL PB 6/ CASE

Product #:28696.0006



ACC, AIRPOT 2.2 LITRE SINGLE PACK

Product #:28696.6000



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



THERMAL CARAFE, BLK 1.9L 1PK

Product #:36029.0001



THERMAL CARAFE, ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE, ORN 1.9L 1PK

Product #:36252.0001



PITCHER, SST 1.9L TALL-SNGL PK

Product #:39430.0000



PITCHER,SST 1.9L TALL-6/CASE

Product #:39430.0100



CARAFE, SST 1.9L SHRT BLK 1/

Product #:40163.0000



CARAFE,SST 1.9L SHRT ORN 1/

Product #:40163.0001



CARAFE,SST 1.9L SHRT BLK 12/

Serving & Holding Options: WAVE-APS, PF(39900.6008)



CARAFE,SST 1.9L SHRT ORN 12/

Product #:40163.0101

NO IMAGE AVAILABLE

THERMAL SRVR, 2.5L 6/ CS NO BASE GL LINR

Product #:45882.0001



THERMAL SRVR, 2.5L NO BASE GL LINER



WAVE-S-APS, PF

18.7" x 17.2" x 9.7" (47.5cm x 43.7cm x 24.6cm)



- BrewMETER® allows automatic programming of pulse routine
- Adjustable legs to accommodate up to 3.0L lever action and 2.5L push button BUNN airpots and thermal servers
- Analog switches accompanied by red/green LED for programming
- Brew into 1.9L thermal carafe using the slide-out booster tray
- Choice of three pulse brew routines to adjust your flavor profile
- Red/green LED provide brewer status (ready, heating, brewing)
- · SmartWAVE technology increases turbulence in the brew funnel
- Silver Version
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- SplashGard® funnel deflects hot liquids away from the hand

Agency:

Specifications

Product #: 39900.6009

Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

Faucet: Lower

Additional Features

Silver Series

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	102	60°F (15.5°C)	-	-	-

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

CAD Drawings


2D	Revit	KLC			
•					


Created on:


05/09/2018




BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.









Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	9.7 in.	18.7 in.	17.2 in.	- in.	- in.	- in.	-	-
Metric	24.6 cm	47.5 cm	43.7 cm	- cm	- cm	- cm	-	-



Related Products & Accessories: WAVE-S-APS, PF(39900.6009)











Serving & Holding Options: WAVE-S-APS, PF(39900.6009)





AIRPOT, 2.5L GL PB 6/ CASE Product #:13041.0101



ACC,2.5 LITRE AIRPOT **BLACK**

Product #:13041.6000



TSR-1,THERMAL SRVR **RACK-1 POSN**

Product #:18008.6001



ACC,1.9L THERMAL CARAFE SST

Product #:18022.6002



Product #:13041.0001



AIRPOT, 2.2L GL PB 6/

CASE

Product #:28696.0006



ACC, AIRPOT 2.2 LITRE SINGLE PACK

Product #:28696.6000



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



Product #:28696.0002

AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



THERMAL CARAFE, BLK 1.9L 1PK

Product #:36029.0001



THERMAL CARAFE, ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE, ORN 1.9L 1PK

Product #:36252.0001



PITCHER, SST 1.9L TALL-SNGL PK

Product #:39430.0000



PITCHER,SST 1.9L TALL-6/CASE

Product #:39430.0100



CARAFE, SST 1.9L SHRT BLK 1/

Product #:40163.0000



CARAFE, SST 1.9L SHRT ORN 1/

Product #:40163.0001



CARAFE,SST 1.9L SHRT BLK 12/



Serving & Holding Options: WAVE-S-APS, PF(39900.6009)



CARAFE,SST 1.9L SHRT ORN 12/

Product #:40163.0101

NO IMAGE AVAILABLE

THERMAL SRVR, 2.5L 6/ CS NO BASE GL LINR

Product #:45882.0001



THERMAL SRVR, 2.5L NO BASE GL LINER

