

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier: AIR NATUR 100 ML BUBBLE GUM

#### Relevant identified uses of the substance or mixture and uses advised against: 1.2

Relevant uses: Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

#### 1.3 Details of the supplier of the safety data sheet:

L&D, S.A.U. Aromáticos C/ Albert Einstein, 12 Parque Industrial Tecnológico de Almería 04131 Almería - Almería - España Phone.: +34 950 62 44 60 -Fax: +34 950 62 44 61 ld-aromaticos@ld-aromaticos.com www.ld-aromaticos.com

#### 1.4 **Emergency telephone number:**

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification of the substance or mixture: 2.1

#### CLP Regulation (EC) nº 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) nº 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Flam. Liq. 2: Flammable liquids, Category 2, H225 Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

#### 2.2 Label elements:

#### CLP Regulation (EC) nº 1272/2008:

Danger



#### Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Flam. Liq. 2: H225 - Highly flammable liquid and vapour Skin Sens. 1B: H317 - May cause an allergic skin reaction

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+P352: IF ON SKIN: Wash with plenty of water

P370+P378: In case of fire: Use ABC powder extinguisher to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality

## Supplementary information:

EUH208: Contains 2,4-dimethylcyclohex-3-ene-1-carbaldehyde, d-limonene, Linalool, Methyl heptin carbonate. May produce an allergic reaction

#### Substances that contribute to the classification

Ethyl 2,3-epoxy-3-phenylbutyrate

#### 2.3 Other hazards:

Non-applicable

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable



### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

### 3.2 Mixture:

### Chemical description: Mixture of substances

#### Components:

In accordance with Annex II of Regulation (EC) nº1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration		
CAS:	77-83-8	Ethyl 2,3-epoxy-3-pl	henylbutyrate Self-classified			
EC: 201-061-8 Index: Non-applicable REACH: 01-2119967770-28-XXXX Regulation 1272/2008		Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	1 - <2,5 %		
CAS:	120-51-4	Benzyl benzoato	ATP ATP01			
	204-402-9 607-085-00-9 : 01-2119976371-33-XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 2: H411 - Warning	1 - <2,5 %		
CAS:	68039-49-6	2,4-dimethylcyclohe	x-3-ene-1-carbaldehyde Self-classified			
EC: 268-264-1 Index: Non-applicable REACH: Non-applicable		Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0,1 - <1 %		
CAS:	123-92-2	Isopentyl acetate ATP CLP00				
	204-662-3 607-130-00-2 : 01-2119548408-32-XXXX	Regulation 1272/2008	Flam. Liq. 3: H226; EUH066 - Warning	0,1 - <1 %		
CAS:	5989-27-5	d-limonene ATP CLP00				
EC: 227-813-5 Index: 601-029-00-7 REACH: 01-2119529223-47-XXX		Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	0,1 - <1 %		
CAS:	78-70-6	Linalool Self-classified				
	201-134-4 Non-applicable : 01-2119474016-42-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0,1 - <1 %		
CAS:	111-12-6	Methyl heptin carbo	nate Self-classified			
	203-836-6 :: Non-applicable H: Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Skin Sens. 1A: H317 - Warning	<0,1 %		

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:



### SECTION 4: FIRST AID MEASURES (continued)

Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2). IT IS RECOMMENDED NOT to use tap water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inertization agent. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 94/9/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks



### SECTION 7: HANDLING AND STORAGE (continued)

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C
Maximum time:	12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the work environment

Identification	Environmental limits		
Isopentyl acetate	IOELV (8h)	50 ppm	270 mg/m <sup>3</sup>
CAS: 123-92-2	IOELV (STEL)	100 ppm	540 mg/m <sup>3</sup>
EC: 204-662-3	Year	2015	

#### **DNEL (Workers):**

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Ethyl 2,3-epoxy-3-phenylbutyrate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 77-83-8	Dermal	Non-applicable	Non-applicable	0,7 mg/kg	Non-applicable
EC: 201-061-8	Inhalation	Non-applicable	Non-applicable	2,45 mg/m <sup>3</sup>	Non-applicable
Benzyl benzoato	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 120-51-4	Dermal	Non-applicable	Non-applicable	2,6 mg/kg	Non-applicable
EC: 204-402-9	Inhalation	102 mg/m <sup>3</sup>	Non-applicable	5,1 mg/m <sup>3</sup>	Non-applicable
Isopentyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 123-92-2	Dermal	Non-applicable	Non-applicable	2,95 mg/kg	Non-applicable
EC: 204-662-3	Inhalation	Non-applicable	Non-applicable	20,8 mg/m <sup>3</sup>	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	33,3 mg/m <sup>3</sup>	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	5 mg/kg	Non-applicable	2,5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	16,5 mg/m <sup>3</sup>	Non-applicable	2,8 mg/m <sup>3</sup>	Non-applicable

#### **DNEL (General population):**

		Short e	exposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Ethyl 2,3-epoxy-3-phenylbutyrate	Oral	Non-applicable	Non-applicable	0,35 mg/kg	Non-applicable
CAS: 77-83-8	Dermal	Non-applicable	Non-applicable	0,35 mg/kg	Non-applicable
EC: 201-061-8	Inhalation	Non-applicable	Non-applicable	0,61 mg/m <sup>3</sup>	Non-applicable
Benzyl benzoato	Oral	78 mg/kg	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 120-51-4	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
EC: 204-402-9	Inhalation	25 mg/m <sup>3</sup>	Non-applicable	1,25 mg/m <sup>3</sup>	Non-applicable



### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Isopentyl acetate	Oral	Non-applicable	Non-applicable	1,47 mg/kg	Non-applicable	
AS: 123-92-2	Dermal	Non-applicable	Non-applicable	1,47 mg/kg	Non-applicable	
EC: 204-662-3	Inhalation	Non-applicable	Non-applicable	5,1 mg/m <sup>3</sup>	Non-applicable	
l-limonene	Oral	Non-applicable	Non-applicable	4,76 mg/kg	Non-applicable	
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	8,33 mg/m <sup>3</sup>	Non-applicable	
Linalool CAS: 78-70-6	Oral	1,2 mg/kg	Non-applicable	0,2 mg/kg	Non-applicable	
	Dermal	2,5 mg/kg	Non-applicable	1,25 mg/kg	Non-applicable	
EC: 201-134-4	Inhalation	4,1 mg/m <sup>3</sup>	Non-applicable	0,7 mg/m <sup>3</sup>	Non-applicable	

PNEC:

Identification				
Ethyl 2,3-epoxy-3-phenylbutyrate	STP	10 mg/L	Fresh water	0,0084 mg/L
CAS: 77-83-8	Soil	0,037 mg/kg	Marine water	0,0084 mg/L
EC: 201-061-8	Intermittent	0,084 mg/L	Sediment (Fresh water)	0,012 mg/kg
	Oral	23,3 g/kg	Sediment (Marine water)	0,0012 mg/kg
Benzyl benzoato	STP	100 mg/L	Fresh water	0,0168 mg/L
CAS: 120-51-4	Soil	2,12 mg/kg	Marine water	0,00168 mg/L
EC: 204-402-9	Intermittent	Non-applicable	Sediment (Fresh water)	10,66 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,07 mg/kg
Isopentyl acetate	STP	30 mg/L	Fresh water	0,022 mg/L
CAS: 123-92-2	Soil	4,15 mg/kg	Marine water	0,0022 mg/L
EC: 204-662-3	Intermittent	0,22 mg/L	Sediment (Fresh water)	17,87 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,787 mg/kg
d-limonene	STP	1,8 mg/L	Fresh water	0,0054 mg/L
CAS: 5989-27-5	Soil	0,262 mg/kg	Marine water	0,00054 mg/L
EC: 227-813-5	Intermittent	Non-applicable	Sediment (Fresh water)	1,32 mg/kg
	Oral	3,33 g/kg	Sediment (Marine water)	0,13 mg/kg
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	7,8 g/kg	Sediment (Marine water)	0,222 mg/kg

### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application

D.- Ocular and facial protection



	Pictogram		PPE	Labelling		CEN Standard		Remarks
	Mandatory face protection	ion		CAT II	E	EN 166:2001 EN ISO 4007:2012		daily and disinfect periodically according nanufacturer 's instructions. Use if there is risk of splashing.
E Bodily protection								
	Pictogram		PPE	Labelling		CEN Standard		Remarks
		W	ork clothing	CATI			recom	ce before any evidence of deterioration. For ds of prolonged exposure to the product for professional/industrial users CE III is imended, in accordance with the regulation ISO 6529:2001, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.
		Anti-s	lip work shoes	CAT II	E	N ISO 20347:2012	perio	ce before any evidence of deterioration. F ds of prolonged exposure to the product fo professional/industrial users CE III is imended, in accordance with the regulatio in EN ISO 20345 y EN 13832-1
F	Additional emerge	ency mea	sures					
	Emergency measure		Sta	andards		Emergency measur		Standards
				ANSI Z358-1 ISO 3864-1:2002		Eyewash station	15	DIN 12 899 ISO 3864-1:2002

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical pro	perties:
	For complete information see the product datasheet.	
	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Oily
	Colour:	Characteristic
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	93 °C
	Vapour pressure at 20 °C:	5321 Pa
	Vapour pressure at 50 °C:	25180 Pa (25 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	848 kg/m³
	Relative density at 20 °C:	0,848
	Dynamic viscosity at 20 °C:	1,4 cP
	Kinematic viscosity at 20 °C:	1,65 cSt
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	mation property of its hazards.



SECTION 9: PHYSICAL AND CHEMICAL PROP	ERTIES (continued)
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	20 °C
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	235 °C
Lower flammability limit:	Not available
Upper flammability limit:	Not available
9.2 Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the product, not prov	viding information property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity				
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable				
Incompatible materials:								

#### **10.5** Incompatible materials:

Acids	Water	Combustive materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A.- Ingestion (acute effect):



### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Skin: Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification	A	Acute toxicity	
Benzyl benzoato	LD50 oral	1500 mg/kg	Rat
CAS: 120-51-4	LD50 dermal	4000 mg/kg	Rabbit
EC: 204-402-9	LC50 inhalation	Non-applicable	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	LD50 oral	2500 mg/kg	
CAS: 68039-49-6	LD50 dermal	Non-applicable	
EC: 268-264-1	LC50 inhalation	Non-applicable	
Isopentyl acetate	LD50 oral	7400 mg/kg	Rat
CAS: 123-92-2	LD50 dermal	Non-applicable	
EC: 204-662-3	LC50 inhalation	Non-applicable	
d-limonene	LD50 oral	4400 mg/kg	Rat
CAS: 5989-27-5	LD50 dermal	5100 mg/kg	Rabbit
EC: 227-813-5	LC50 inhalation	Non-applicable	



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Ac	Acute toxicity	
Linalool	LD50 oral	3000 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
EC: 201-134-4	LC50 inhalation	Non-applicable	
Methyl heptin carbonate	LD50 oral	1530 mg/kg	Rat
CAS: 111-12-6	LD50 dermal	3300 mg/kg	Rabbit
EC: 203-836-6	LC50 inhalation	Non-applicable	

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

Identification		Acute toxicity	Species	Genus	
Ethyl 2,3-epoxy-3-phenylbutyrate	LC50	4.2 mg/L (96 h)	Oncorhynchus mykiss	Fish	
CAS: 77-83-8	EC50	52 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 201-061-8	EC50	36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae	
Benzyl benzoato	LC50	1 - 10 mg/L (96 h)		Fish	
CAS: 120-51-4	EC50	1 - 10 mg/L		Crustacear	
EC: 204-402-9	EC50	1 - 10 mg/L		Algae	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	LC50	10 - 100 mg/L (96 h)		Fish	
CAS: 68039-49-6	EC50	10 - 100 mg/L		Crustacear	
EC: 268-264-1	EC50	10 - 100 mg/L		Algae	
Isopentyl acetate	LC50	Non-applicable			
CAS: 123-92-2	EC50	42 mg/L (48 h)	Daphnia magna	Crustacear	
EC: 204-662-3	EC50	Non-applicable			
d-limonene	LC50	0.702 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 5989-27-5	EC50	0.577 mg/L (48 h)	Daphnia magna	Crustacear	
EC: 227-813-5	EC50	Non-applicable			
Linalool	LC50	27.8 mg/L (96 h)	Oncorhynchus mykiss	Fish	
CAS: 78-70-6	EC50	59 mg/L (48 h)	Daphnia magna	Crustacear	
EC: 201-134-4	EC50	88.3 mg/L (96 h)	Scenedesmus subspicatus	Algae	

### 12.2 Persistence and degradability:

Identification	De	gradability	Biodegradability	
Ethyl 2,3-epoxy-3-phenylbutyrate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 77-83-8	COD	Non-applicable	Period	28 days
EC: 201-061-8	BOD5/COD	Non-applicable	% Biodegradable	53 %
d-limonene	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 5989-27-5	COD	Non-applicable	Period	28 days
EC: 227-813-5	BOD5/COD	Non-applicable	% Biodegradable	100 %
Linalool	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78-70-6	COD	Non-applicable	Period	28 days
EC: 201-134-4	BOD5/COD	0.55	% Biodegradable	90 %

### **12.3** Bioaccumulative potential:

Identification	Bi	Bioaccumulation potential	
Isopentyl acetate	BCF	10	
CAS: 123-92-2	Pow Log		
EC: 204-662-3	Potential	Low	
d-limonene	BCF	660	
CAS: 5989-27-5	Pow Log	4.83	
EC: 227-813-5	Potential	High	
Linalool	BCF	39	
CAS: 78-70-6	Pow Log	2.97	
EC: 201-134-4	Potential	Moderate	



## SECTION 12: ECOLOGICAL INFORMATION (continued)

#### **12.4 Mobility in soil:**

Identification	Absorp	Absorption/desorption		Volatility	
Ethyl 2,3-epoxy-3-phenylbutyrate	Кос	240	Henry	Non-applicable	
CAS: 77-83-8	Conclusion	Moderate	Dry soil	Non-applicable	
EC: 201-061-8	Surface tension	Non-applicable	Moist soil	Non-applicable	
Benzyl benzoato	Кос	Non-applicable	Henry	Non-applicable	
CAS: 120-51-4	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 204-402-9	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Non-applicable	
Isopentyl acetate	Кос	70	Henry	59,78 Pa·m <sup>3</sup> /mol	
CAS: 123-92-2	Conclusion	Very High	Dry soil	Non-applicable	
EC: 204-662-3	Surface tension	2,388E-2 N/m (25 °C)	Moist soil	Yes	
d-limonene	Кос	6324	Henry	2533,13 Pa·m³/mol	
CAS: 5989-27-5	Conclusion	Immobile	Dry soil	Yes	
EC: 227-813-5	Surface tension	2,675E-2 N/m (25 °C)	Moist soil	Yes	

#### 12.5 Results of PBT and vPvB assessment:

#### Non-applicable

#### **12.6** Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	Other organic solvents, washing liquids and mother liquor	Dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP3 Flammable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC)  $n^{0}1907/2006$  (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

#### SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2015 and RID 2015:



SECTION 14: TRANSPORT	INFORMATION (continued)	
14.2 14.3 14.4	UN number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Dangerous for the	UN1993 FLAMMABLE LIQUID, N.O.S. (Ethanol) 3 3 II No
	environment: Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities: Transport in bulk according to Annex II of Marpol and the IBC Code:	274, 601, 640D D/E see section 9 1 L Non-applicable
Transport of dangero		
With regard to IMDG 38		
14.2 14.3 14.4 14.5	UN number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Dangerous for the environment: Special precautions for user	UN1993 FLAMMABLE LIQUID, N.O.S. (Ethanol) 3 3 II No
14.7	Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: <b>Transport in bulk according</b> <b>to Annex II of Marpol and</b> <b>the IBC Code:</b>	274 F-E, S-E see section 9 1 L Non-applicable
Transport of dangero	us goods by air:	
With regard to IATA/ICA	O 2017:	
14.2 14.3	UN number: UN proper shipping name: Transport hazard class(es): Labels: Declaim groups	UN1993 FLAMMABLE LIQUID, N.O.S. (Ethanol) 3 3
· · · · · · · · · · · · · · · · · · ·	Packing group: Dangerous for the	II No
	environment: Special precautions for user Physico-Chemical properties:	see section 9
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

### SECTION 15: REGULATORY INFORMATION

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture: Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Ethanol.

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable



### SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

#### **Other legislation:**

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) Nº 1907/2006 (Regulation (EC) Nº 2015/830)

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

### Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects

H317: May cause an allergic skin reaction

H225: Highly flammable liquid and vapour

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) nº 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed Aquatic Acute 1: H400 - Very toxic to aquatic life Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Lig. 3: H226 - Flammable liquid and vapour Skin Irrit. 2: H315 - Causes skin irritation Skin Sens. 1: H317 - May cause an allergic skin reaction Skin Sens. 1A: H317 - May cause an allergic skin reaction Skin Sens. 1B: H317 - May cause an allergic skin reaction Classification procedure:

Aquatic Chronic 3: Calculation method

Skin Sens. 1B: Calculation method Flam. Liq. 2: Calculation method (2.6.4.3)

## Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

### Principal bibliographical sources:

http://esis.jrc.ec.europa.eu http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms:



### SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOg-POW: Octanol–water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.