# **AUTOCLAY**

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: AUTOCLAY

**SUPPLIER:** BILT HAMBER LABORATORIES

RADFORD WAY BILLERICAY ESSEX CM12 OEG

**PRODUCT USE:** PAINT TREATMENT

PACK SIZE 200g

**TELEPHONE:** 01277 658899

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

THE PRODUCT CONTAINS THE FOLLOWING MATERIALS:

INGREDIENT NAME	CAS No	CONTENT % BY WEIGHT	SYMBOL	RISK
NON HAZARDOUS INGREDIENTS		100%		

PAGE 1 OF 6

# **AUTOCLAY**

## 3. HAZARDS IDENTIFICATION

INHALATION NA

IF SWALLOWED MAY CAUSE IRRITATION OF MUCOUS

**MEMBRANES** 

**SKIN CONTACT** NO SPECIAL PRECUATIONS REQUIRED,

EYE CONTACT NO SPECIAL PRECUATIONS REQUIRED

## 4. FIRST AID MEASURES

**INGESTION:** IN THE EVENT OF INGESTION HELP MUST BE

**OBTAINED URGENTLY.** 

**INHALATION:** ENSURE THAT AIRWAYS ARE CLEAR AND

UNOBSTRUCTED. KEEP WARM AND AT REST. IF THERE IS ANY DIFFICULTY IN BREATHING, OR VOMITING HAS OCCURRED OBTAIN MEDICAL ATTENTION URGENTLY. IF BREATHING STOPS OR SHOWS SIGNS OF FAILING, APPLY MOUTH-TO-

MOUTH VENTILATION.

**SKIN CONTACT:** IF SKIN SENSITIVITY OCCURS WAS WITH PLENTY

OF SOAP AND WATER.

**EYE CONTACT:** IRRIGATE WITH COPIOUS QUANTITIES OF

WATER. FOR AT LEAST 15 MINUTES HOLDING THE EYELIDS APART. IF IRRITATION PERSISTS

**OBTAIN MEDICAL ADVICE** 

# **AUTOCLAY**

#### 5. FIRE-FIGHTING MEASURES

**EXTINGUISHING MEDIA:** CARBON DIOXIDE, DRY CHEMICAL POWDER OR

FOAM. DO NOT USE WATER

UNUSUAL FIRE AND EXPLOSION HAZARDS:

**NONE** 

## 6. ACCIDENTAL RELEASE MEASURES

**ENVIRONMENTAL PRECAUTIONS:** 

PLACE IN APPROPRIATE CONTAINER

METHODS OF CLEANING UP:

RUNOFF OR RELEASE TO SEWER, WATERWAY OR GROUND IS FORBIDDEN. DISPOSE OF IN SEALED CONTAINERS IN A LICENSED WASTE FACILITY. INFORM AUTHORITIES IF LARGE AMOUNTS ARE

INVOLVED.

PERSONAL PROTECTION MEASURES:

**NONE** 

## 7. HANDLING AND STORAGE

**HANDLING:** AVOID EYE CONTACT.

STORAGE: KEEP CONTAINER TIGHTLY CLOSED. COOL DRY

VENTILATED CONDITIONS.

PAGE 3 OF 6

# **AUTOCLAY**

## 8. EXPOSURE CONTROL / PERSONAL PROTECTION

GENERAL: USE ONLY IN ACCORDANCE WITH THE

INSTRUCTIONS PRINTED ON CONTAINER

LABEL.

#### **OCCUPATIONAL EXPOSURE LIMITS:**

INGREDIENT	CAS No	STD	LT EXP	ST EXP
NAME			(8 HRS)	(15 MINS)
NONE				

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: SOLID
COLOUR: OFF WHITE
ODOUR: SLIGHT
VAPOUR DENSITY (AIR=1) NA
BOILING POINT NA

SOLUBILITY INSOLUBLE IN WATER. VAPOUR PRESSURE: NOT ESTABLISHED

SPECIFIC GRAVITY (H<sub>2</sub>0=1) 2.0

FLASH POINT NOT ESTABLISHED

## 10. STABILITY AND REACTIVITY

STABILITY: STABLE

**SUBSTANCES TO BE AVOIDED:** OXIDISING AGENTS

**HAZARDOUS DECOMPOSITION PRODUCTS:** 

IGNITION MAY CAUSE FUMES OF CARBON

DIOXIDE / CARBON MONOXIDE.

**HAZARDOUS REACTIONS**: NONE KNOWN

PAGE 4 OF 6

# **AUTOCLAY**

## 11. TOXICOLOGICAL INFORMATION

**TOXICITY DATA:** (SEE SECTION 4 HEREIN)

ORAL: LD50 NOT ESTABLISHED

## 12. ECOLOGICAL INFORMATION

**BIODEGRADABILITY** BIODEGRADABLE

**ECOTOXICITY** CONTAINS 0% VOC'S,

## 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD(S) OIL BASED PRODUCTS SHOULD BE DISPOSED OF

TO A LICENSED WASTE CONTRACTOR. ANY DISPOSAL ROUTE SHOULD COMPLY WITH LOCAL BYLAWS AND THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION LEGISLATION.

## 14. TRANSPORT INFORMATION

NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS

PAGE 5 OF 6

# **AUTOCLAY**

## 15. REGULATORY INFORMATION

CLASSIFICATION ACCORDING TO EUROPEAN DIRECTIVE ON CLASSIFICATION OF HAZARDOUS PREPARATIONS 90/492/EEC

## 16. OTHER INFORMATION

#### **RECOMMENDED USES AND RESTRICTIONS:**

WE BELIEVE THAT THE STATEMENTS, TECHNICAL INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE RELIABLE. HOWEVER, THE DATA IS PROVIDED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. IT IS THE USERS RESPONSIBILITY BOTH TO DETERMINE SAFE CONDITIONS FOR USE OF THIS PRODUCT AND ASSUME LOSS DAMAGE OR EXPENSE DIRECT OR CONSEQUENTIAL, ARISING FROM ITS USE. BEFORE USING THIS PRODUCT READ THE LABEL AND TECHNICAL DATA SHEET.

**Technical Developments** 

**REVISION DATE 22/06/07** 

PAGE 6 OF 6