SAFETY DATA SHEET according to regulation (EC) No.1907/2006

SECTION 1: Identification of the substance/mixture and company

1.1. Product Identifier

Product code: Q4CTFRXX

Name: Super Strength TFR Base (Yellow)

1.2. Product Uses Traffic film remover.

1.3. Supplier Wholesale Automotive

Unit 18 Upminster Trading Park

Essex RM14 3PJ
Tel 01708 726995
Fax 01708 250019
Email sales@wacuk.com
www.wacuk.com

1.4. Emergency telephone number

Emergency telephone number: 01332 292402

SECTION 2: Hazards identification (Undiluted product)

2.1. Classification of the mixture According to 1272/2008

Health Hazards: Carc. 2, Eye Dam. 1, Skin Corr. 1B

Physical Hazards: Met. Corr. 1
Environmental Hazards: Not Classified

2.2. Label elements According to 1272/2008

Danger



H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H351 Suspected of causing cancer

H290 May be corrosive to metals

P260 Do not breathe mist/spray.
P280 Wear protective gloves/protective clothing/eye p

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

 $P303 + P361 + P353 \ IF \ ON \ SKIN \ (or \ hair): Take \ off \ immediately \ all \ contaminated \ clothing. \ Rinse \ skin \ with \ water/ \ shower.$

P304 + P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P234 Keep only in original container. P390 Absorb spillage to prevent material damage.

P405 Store locked up.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

Material	CAS number	Level	Hazards (see section 16)	
Trisodium nitrilotriacetate	5064-31-3	15-30%	Carc. 2, Eye Irrit. 2, Met. Corr. 1	H319 H290 H351
Sodium hydroxide	1310-73-2	2-5%	Skin Corr. 1A	H314
Amphoteric surfactant	61789-40-0	1-5%	Eye Dam. 1	H318

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye contact: Immediately flush eyes with water, holding eyelids apart, for at least 10 minutes. Seek medical assistance

immediately.

Skin contact: Remove contaminated clothing, wash skin with water and seek medical attention immediately.

Inhalation: If irritation occurs, remove to fresh air, keep warm and at rest, seek medical attention immediately.

Ingestion: Do not induce vomiting. If conscious, give water to drink. Seek medical assistance immediately.

First aider PPE: As required to prevent contact. See section 8.2.

4.2. Most important symptoms and effects, both acute and delayed

Eye hazard: Will cause severe irritation and damage.

Skin hazard: Causes burns.

Okiii ilazara. Oddoco barri

Respiratory hazard:
Other hazards:

Breathing spray mist may cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No special treatment or attention required additional to section 4.2.

SECTION 5: Fire fighting measures

Flammability hazard: Not combustible.

5.1. Extinguishing media

No special requirements. As appropraite for the fire.

5.2. Special hazards arising from the mixture

No specific hazards arising from the mixture.

5.3. Advice for firefighters

No special measures arising from the mixture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Take precautions to avoid contact. Use Personal Protective Equipment as detailed in section 8

Spillage may make floors slippery. Keep the area clear. Observe regulations.

6.2. Environmental precautions

Prevent spills from entering water courses.

6.3. Methods and material for containment and cleaning up

Large quantities, contain and absorb or pump into suitable containers for disposal.

Small quantities, flush to foul sewer with a large quantity of water.

6.4. Reference to other sections

Observe the advice given in sections 8 and 13

Q4CTFRXX Page 2 of 5 29 September 2014

SECTION 7: Handling and storage

Shelf life: 24 months in original sealed containers.

7.1. Precautions for safe handling

Do not mix with other products. Observe good industrial hygiene.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry place protected from frost and away from acids and strong oxidising agents. Store upright in original containers. Recommended storage temperature 5-25°C.

7.3. Product Uses

Blend with up to four equal volumes of water to produce your own high quality traffic film remover. This is a highly caustic product. Avoid all contact with alkali sensitive materials such as aluminium. Please refer to product safety data sheet before use. Use only as directed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits

Sodium hydroxide 2mg/m³ WEL 15 min STEL (UK EH40)

8.2. Exposure controls

These measures are suggested on the basis of general use methods and may not be appropriate to all potential uses of the product. The user is responsible for carrying out a full risk assessment of their specific processes and systems of work.



Eye protection: Wear a full face visor to BS EN 166 39B

Hand protection: Wear pvc or latex gloves. Exact choice of glove depends on specific risk assessments.

Body protection: As necessary to prevent contact.

Respiratory Use in a well ventilated area, avoid breathing spray mist, wear a protective mask to EN149 if

protection: necessary.

Other protection:

Exact PPE requirements should be

Personal protective equipment:determined from a specific risk



assessment of the processes being

carried out.

Environmental protection: Prevent mixture from entering water courses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Yellow liquid

Odour: Mild, characteristic.

pH (typical): 11.6 1% in water (typical).

Initial boiling point: 100°C. Flash point: Not applicable.

Auto-ignition temp: Not applicable. Viscosity: Free flowing.

Explosive properties: Not applicable.

Oxidising properties: Not applicable.

Vapour pressure: 17.5mm Hg at 20°C.

Solubility: Miscible with water.

Relative density at 20° C (typical): 1.232

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity Incompatible with oxidising agents, acids and alkali sensitive metals such as aluminium.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibilty of hazardous reactions No hazardous reactions are expected to occur.

10.4. Conditions to avoid Extremes of temperature.

10.5. Incompatible materials Incompatible with oxidising agents, acids and alkali sensitive metals such as aluminium.

10.6. Hazardous decomposition products None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity: Does not contain any ingredients classified as acutely toxic.

Skin corrosion/ irritation: Mixture is classified as Skin Corr. 1B. See section 2.

Serious eye damage/ irritation: Mixture is classified as Eye Dam. 1. See section 2.

Respiratory or skin sensitisation: Does not contain any ingredients classified as sensitising. Germ cell mutagenicity: Does not contain any ingredients classified as mutagenic.

Carcinogenicity: Mixture is classified as Carc. 2. See section 2.

Reproductive toxicity: Does not contain any ingredients classified as toxic for reproduction.

STOT single exposure: Does not contain any ingredients classified as STOT SE.

STOT repeated exposure: Does not contain any ingredients classified as STOT RE.

Aspiration toxicity: Does not contain any ingredients classified as Asp Tox.

Routes of exposure/ symptoms

Eye contact: Will cause severe irritation and damage.

Skin contact: Causes burns.

Inhalation: Breathing spray mist may cause irritation.

Ingestion: Moderate toxicity, will cause irritation and damage to gastro-intestinal tract due to alkalinity.

SECTION 12: Ecological information

12.1. Toxicity May affect aquatic organisms due to high pH if released into water courses untreated.

12.2. Persistence and degradabilityAll oganic ingredients are biodegradable when well diluted. Surfactants used

comply with biodegredation criteria, see section 15.1.

12.3. Bioaccumulative potential Not expected to bioaccumulate

12.4. Mobility in soilThis product has high water solubility

12.5. Results of PBT and vPvB assessmentContains no ingredients classified as PBT or vPvB.

12.6. Other adverse effects No other adverse effects are anticipated.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Process effluent can normally be discharged to foul sewer (subject to consent limits).

Large quantities, dispose via a licensed chemical waste contractor.

Empty cleaned containers can be recycled where facilities exist or sent for landfill or incineration where permitted.

SECTION 14: Transport information

14.1. UN number 1760 **14.2. UN proper shipping name** Corrosive Liquid, N.O.S.

14.3. Transport hazard class(es) 8 14.4. Packing group 2

14.5. Environmental hazards Not classified as environmentally hazardous for transport

14.6. Special precautions for user No specific precautions.

14.7. Transport in bulk according to Annex II of MARPOL 7 3/78 and the IBC Code Not available for bulk transport.

Q4CTFRXX Page 4 of 5 29 September 2014

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/ legislation specific for the substance or mixture

Contents according to (EC) regulation No.648/2004 on detergents:

NTA and salts thereof 15-

30%

Amphoteric surfactants <5%
Anionic surfactants <5%

The surfactant(s) contained in this preparation comply with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the member states and will be made available to them at their direct request.

15.2. Chemical safety assessment A chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements relating to ingredients (see section 3) H319 Causes serious eye irritation H290 May be corrosive to metals H351 Suspected of causing cancer H314 Causes severe skin burns and eye damage H318 Causes serious eye damage

Date of issue: 29 September 2014 Issue number: 1 Date of printing: 15 May 2015

This product should be stored, handled and used in accordance with good industrial practice and in conformity with legal regulations. The information in this data sheet is based on the present state of our knowledge and is intended to describe products from the point of view of safety requirements and thus should not be construed as guaranteeing specific properties. It is for users to satisfy themselves of the suitability of this product for their own applications.

Q4CTFRXX