

FARECLA G3 PASTE COMPOUND

Page: 1 Compilation date: 07/03/2014 Revision date: 07/11/2014 Revision No: 3

### Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: FARECLA G3 PASTE COMPOUND

**Product code:** G3-250/24, G3-400/12, G3-1000/12, G3-1200/12, G3-3000/4, G3-4000/4, G3-80000/1, G3P106, G3P112

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends. Surface Finishing Medium

### 1.3. Details of the supplier of the safety data sheet

Company name:	Farecla Products Limited	
	Broadmeads	
	Ware	
	Hertfordshire	
	SG12 9HS	
	UK	
Tel:	+44 (0)1920 465041	
Fax:	+44 (0)1920 466557	
Email:	technical@farecla.com	

### 1.4. Emergency telephone number

Emergency tel: +44 (0)1920465041

(office hours only)

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CHIP:	-: R52/53
Most important adverse effects:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
Classification under CLP:	This product has no classification under CLP.

2.2. Label elements

Label elements under CHIP:

Hazard symbols: Symbol not required.

Risk phrases: R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

2.3. Other hazards

### FARECLA G3 PASTE COMPOUND

**Page:** 2

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

### Hazardous ingredients:

ALUMINIUM OXIDE 1 - REACH registered number(s): 01-2119529248-35-XXXX

EINECS	CAS	CHIP Classification	CLP Classification	Percent
215-691-6	1344-28-1	Substance with a Community workplace exposure limit.	-	30-50%
WHITE MINER	AL OIL 8CPS - F	REACH registered number(s): WHITE	MINERAL OIL (PETROLEUM)	
232-455-8	8042-47-5	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304	1-10%
KEROSINE - UI	NSPECIFIED - H	KEROSINE (PETROLEUM), SOLVEN	T-REFINED HYDRODESULPHURIZED	
307-033-2	97488-94-3	Xn: R65; N: R51/53	Asp. Tox. 1: H304	1-10%
STRAIGHT RUI	N KEROSINE - S	SOLVENT NAPHTHA (PETROLEUM)	, MEDIUM ALIPH.	
265-191-7	64742-88-7	Xn: R65; Xi: R38; N: R51/53	Asp. Tox. 1: H304	1-10%

### Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

### Section 5: Fire-fighting measures

5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.

## FARECLA G3 PASTE COMPOUND

### 5.2. Special hazards arising from the substance or mixture

### **Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Do not create dust.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Hazardous ingredients:

Workplace exposure limits:

**ALUMINIUM OXIDE 1** 

### Respirable dust

State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STE	-
------------------------------------------------------	---

## FARECLA G3 PASTE COMPOUND

				Page: 4
UK	-	-	5mg/m3	-
WHITE MINERAL OIL 8CPS				
EU	5 mg/m3	-	-	-
8.1. DNEL/PNEC Values				
DNEL / PNEC	No data a	vailable.		
8.2. Exposure controls				
Engineering measures:	Ensure th	ere is sufficient ventilation of	of the area.	
			ust be available in case of emerg	gency. Respiratory
	protective	device with particle filter.		
Hand protection:	Protective	gloves.		
Eye protection:	Safety gla	isses. Ensure eye bath is to	hand.	
Skin protection:	Protective	e clothing.		
Environmental:	No specia	al requirement.		
Section 9: Physical and chemical properties				
9.1. Information on basic phy	sical and o	chemical properties		
State:	Paste			
Colour:	Cream			
Odour:	Character	ristic odour		
Evaporation rate:	No Data A	Available		
Oxidising:	Not Availa	able		
Solubility in water:	Slightly sc	bluble		
Also soluble in:	Not Availa	able		
Viscosity:	Viscous			
Kinematic viscosity:	53000cps			
Viscosity test method:	Brookfield	1 @ 20degC		
Boiling point/range°C:	Not Availa	able	Melting point/range°C:	Not Available
Flammability limits %: lower:	Not Availa	able	upper:	Not Available
Flash point°C:	83		Part.coeff. n-octanol/water:	Not Available
Autoflammability°C:	>250		Vapour pressure:	Not Available
Relative density:	1.44		pH:	9.41
VOC g/l:	160			
9.2. Other information				
Other information:	Not applic	able.		

Other information: Not applicable.

Section 10: Stability and reactivity

### FARECLA G3 PASTE COMPOUND

### 10.1. Reactivity

### Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

### Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

### 11.1. Information on toxicological effects

### Hazardous ingredients:

### ALUMINIUM OXIDE 1

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

### WHITE MINERAL OIL 8CPS

IHL	RAT	LC50	>5000	mg/kg
ORL	RAT	LD50	>5000	mg/kg
SKN	RBT	LD50	>2000	mg/kg

Toxicity values: No data available.

### Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	Exposure may cause coughing or wheezing.
Delayed / immediate effects:	Delayed effects can be expected after long-term exposure.
Other information:	Not applicable.

Section 12: Ecological information

## FARECLA G3 PASTE COMPOUND

		<b>Page:</b> 6	
12.1. Toxicity			
Ecotoxicity values:	No data available.		
12.2. Persistence and degrad			
Persistence and degradability:	-		
12.3. Bioaccumulative potent	ial		
Bioaccumulative potential:	No bioaccumulation potential.		
12.4. Mobility in soil			
Mobility:	No data available.		
12.5. Results of PBT and vPv	B assessment		
Persistence (P-):			
r ei sisterice (r-).	Persistence result:	not P-	
Bioaccumulation (B-):	r ersistence result.		
	Bioconcentration factor (BCF):	>=500	
	Bioaccumulation result:		
Toxicity (T-):			
		mg/l	
	NOEC for marine or freshwater organisms:	-	
	Toxicity result:	not T-	
PBT identification:	This product is not identified as a PBT substance.		
12.6. Other adverse effects			
Other adverse effects:	Negligible ecotoxicity.		
Section 13: Disposal conside	erations		
13.1. Waste treatment methods			
Disposal operations:	Transfer to a suitable container and arrange for collect	ion by specialised disposal	
Descurrent	company.		
Recovery operations: Waste code number:	••		
	Dispose of as normal industrial waste.	of regional or national	
ND:	The user's attention is drawn to the possible existence regulations regarding disposal.		
	regulations regarding disposal.		

## Section 14: Transport information

Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

## FARECLA G3 PASTE COMPOUND

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Specific regulations: Not applicable.

# 15.2. Chemical Safety Assessment

## Section 16: Other information

## Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No		
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and 3:	H304: May be fatal if swallowed and enters airways.	
	R38: Irritating to skin.	
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic	
	environment.	
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the	
	aquatic environment.	
	R65: Harmful: may cause lung damage if swallowed.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product.	